

事 務 連 絡
令和 2 年 4 月 28 日

各都道府県衛生主管部（局）薬務主管課 御中

厚生労働省医薬・生活衛生局医薬品審査管理課

第十七改正日本薬局方第一追補（英文版）正誤表の送付について（その 1）

第十七改正日本薬局方第一追補（平成 29 年厚生労働省告示第 348 号）の英文版につきまして、一部に誤植等がありましたので別紙のとおり正誤表を送付いたします。

Supplement I to JP17 table of errata

April 28, 2020

Official Monographs

Hypromellose ヒプロメロース

Page	Line	Correction	Error
2704	left ↓ 28 left ↑ 9-10	water (between 90°C and 99°C)	hot water (between 90°C and 99°C)

Methylcellulose メチルセルロース

Page	Line	Correction	Error
2723	left ↓ 31-32 left ↑ 5-6	water (between 90°C and 99°C)	hot water (between 90°C and 99°C)

Polysorbate 80 ポリソルベート 80

Page	Line	Correction	Error										
2731	left ↑ 7	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Methyl behenate</td> <td style="width: 20%; text-align: right;">10</td> </tr> <tr> <td>Methyl <u>lignocerate</u> for <u>gas</u></td> <td style="text-align: right;">10</td> </tr> <tr> <td><u>chromatography</u></td> <td></td> </tr> </table>	Methyl behenate	10	Methyl <u>lignocerate</u> for <u>gas</u>	10	<u>chromatography</u>		<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Methyl behenate</td> <td style="width: 20%; text-align: right;">10</td> </tr> <tr> <td><u>Methyl behenate</u></td> <td style="text-align: right;">10</td> </tr> </table>	Methyl behenate	10	<u>Methyl behenate</u>	10
Methyl behenate	10												
Methyl <u>lignocerate</u> for <u>gas</u>	10												
<u>chromatography</u>													
Methyl behenate	10												
<u>Methyl behenate</u>	10												

Vasopressin Injection バソプレシン注射液

Page	Line	Correction	Error
2741	left ↓ 19	$= M_S \times A_T / A_S \times F \times 1 / V \times \underline{1/50}$	$= M_S \times A_T / A_S \times F \times 1 / V \times \underline{2}$