

薬生薬審発 0601 第 1 号  
令和 3 年 6 月 1 日

各都道府県衛生主管部（局）長 殿

厚生労働省医薬・生活衛生局医薬品審査管理課長  
( 公 印 省 略 )

### 医薬品の一般的名称について

標記については、「医薬品の一般的名称の取扱いについて（平成 18 年 3 月 31 日薬食発第 0331001 号厚生労働省医薬食品局長通知）」等により取り扱っているところです。今般、我が国における医薬品の一般的名称（以下「JAN」という。）について、新たに別添のとおり定めたので、御了知の上、貴管下関係業者に周知方よろしく御配慮願います。

（参照）

「日本医薬品一般的名称データベース」<https://jpdb.nihs.go.jp/jan/Default.aspx>  
( 別添の情報のうち、JAN 以外の最新の情報は、当該データベースの情報で対応することとしています。 )

(別表2) INNに収載された品目の我が国における医薬品一般的名称


(平成18年3月31日薬食審査発第0331001号厚生労働省医薬食品局審査管理課長通知に示す別表2)

登録番号 302-4-B10


JAN(日本名) : チルゼパチド

JAN(英名) : Tirzepatide


YXEGTFTSDY SIXLDKIAQK AFVQWLIAGG PSSGAPPS



X  
2, 13  
2-methylAla



39  
Ser-NH<sub>2</sub>



N<sup>ε</sup>-{N-(hydrogen icosanedioyl)-  
γ-Glu-bis[iminobis(ethylenoxy)acetyl]}-Lys

C<sub>225</sub>H<sub>348</sub>N<sub>48</sub>O<sub>68</sub>

チルゼパチドは、ヒトグルコース依存性インスリン分泌刺激ポリペプチド(GIP)受容体及びヒトグルカゴン様ペプチド-1(GLP-1)受容体のアゴニストであり、2及び13番目のアミノ酸残基は2-methylAla、C末端はアミド化されたSerである。さらに、1,20-イコサン二酸が1個のGlu及び2個の8-アミノ-3,6-ジオキサオクタン酸で構成されるリンカーを介して20番目のLysに結合している。チルゼパチドは39個のアミノ酸残基からなる合成ペプチドである。

Tirzepatide is an agonist of human glucose-dependent insulinotropic polypeptide (GIP) and human glucagon-like peptide-1 (GLP-1) receptors, whose amino acid residues at positions 2 and 13 are 2-methylAla, and the C-terminus is amidated Ser. A 1,20-icosanedioic acid is attached to Lys at position 20 via a linker which consists of a Glu and two 8-amino-3,6-dioxaoctanoic acids. Tirzepatide is a synthetic peptide consisting of 39 amino acid residues.

※ JAN以外の情報は、参考として掲載しました。