

## — VI 歯科保健状況調査の結果 —



◆歯-第1表◆ 被調査者数 (人)

年齢階級	男	女	男女計
1～4	4	6	10
5～9	12	10	22
10～14	15	15	30
15～19	9	5	14
20～24	2	3	5
25～29	5	5	10
30～34	7	11	18
35～39	13	12	25
40～44	7	15	22
45～49	18	19	37
50～54	13	20	33
55～59	17	32	49
60～64	22	23	45
65～69	30	29	59
70～74	25	30	55
75～79	15	20	35
80～84	12	23	35
85～	13	12	25
総数	239	290	529

(人)

総数	529
男	239
女	290
乳歯(1～14歳)	62
乳歯+永久歯(5～14歳)	52
永久歯(5歳以上)	519

◆歯-第2表◆ う歯のある者(1～14歳・乳歯)

年齢	対象者数 人	う歯のない者		う歯のある者					
				処置完了者		処置歯・未処置歯を併有する者		未処置の者	
		人	(%)	人	(%)	人	(%)	人	(%)
1	3	3	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
2	1	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
3	3	3	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
4	3	3	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
5	3	3	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
6	6	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
7	6	3	(50.0)	2	(33.3)	1	(16.7)	0	(0.0)
8	4	2	(50.0)	1	(25.0)	1	(25.0)	0	(0.0)
9	3	1	(33.3)	0	(0.0)	2	(66.7)	0	(0.0)
10	6	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
11	7	6	(85.7)	0	(0.0)	1	(14.3)	0	(0.0)
12	6	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
13	5	5	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
14	6	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
全年齢	62	54	(87.1)	3	(4.8)	5	(8.1)	0	(0.0)

◆歯-第3表◆ 乳歯のう歯の状況(1~14歳)

(本)

年齢	対象者数(人)	未処置歯数	処置歯数	一人平均 未処置歯数	dft指数
1	3	0	0	0.0	0.0
2	1	0	0	0.0	0.0
3	3	0	0	0.0	0.0
4	3	0	0	0.0	0.0
5	3	0	0	0.0	0.0
6	6	0	0	0.0	0.0
7	6	3	6	0.5	1.5
8	4	3	9	0.8	3.0
9	3	5	2	1.7	2.3
10	6	0	0	0.0	0.0
11	7	2	5	0.3	1.0
12	6	0	0	0.0	0.0
13	5	0	0	0.0	0.0
14	6	0	0	0.0	0.0
全年齢	62	13	22	0.2	0.6

◆歯-第4表◆ う歯のある者(5~14歳・乳歯+永久歯)

年齢	対象者数 人	う歯のない者		う歯のある者					
				処置完了者		処置歯・未処置歯を 併有する者		未処置の者	
		人	(%)	人	(%)	人	(%)	人	(%)
5	3	2	(66.7)	0	(0.0)	0	(0.0)	1	(33.3)
6	6	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
7	6	3	(50.0)	2	(33.3)	1	(16.7)	0	(0.0)
8	4	2	(50.0)	1	(25.0)	1	(25.0)	0	(0.0)
9	3	1	(33.3)	0	(0.0)	2	(66.7)	0	(0.0)
10	6	6	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)
11	7	4	(57.1)	1	(14.3)	2	(28.6)	0	(0.0)
12	6	4	(66.7)	1	(16.7)	1	(16.7)	0	(0.0)
13	5	2	(40.0)	3	(60.0)	0	(0.0)	0	(0.0)
14	6	5	(83.3)	0	(0.0)	1	(16.7)	0	(0.0)
全年齢	52	35	(67.3)	8	(15.4)	8	(15.4)	1	(1.9)

◆歯-第5表◆ う歯のある者(5歳以上・永久歯)

	年齢階級	対象者数	う歯のない者		う歯のある者					
					処置完了の者		処置歯・未処置歯を併有する者		未処置の者	
					人	(%)	人	(%)	人	(%)
男	5~9	12	10	(83.3)	0	(0.0)	0	(0.0)	2	(16.7)
	10~14	15	12	(80.0)	3	(20.0)	0	(0.0)	0	(0.0)
	15~19	9	3	(33.3)	2	(22.2)	2	(22.2)	2	(22.2)
	20~24	2	1	(50.0)	1	(50.0)	0	(0.0)	0	(0.0)
	25~29	5	2	(40.0)	1	(20.0)	2	(40.0)	0	(0.0)
	30~34	7	2	(28.6)	3	(42.9)	1	(14.3)	1	(14.3)
	35~39	13	1	(7.7)	9	(69.2)	3	(23.1)	0	(0.0)
	40~44	7	0	(0.0)	6	(85.7)	1	(14.3)	0	(0.0)
	45~49	18	0	(0.0)	7	(38.9)	11	(61.1)	0	(0.0)
	50~54	13	0	(0.0)	9	(69.2)	4	(30.8)	0	(0.0)
	55~59	17	1	(5.9)	10	(58.8)	5	(29.4)	1	(5.9)
	60~64	22	2	(9.1)	12	(54.6)	8	(36.4)	0	(0.0)
	65~69	30	1	(3.3)	21	(70.0)	8	(26.7)	0	(0.0)
	70~74	25	1	(4.0)	14	(56.0)	9	(36.0)	1	(4.0)
	75~79	15	2	(13.3)	8	(53.3)	5	(33.3)	0	(0.0)
80~84	12	1	(8.3)	6	(50.0)	5	(41.7)	0	(0.0)	
85~	13	2	(15.4)	4	(30.8)	7	(53.9)	0	(0.0)	
女	5~9	10	9	(90.0)	1	(10.0)	0	(0.0)	0	(0.0)
	10~14	15	10	(66.7)	2	(13.3)	3	(20.0)	0	(0.0)
	15~19	5	4	(80.0)	0	(0.0)	1	(20.0)	0	(0.0)
	20~24	3	0	(0.0)	1	(33.3)	1	(33.3)	1	(33.3)
	25~29	5	0	(0.0)	3	(60.0)	2	(40.0)	0	(0.0)
	30~34	11	1	(9.1)	3	(27.3)	6	(54.6)	1	(9.1)
	35~39	12	1	(8.3)	8	(66.7)	3	(25.0)	0	(0.0)
	40~44	15	0	(0.0)	8	(53.3)	6	(40.0)	1	(6.7)
	45~49	19	1	(5.3)	15	(79.0)	3	(15.8)	0	(0.0)
	50~54	20	0	(0.0)	17	(85.0)	3	(15.0)	0	(0.0)
	55~59	32	0	(0.0)	23	(71.9)	9	(28.1)	0	(0.0)
	60~64	23	0	(0.0)	15	(65.2)	8	(34.8)	0	(0.0)
	65~69	29	0	(0.0)	25	(86.2)	4	(13.8)	0	(0.0)
	70~74	30	1	(3.3)	20	(66.7)	9	(30.0)	0	(0.0)
	75~79	20	2	(10.0)	12	(60.0)	6	(30.0)	0	(0.0)
80~84	23	2	(8.7)	9	(39.1)	12	(52.2)	0	(0.0)	
85~	12	2	(16.7)	6	(50.0)	4	(33.3)	0	(0.0)	
男女計	5~9	22	19	(86.4)	1	(4.6)	0	(0.0)	2	(9.1)
	10~14	30	22	(73.3)	5	(16.7)	3	(10.0)	0	(0.0)
	15~19	14	7	(50.0)	2	(14.3)	3	(21.4)	2	(14.3)
	20~24	5	1	(20.0)	2	(40.0)	1	(20.0)	1	(20.0)
	25~29	10	2	(20.0)	4	(40.0)	4	(40.0)	0	(0.0)
	30~34	18	3	(16.7)	6	(33.3)	7	(38.9)	2	(11.1)
	35~39	25	2	(8.0)	17	(68.0)	6	(24.0)	0	(0.0)
	40~44	22	0	(0.0)	14	(63.6)	7	(31.8)	1	(4.6)
	45~49	37	1	(2.7)	22	(59.5)	14	(37.8)	0	(0.0)
	50~54	33	0	(0.0)	26	(78.8)	7	(21.2)	0	(0.0)
	55~59	49	1	(2.0)	33	(67.4)	14	(28.6)	1	(2.0)
	60~64	45	2	(4.4)	27	(60.0)	16	(35.6)	0	(0.0)
	65~69	59	1	(1.7)	46	(78.0)	12	(20.3)	0	(0.0)
	70~74	55	2	(3.6)	34	(61.8)	18	(32.7)	1	(1.8)
	75~79	35	4	(11.4)	20	(57.1)	11	(31.4)	0	(0.0)
80~84	35	3	(8.6)	15	(42.9)	17	(48.6)	0	(0.0)	
85~	25	4	(16.0)	10	(40.0)	11	(44.0)	0	(0.0)	

◆歯-第6表◆ 未処置歯のある者(5歳以上・永久歯)

	年齢階級	対象者数	未処置歯のある者					
			計		処置歯・未処置歯を併有する者		未処置の者	
			人	(%)	人	(%)	人	(%)
男	5~9	12	2	(16.7)	0	(0.0)	2	(16.7)
	10~14	15	0	(0.0)	0	(0.0)	0	(0.0)
	15~19	9	4	(44.4)	2	(22.2)	2	(22.2)
	20~24	2	0	(0.0)	0	(0.0)	0	(0.0)
	25~29	5	2	(40.0)	2	(40.0)	0	(0.0)
	30~34	7	2	(28.6)	1	(14.3)	1	(14.3)
	35~39	13	3	(23.1)	3	(23.1)	0	(0.0)
	40~44	7	1	(14.3)	1	(14.3)	0	(0.0)
	45~49	18	11	(61.1)	11	(61.1)	0	(0.0)
	50~54	13	4	(30.8)	4	(30.8)	0	(0.0)
	55~59	17	6	(35.3)	5	(29.4)	1	(5.9)
	60~64	22	8	(36.4)	8	(36.4)	0	(0.0)
	65~69	30	8	(26.7)	8	(26.7)	0	(0.0)
	70~74	25	10	(40.0)	9	(36.0)	1	(4.0)
	75~79	15	5	(33.3)	5	(33.3)	0	(0.0)
80~84	12	5	(41.7)	5	(41.7)	0	(0.0)	
85~	13	7	(53.9)	7	(53.9)	0	(0.0)	
女	5~9	10	0	(0.0)	0	(0.0)	0	(0.0)
	10~14	15	3	(20.0)	3	(20.0)	0	(0.0)
	15~19	5	1	(20.0)	1	(20.0)	0	(0.0)
	20~24	3	2	(66.7)	1	(33.3)	1	(33.3)
	25~29	5	2	(40.0)	2	(40.0)	0	(0.0)
	30~34	11	7	(63.6)	6	(54.6)	1	(9.1)
	35~39	12	3	(25.0)	3	(25.0)	0	(0.0)
	40~44	15	7	(46.7)	6	(40.0)	1	(6.7)
	45~49	19	3	(15.8)	3	(15.8)	0	(0.0)
	50~54	20	3	(15.0)	3	(15.0)	0	(0.0)
	55~59	32	9	(28.1)	9	(28.1)	0	(0.0)
	60~64	23	8	(34.8)	8	(34.8)	0	(0.0)
	65~69	29	4	(13.8)	4	(13.8)	0	(0.0)
	70~74	30	9	(30.0)	9	(30.0)	0	(0.0)
	75~79	20	6	(30.0)	6	(30.0)	0	(0.0)
80~84	23	12	(52.2)	12	(52.2)	0	(0.0)	
85~	12	4	(33.3)	4	(33.3)	0	(0.0)	
男女計	5~9	22	2	(9.1)	0	(0.0)	2	(9.1)
	10~14	30	3	(10.0)	3	(10.0)	0	(0.0)
	15~19	14	5	(35.7)	3	(21.4)	2	(14.3)
	20~24	5	2	(40.0)	1	(20.0)	1	(20.0)
	25~29	10	4	(40.0)	4	(40.0)	0	(0.0)
	30~34	18	9	(50.0)	7	(38.9)	2	(11.1)
	35~39	25	6	(24.0)	6	(24.0)	0	(0.0)
	40~44	22	8	(36.4)	7	(31.8)	1	(4.6)
	45~49	37	14	(37.8)	14	(37.8)	0	(0.0)
	50~54	33	7	(21.2)	7	(21.2)	0	(0.0)
	55~59	49	15	(30.6)	14	(28.6)	1	(2.0)
	60~64	45	16	(35.6)	16	(35.6)	0	(0.0)
	65~69	59	12	(20.3)	12	(20.3)	0	(0.0)
	70~74	55	19	(34.6)	18	(32.7)	1	(1.8)
	75~79	35	11	(31.4)	11	(31.4)	0	(0.0)
80~84	35	17	(48.6)	17	(48.6)	0	(0.0)	
85~	25	11	(44.0)	11	(44.0)	0	(0.0)	

◆歯-第7表◆ 未処置歯のある者(10歳以上・永久歯)

	年齢階級	対象者数	未処置歯のある者					
			計		処置歯・未処置歯を併有する者		未処置の者	
			人	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)
男	10～19	24	4	(16.7)	2	(8.3)	2	(8.3)
	20～29	7	2	(28.6)	2	(28.6)	0	(0.0)
	30～39	20	5	(25.0)	4	(20.0)	1	(5.0)
	40～49	25	12	(48.0)	12	(48.0)	0	(0.0)
	50～59	30	10	(33.3)	9	(30.0)	1	(3.3)
	60～69	52	16	(30.8)	16	(30.8)	0	(0.0)
	70～79	40	15	(37.5)	14	(35.0)	1	(2.5)
	80～	25	12	(48.0)	12	(48.0)	0	(0.0)
女	10～19	20	4	(20.0)	4	(20.0)	0	(0.0)
	20～29	8	4	(50.0)	3	(37.5)	1	(12.5)
	30～39	23	10	(43.5)	9	(39.1)	1	(4.4)
	40～49	34	10	(29.4)	9	(26.5)	1	(2.9)
	50～59	52	12	(23.1)	12	(23.1)	0	(0.0)
	60～69	52	12	(23.1)	12	(23.1)	0	(0.0)
	70～79	50	15	(30.0)	15	(30.0)	0	(0.0)
	80～	35	16	(45.7)	16	(45.7)	0	(0.0)
男女計	10～19	44	8	(18.2)	6	(13.6)	2	(4.6)
	20～29	15	6	(40.0)	5	(33.3)	1	(6.7)
	30～39	43	15	(34.9)	13	(30.2)	2	(4.7)
	40～49	59	22	(37.3)	21	(35.6)	1	(1.7)
	50～59	82	22	(26.8)	21	(25.6)	1	(1.2)
	60～69	104	28	(26.9)	28	(26.9)	0	(0.0)
	70～79	90	30	(33.3)	29	(32.2)	1	(1.1)
	80～	60	28	(46.7)	28	(46.7)	0	(0.0)

◆歯-第8表◆ 1人平均DMF歯数(DMFT指数)(5歳以上・永久歯) (本)

	年齢階級	対象者数 (人)	歯数				一人平均歯数			
			計	未処置歯 (D)	処置歯 (F)	喪失歯 (M)	DMFT	未処置歯 (D)	処置歯 (F)	喪失歯 (M)
男	5~9	12	4	4	0	0	0.33	0.33	0.00	0.00
	10~14	15	7	0	7	0	0.47	0.00	0.47	0.00
	15~19	9	28	16	12	0	3.11	1.78	1.33	0.00
	20~24	2	3	0	3	0	1.50	0.00	1.50	0.00
	25~29	5	23	5	18	0	4.60	1.00	3.60	0.00
	30~34	7	33	4	28	1	4.71	0.57	4.00	0.14
	35~39	13	91	13	75	3	7.00	1.00	5.77	0.23
	40~44	7	92	2	81	9	13.14	0.29	11.57	1.29
	45~49	18	256	41	206	9	14.22	2.28	11.44	0.50
	50~54	13	195	6	170	19	15.00	0.46	13.08	1.46
	55~59	17	192	12	155	25	11.29	0.71	9.12	1.47
	60~64	22	353	29	231	93	16.05	1.32	10.50	4.23
	65~69	30	542	25	368	149	18.07	0.83	12.27	4.97
	70~74	25	458	31	261	166	18.32	1.24	10.44	6.64
75~79	15	313	13	140	160	20.87	0.87	9.33	10.67	
80~84	12	255	19	99	137	21.25	1.58	8.25	11.42	
85~	13	312	26	141	145	24.00	2.00	10.85	11.15	
女	5~9	10	5	0	5	0	0.50	0.00	0.50	0.00
	10~14	15	13	4	9	0	0.87	0.27	0.60	0.00
	15~19	5	3	1	2	0	0.60	0.20	0.40	0.00
	20~24	3	22	3	19	0	7.33	1.00	6.33	0.00
	25~29	5	50	4	44	2	10.00	0.80	8.80	0.40
	30~34	11	90	29	59	2	8.18	2.64	5.36	0.18
	35~39	12	100	3	89	8	8.33	0.25	7.42	0.67
	40~44	15	183	28	140	15	12.20	1.87	9.33	1.00
	45~49	19	244	4	218	22	12.84	0.21	11.47	1.16
	50~54	20	306	5	273	28	15.30	0.25	13.65	1.40
	55~59	32	533	17	476	40	16.66	0.53	14.88	1.25
	60~64	23	412	14	354	44	17.91	0.61	15.39	1.91
	65~69	29	488	10	381	97	16.83	0.34	13.14	3.34
	70~74	30	579	29	388	162	19.30	0.97	12.93	5.40
75~79	20	413	7	191	215	20.65	0.35	9.55	10.75	
80~84	23	580	31	241	308	25.22	1.35	10.48	13.39	
85~	12	292	4	107	181	24.33	0.33	8.92	15.08	
男女計	5~9	22	9	4	5	0	0.41	0.18	0.23	0.00
	10~14	30	20	4	16	0	0.67	0.13	0.53	0.00
	15~19	14	31	17	14	0	2.21	1.21	1.00	0.00
	20~24	5	25	3	22	0	5.00	0.60	4.40	0.00
	25~29	10	73	9	62	2	7.30	0.90	6.20	0.20
	30~34	18	123	33	87	3	6.83	1.83	4.83	0.17
	35~39	25	191	16	164	11	7.64	0.64	6.56	0.44
	40~44	22	275	30	221	24	12.50	1.36	10.05	1.09
	45~49	37	500	45	424	31	13.51	1.22	11.46	0.84
	50~54	33	501	11	443	47	15.18	0.33	13.42	1.42
	55~59	49	725	29	631	65	14.80	0.59	12.88	1.33
	60~64	45	765	43	585	137	17.00	0.96	13.00	3.04
	65~69	59	1030	35	749	246	17.46	0.59	12.69	4.17
	70~74	55	1037	60	649	328	18.85	1.09	11.80	5.96
75~79	35	726	20	331	375	20.74	0.57	9.46	10.71	
80~84	35	835	50	340	445	23.86	1.43	9.71	12.71	
85~	25	604	30	248	326	24.16	1.20	9.92	13.04	



◆歯-第9表◆ 処置歯にしめる充填歯、クラウンの割合(5歳以上・乳歯+永久歯)

	年齢階級	処置歯 (F)+(K)				
		充填歯(F)		クラウン(K)		本 (%)
		本	(%)	本	(%)	
男	5~9	11	11 (100.0)	0	0 (0.0)	
	10~14	7	7 (100.0)	0	0 (0.0)	
	15~19	12	8 (66.7)	4	4 (33.3)	
	20~24	3	1 (33.3)	2	2 (66.7)	
	25~29	18	16 (88.9)	2	2 (11.1)	
	30~34	28	21 (75.0)	7	7 (25.0)	
	35~39	75	54 (72.0)	21	21 (28.0)	
	40~44	81	65 (80.2)	16	16 (19.8)	
	45~49	206	149 (72.3)	57	57 (27.7)	
	50~54	170	92 (54.1)	78	78 (45.9)	
	55~59	155	85 (54.8)	70	70 (45.2)	
	60~64	231	136 (58.9)	95	95 (41.1)	
	65~69	368	174 (47.3)	194	194 (52.7)	
	70~74	261	94 (36.0)	167	167 (64.0)	
	75~79	140	86 (61.4)	54	54 (38.6)	
80~84	99	36 (36.4)	63	63 (63.6)		
85~	141	44 (31.2)	97	97 (68.8)		
女	5~9	11	8 (72.7)	3	3 (27.3)	
	10~14	14	14 (100.0)	0	0 (0.0)	
	15~19	2	2 (100.0)	0	0 (0.0)	
	20~24	21	9 (42.9)	12	12 (57.1)	
	25~29	44	41 (93.2)	3	3 (6.8)	
	30~34	59	50 (84.7)	9	9 (15.3)	
	35~39	89	70 (78.7)	19	19 (21.3)	
	40~44	140	117 (83.6)	23	23 (16.4)	
	45~49	218	170 (78.0)	48	48 (22.0)	
	50~54	273	163 (59.7)	110	110 (40.3)	
	55~59	476	291 (61.1)	185	185 (38.9)	
	60~64	354	174 (49.2)	180	180 (50.8)	
	65~69	381	170 (44.6)	211	211 (55.4)	
	70~74	388	173 (44.6)	215	215 (55.4)	
	75~79	191	88 (46.1)	103	103 (53.9)	
80~84	241	95 (39.4)	146	146 (60.6)		
85~	107	47 (43.9)	60	60 (56.1)		
男女計	5~9	22	19 (86.4)	3	3 (13.6)	
	10~14	21	21 (100.0)	0	0 (0.0)	
	15~19	14	10 (71.4)	4	4 (28.6)	
	20~24	24	10 (41.7)	14	14 (58.3)	
	25~29	62	57 (91.9)	5	5 (8.1)	
	30~34	87	71 (81.6)	16	16 (18.4)	
	35~39	164	124 (75.6)	40	40 (24.4)	
	40~44	221	182 (82.4)	39	39 (17.6)	
	45~49	424	319 (75.2)	105	105 (24.8)	
	50~54	443	255 (57.6)	188	188 (42.4)	
	55~59	631	376 (59.6)	255	255 (40.4)	
	60~64	585	310 (53.0)	275	275 (47.0)	
	65~69	749	344 (45.9)	405	405 (54.1)	
	70~74	649	267 (41.1)	382	382 (58.9)	
	75~79	331	174 (52.6)	157	157 (47.4)	
80~84	340	131 (38.5)	209	209 (61.5)		
85~	248	91 (36.7)	157	157 (63.3)		

◆歯-第10表◆ 喪失歯のある者(5歳以上・永久歯)

年齢階級	対象者数(人)			男		女		男女計	
	男	女	男女計	人	(%)	人	(%)	人	(%)
5~9	12	10	22	0	(0.0)	0	(0.0)	0	(0.0)
10~14	15	15	30	0	(0.0)	0	(0.0)	0	(0.0)
15~19	9	5	14	0	(0.0)	0	(0.0)	0	(0.0)
20~24	2	3	5	0	(0.0)	0	(0.0)	0	(0.0)
25~29	5	5	10	0	(0.0)	2	(40.0)	2	(20.0)
30~34	7	11	18	1	(14.3)	2	(18.2)	3	(16.7)
35~39	13	12	25	3	(23.1)	4	(33.3)	7	(28.0)
40~44	7	15	22	3	(42.9)	4	(26.7)	7	(31.8)
45~49	18	19	37	5	(27.8)	8	(42.1)	13	(35.1)
50~54	13	20	33	6	(46.2)	8	(40.0)	14	(42.4)
55~59	17	32	49	9	(52.9)	17	(53.1)	26	(53.1)
60~64	22	23	45	10	(45.5)	13	(56.5)	23	(51.1)
65~69	30	29	59	23	(76.7)	23	(79.3)	46	(78.0)
70~74	25	30	55	23	(92.0)	25	(83.3)	48	(87.3)
75~79	15	20	35	15	(100.0)	17	(85.0)	32	(91.4)
80~84	12	23	35	11	(91.7)	21	(91.3)	32	(91.4)
85~	13	12	25	12	(92.3)	11	(91.7)	23	(92.0)

◆歯-第11表◆ 1人平均喪失歯数(5歳以上・永久歯)

(本)

年齢階級	対象者数(人)			喪失歯数			一人平均喪失歯数		
	男	女	男女計	男	女	男女計	男	女	男女計
5~9	12	10	22	0	0	0	0.00	0.00	0.00
10~14	15	15	30	0	0	0	0.00	0.00	0.00
15~19	9	5	14	0	0	0	0.00	0.00	0.00
20~24	2	3	5	0	0	0	0.00	0.00	0.00
25~29	5	5	10	0	2	2	0.00	0.40	0.20
30~34	7	11	18	1	2	3	0.14	0.18	0.17
35~39	13	12	25	3	8	11	0.23	0.67	0.44
40~44	7	15	22	9	15	24	1.29	1.00	1.09
45~49	18	19	37	9	22	31	0.50	1.16	0.84
50~54	13	20	33	19	28	47	1.46	1.40	1.42
55~59	17	32	49	25	40	65	1.47	1.25	1.33
60~64	22	23	45	93	44	137	4.23	1.91	3.04
65~69	30	29	59	149	97	246	4.97	3.34	4.17
70~74	25	30	55	166	162	328	6.64	5.40	5.96
75~79	15	20	35	160	215	375	10.67	10.75	10.71
80~84	12	23	35	137	308	445	11.42	13.39	12.71
85~	13	12	25	145	181	326	11.15	15.08	13.04

◆歯-第12表◆ 19本以下の歯を有する者(5歳以上・永久歯)

年齢階級	対象者数(人)			男		女		男女計	
	男	女	男女計	人	(%)	人	(%)	人	(%)
5～9	12	10	22	12	(100.0)	9	(90.0)	21	(95.5)
10～14	15	15	30	2	(13.3)	1	(6.7)	3	(10.0)
15～19	9	5	14	0	(0.0)	0	(0.0)	0	(0.0)
20～24	2	3	5	0	(0.0)	0	(0.0)	0	(0.0)
25～29	5	5	10	0	(0.0)	0	(0.0)	0	(0.0)
30～34	7	11	18	0	(0.0)	0	(0.0)	0	(0.0)
35～39	13	12	25	0	(0.0)	0	(0.0)	0	(0.0)
40～44	7	15	22	0	(0.0)	0	(0.0)	0	(0.0)
45～49	18	19	37	0	(0.0)	0	(0.0)	0	(0.0)
50～54	13	20	33	0	(0.0)	1	(5.0)	1	(3.0)
55～59	17	32	49	0	(0.0)	0	(0.0)	0	(0.0)
60～64	22	23	45	2	(9.1)	1	(4.4)	3	(6.7)
65～69	30	29	59	4	(13.3)	3	(10.3)	7	(11.9)
70～74	25	30	55	6	(24.0)	6	(20.0)	12	(21.8)
75～79	15	20	35	8	(53.3)	9	(45.0)	17	(48.6)
80～84	12	23	35	7	(58.3)	15	(65.2)	22	(62.9)
85～	13	12	25	8	(61.5)	7	(58.3)	15	(60.0)

◆歯-第13表◆ 20本以上歯を有する者(5歳以上・永久歯)

年齢階級	対象者数(人)			男		女		男女計	
	男	女	男女計	人	(%)	人	(%)	人	(%)
5～9	12	10	22	0	(0.0)	1	(10.0)	1	(4.6)
10～14	15	15	30	13	(86.7)	14	(93.3)	27	(90.0)
15～19	9	5	14	9	(100.0)	5	(100.0)	14	(100.0)
20～24	2	3	5	2	(100.0)	3	(100.0)	5	(100.0)
25～29	5	5	10	5	(100.0)	5	(100.0)	10	(100.0)
30～34	7	11	18	7	(100.0)	11	(100.0)	18	(100.0)
35～39	13	12	25	13	(100.0)	12	(100.0)	25	(100.0)
40～44	7	15	22	7	(100.0)	15	(100.0)	22	(100.0)
45～49	18	19	37	18	(100.0)	19	(100.0)	37	(100.0)
50～54	13	20	33	13	(100.0)	19	(95.0)	32	(97.0)
55～59	17	32	49	17	(100.0)	32	(100.0)	49	(100.0)
60～64	22	23	45	20	(90.9)	22	(95.7)	42	(93.3)
65～69	30	29	59	26	(86.7)	26	(89.7)	52	(88.1)
70～74	25	30	55	19	(76.0)	24	(80.0)	43	(78.2)
75～79	15	20	35	7	(46.7)	11	(55.0)	18	(51.4)
80～84	12	23	35	5	(41.7)	8	(34.8)	13	(37.1)
85～	13	12	25	5	(38.5)	5	(41.7)	10	(40.0)

◆歯-第14表◆ 24本以上歯を有する者(5歳以上・永久歯)

年齢階級	対象者数(人)			男		女		男女計	
	男	女	男女計	人	(%)	人	(%)	人	(%)
5~9	12	10	22	0	(0.0)	0	(0.0)	0	(0.0)
10~14	15	15	30	12	(80.0)	12	(80.0)	24	(80.0)
15~19	9	5	14	9	(100.0)	5	(100.0)	14	(100.0)
20~24	2	3	5	2	(100.0)	3	(100.0)	5	(100.0)
25~29	5	5	10	5	(100.0)	5	(100.0)	10	(100.0)
30~34	7	11	18	7	(100.0)	11	(100.0)	18	(100.0)
35~39	13	12	25	13	(100.0)	12	(100.0)	25	(100.0)
40~44	7	15	22	7	(100.0)	15	(100.0)	22	(100.0)
45~49	18	19	37	18	(100.0)	18	(94.7)	36	(97.3)
50~54	13	20	33	12	(92.3)	18	(90.0)	30	(90.9)
55~59	17	32	49	17	(100.0)	31	(96.9)	48	(98.0)
60~64	22	23	45	17	(77.3)	21	(91.3)	38	(84.4)
65~69	30	29	59	22	(73.3)	21	(72.4)	43	(72.9)
70~74	25	30	55	11	(44.0)	16	(53.3)	27	(49.1)
75~79	15	20	35	7	(46.7)	9	(45.0)	16	(45.7)
80~84	12	23	35	3	(25.0)	5	(21.7)	8	(22.9)
85~	13	12	25	3	(23.1)	3	(25.0)	6	(24.0)

◆歯-第15表◆ 1人平均現在歯数(5歳以上・永久歯)

(本)

年齢階級	対象者数(人)			現在歯数			一人平均現在歯数		
	男	女	男女計	男	女	男女計	男	女	男女計
5~9	12	10	22	89	105	194	7.42	10.50	8.82
10~14	15	15	30	369	372	741	24.60	24.80	24.70
15~19	9	5	14	252	140	392	28.00	28.00	28.00
20~24	2	3	5	61	86	147	30.50	28.67	29.40
25~29	5	5	10	150	147	297	30.00	29.40	29.70
30~34	7	11	18	208	319	527	29.71	29.00	29.28
35~39	13	12	25	373	337	710	28.69	28.08	28.40
40~44	7	15	22	197	419	616	28.14	27.93	28.00
45~49	18	19	37	519	534	1053	28.83	28.11	28.46
50~54	13	20	33	363	543	906	27.92	27.15	27.45
55~59	17	32	49	465	873	1338	27.35	27.28	27.31
60~64	22	23	45	539	610	1149	24.50	26.52	25.53
65~69	30	29	59	705	730	1435	23.50	25.17	24.32
70~74	25	30	55	545	681	1226	21.80	22.70	22.29
75~79	15	20	35	265	354	619	17.67	17.70	17.69
80~84	12	23	35	202	337	539	16.83	14.65	15.40
85~	13	12	25	220	159	379	16.92	13.25	15.16

◆歯-第16表◆ 補綴物を装着している者(5歳以上・永久歯)

	年齢階級	対象者数		補綴物未装着者		架工義歯		部分床義歯		全部床義歯		インプラント	
		人	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)			
男	5~9	12	12 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	10~14	15	15 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	15~19	9	9 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	20~24	2	2 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	25~29	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	30~34	7	6 (85.7)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	35~39	13	12 (92.3)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	40~44	7	5 (71.4)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	45~49	18	16 (88.9)	2 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	50~54	13	9 (69.2)	4 (30.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	55~59	17	10 (58.8)	6 (35.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.9)	1 (5.9)	
	60~64	22	13 (59.1)	6 (27.3)	4 (18.2)	2 (9.1)	2 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.6)	1 (4.6)	
	65~69	30	10 (33.3)	17 (56.7)	5 (16.7)	1 (3.3)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (6.7)	2 (6.7)	
	70~74	25	5 (20.0)	13 (52.0)	12 (48.0)	1 (4.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (12.0)	3 (12.0)	
	75~79	15	4 (26.7)	5 (33.3)	7 (46.7)	2 (13.3)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
80~84	12	1 (8.3)	7 (58.3)	6 (50.0)	1 (8.3)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (8.3)	1 (8.3)		
85~	13	4 (30.8)	2 (15.4)	4 (30.8)	3 (23.1)	3 (23.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
女	5~9	10	10 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	10~14	15	15 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	15~19	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	20~24	3	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	25~29	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	30~34	11	9 (81.8)	2 (18.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	35~39	12	10 (83.3)	2 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	40~44	15	13 (86.7)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	45~49	19	16 (84.2)	3 (15.8)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.3)	1 (5.3)	
	50~54	20	15 (75.0)	4 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.0)	1 (5.0)	
	55~59	32	20 (62.5)	11 (34.4)	3 (9.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	60~64	23	11 (47.8)	11 (47.8)	5 (21.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	65~69	29	10 (34.5)	18 (62.1)	4 (13.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (6.9)	2 (6.9)	
	70~74	30	10 (33.3)	14 (46.7)	8 (26.7)	1 (3.3)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (6.7)	2 (6.7)	
	75~79	20	2 (10.0)	9 (45.0)	11 (55.0)	5 (25.0)	5 (25.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.0)	1 (5.0)	
80~84	23	3 (13.0)	9 (39.1)	16 (69.6)	7 (30.4)	7 (30.4)	0 (0.0)	0 (0.0)	0 (0.0)	3 (13.0)	3 (13.0)		
85~	12	3 (25.0)	3 (25.0)	4 (33.3)	6 (50.0)	6 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (8.3)	1 (8.3)		
男女計	5~9	22	22 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	10~14	30	30 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	15~19	14	14 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	20~24	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	25~29	10	10 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	30~34	18	15 (83.3)	3 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	35~39	25	22 (88.0)	3 (12.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	40~44	22	18 (81.8)	3 (13.6)	1 (4.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	45~49	37	32 (86.5)	5 (13.5)	1 (2.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.7)	1 (2.7)	
	50~54	33	24 (72.7)	8 (24.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.0)	1 (3.0)	
	55~59	49	30 (61.2)	17 (34.7)	3 (6.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.0)	1 (2.0)	
	60~64	45	24 (53.3)	17 (37.8)	9 (20.0)	2 (4.4)	2 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.2)	1 (2.2)	
	65~69	59	20 (33.9)	35 (59.3)	9 (15.3)	1 (1.7)	1 (1.7)	0 (0.0)	0 (0.0)	0 (0.0)	4 (6.8)	4 (6.8)	
	70~74	55	15 (27.3)	27 (49.1)	20 (36.4)	2 (3.6)	2 (3.6)	0 (0.0)	0 (0.0)	0 (0.0)	5 (9.1)	5 (9.1)	
	75~79	35	6 (17.1)	14 (40.0)	18 (51.4)	7 (20.0)	7 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.9)	1 (2.9)	
80~84	35	4 (11.4)	16 (45.7)	22 (62.9)	8 (22.9)	8 (22.9)	0 (0.0)	0 (0.0)	0 (0.0)	4 (11.4)	4 (11.4)		
85~	25	7 (28.0)	5 (20.0)	8 (32.0)	9 (36.0)	9 (36.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.0)	1 (4.0)		

注) 複数の種類の義歯を装着している者がいるため、割合を合計すると100%を超える年齢階級がある。

◆歯-第17表◆ 歯周ポケット(4mm以上、6mm以上)を有する者(15歳以上・永久歯)

	年齢階級	総数	人数(人)				割合(%)			
			4mm未満	歯周ポケット(4mm以上)のある者		対象歯のない者	4mm未満	歯周ポケット(4mm以上)のある者		対象歯のない者
				4mm以上 6mm未満	6mm以上			4mm以上 6mm未満	6mm以上	
男	15~19	9	6	3	0	0	66.7	33.3	0.0	0.0
	20~24	2	1	1	0	0	50.0	50.0	0.0	0.0
	25~29	5	5	0	0	0	100.0	0.0	0.0	0.0
	30~34	7	5	2	0	0	71.4	28.6	0.0	0.0
	35~39	13	7	5	1	0	53.9	38.5	7.7	0.0
	40~44	7	4	3	0	0	57.1	42.9	0.0	0.0
	45~49	18	8	8	2	0	44.4	44.4	11.1	0.0
	50~54	13	5	8	0	0	38.5	61.5	0.0	0.0
	55~59	17	5	10	2	0	29.4	58.8	11.8	0.0
	60~64	22	9	11	0	2	40.9	50.0	0.0	9.1
	65~69	30	7	16	6	1	23.3	53.3	20.0	3.3
	70~74	25	11	12	1	1	44.0	48.0	4.0	4.0
	75~79	15	4	3	5	3	26.7	20.0	33.3	20.0
	80~84	12	2	5	3	2	16.7	41.7	25.0	16.7
	85~	13	2	7	1	3	15.4	53.9	7.7	23.1
全年齢	208	81	94	21	12	38.9	45.2	10.1	5.8	
女	15~19	5	5	0	0	0	100.0	0.0	0.0	0.0
	20~24	3	3	0	0	0	100.0	0.0	0.0	0.0
	25~29	5	5	0	0	0	100.0	0.0	0.0	0.0
	30~34	11	8	3	0	0	72.7	27.3	0.0	0.0
	35~39	12	11	1	0	0	91.7	8.3	0.0	0.0
	40~44	15	8	7	0	0	53.3	46.7	0.0	0.0
	45~49	19	14	5	0	0	73.7	26.3	0.0	0.0
	50~54	20	13	5	2	0	65.0	25.0	10.0	0.0
	55~59	32	16	14	2	0	50.0	43.8	6.3	0.0
	60~64	23	9	13	1	0	39.1	56.5	4.4	0.0
	65~69	29	9	18	2	0	31.0	62.1	6.9	0.0
	70~74	30	14	10	5	1	46.7	33.3	16.7	3.3
	75~79	20	7	10	1	2	35.0	50.0	5.0	10.0
	80~84	23	8	7	4	4	34.8	30.4	17.4	17.4
	85~	12	1	5	1	5	8.3	41.7	8.3	41.7
全年齢	259	131	98	18	12	50.6	37.8	7.0	4.6	
男女計	15~19	14	11	3	0	0	78.6	21.4	0.0	0.0
	20~24	5	4	1	0	0	80.0	20.0	0.0	0.0
	25~29	10	10	0	0	0	100.0	0.0	0.0	0.0
	30~34	18	13	5	0	0	72.2	27.8	0.0	0.0
	35~39	25	18	6	1	0	72.0	24.0	4.0	0.0
	40~44	22	12	10	0	0	54.6	45.5	0.0	0.0
	45~49	37	22	13	2	0	59.5	35.1	5.4	0.0
	50~54	33	18	13	2	0	54.6	39.4	6.1	0.0
	55~59	49	21	24	4	0	42.9	49.0	8.2	0.0
	60~64	45	18	24	1	2	40.0	53.3	2.2	4.4
	65~69	59	16	34	8	1	27.1	57.6	13.6	1.7
	70~74	55	25	22	6	2	45.5	40.0	10.9	3.6
	75~79	35	11	13	6	5	31.4	37.1	17.1	14.3
	80~84	35	10	12	7	6	28.6	34.3	20.0	17.1
	85~	25	3	12	2	8	12.0	48.0	8.0	32.0
全年齢	467	212	192	39	24	45.4	41.1	8.4	5.1	

◆歯-第18表◆ 歯周ポケット(4mm以上、6mm以上)を有する者(20歳以上・永久歯)

	年齢階級	総数	人数(人)				割合(%)			
			4mm未満	歯周ポケット(4mm以上)のある者		対象歯のない者	4mm未満	歯周ポケット(4mm以上)のある者		対象歯のない者
				4mm以上 6mm未満	6mm以上			4mm以上 6mm未満	6mm以上	
男	20～29	7	6	1	0	0	85.7	14.3	0.0	0.0
	30～39	20	12	7	1	0	60.0	35.0	5.0	0.0
	40～49	25	12	11	2	0	48.0	44.0	8.0	0.0
	50～59	30	10	18	2	0	33.3	60.0	6.7	0.0
	60～69	52	16	27	6	3	30.8	51.9	11.5	5.8
	70～79	40	15	15	6	4	37.5	37.5	15.0	10.0
	80～	25	4	12	4	5	16.0	48.0	16.0	20.0
	全年齢	199	75	91	21	12	37.7	45.7	10.6	6.0
女	20～29	8	8	0	0	0	100.0	0.0	0.0	0.0
	30～39	23	19	4	0	0	82.6	17.4	0.0	0.0
	40～49	34	22	12	0	0	64.7	35.3	0.0	0.0
	50～59	52	29	19	4	0	55.8	36.5	7.7	0.0
	60～69	52	18	31	3	0	34.6	59.6	5.8	0.0
	70～79	50	21	20	6	3	42.0	40.0	12.0	6.0
	80～	35	9	12	5	9	25.7	34.3	14.3	25.7
	全年齢	254	126	98	18	12	49.6	38.6	7.1	4.7
男女計	20～29	15	14	1	0	0	93.3	6.7	0.0	0.0
	30～39	43	31	11	1	0	72.1	25.6	2.3	0.0
	40～49	59	34	23	2	0	57.6	39.0	3.4	0.0
	50～59	82	39	37	6	0	47.6	45.1	7.3	0.0
	60～69	104	34	58	9	3	32.7	55.8	8.7	2.9
	70～79	90	36	35	12	7	40.0	38.9	13.3	7.8
	80～	60	13	24	9	14	21.7	40.0	15.0	23.3
	全年齢	453	201	189	39	24	44.4	41.7	8.6	5.3

◆歯-第19表◆ 歯周ポケットの分画数の1人平均値(15歳以上・永久歯)

	年齢階級	対象者数	歯周ポケット 4mm未満	歯周ポケット 4mm以上6mm未満	歯周ポケット 6mm以上	対象歯のない部位	歯周ポケット 4mm以上(再掲)
男	15~19	9	5.44 (1.0)	0.56 (1.0)	0.00 (0.0)	0.00 (0.0)	0.56 (1.0)
	20~24	2	4.50 (2.1)	1.50 (2.1)	0.00 (0.0)	0.00 (0.0)	1.50 (2.1)
	25~29	5	6.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)
	30~34	7	5.71 (0.5)	0.29 (0.5)	0.00 (0.0)	0.00 (0.0)	0.29 (0.5)
	35~39	13	4.38 (2.0)	1.54 (1.9)	0.08 (0.3)	0.00 (0.0)	1.62 (2.0)
	40~44	7	3.86 (2.7)	1.86 (2.3)	0.00 (0.0)	0.29 (0.8)	1.86 (2.3)
	45~49	18	4.39 (2.0)	1.33 (1.6)	0.28 (1.0)	0.00 (0.0)	1.61 (2.0)
	50~54	13	4.54 (1.3)	1.23 (1.4)	0.00 (0.0)	0.23 (0.4)	1.23 (1.4)
	55~59	17	4.06 (1.6)	1.65 (1.4)	0.12 (0.3)	0.18 (0.4)	1.76 (1.6)
	60~64	22	3.64 (2.1)	1.55 (2.0)	0.00 (0.0)	0.82 (1.8)	1.55 (2.0)
	65~69	30	2.80 (2.0)	2.07 (1.8)	0.20 (0.4)	0.93 (1.6)	2.27 (1.9)
	70~74	25	3.44 (1.8)	1.32 (1.6)	0.04 (0.2)	1.20 (1.4)	1.36 (1.6)
	75~79	15	2.07 (2.6)	1.20 (1.7)	0.40 (0.6)	2.33 (2.5)	1.60 (2.0)
	80~84	12	1.58 (1.1)	1.50 (1.6)	0.33 (0.7)	2.50 (2.1)	1.83 (1.8)
85~	13	1.46 (1.7)	2.23 (1.8)	0.08 (0.3)	2.15 (2.2)	2.31 (1.9)	
女	15~19	5	6.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)
	20~24	3	6.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)
	25~29	5	6.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)
	30~34	11	4.73 (2.2)	1.27 (2.2)	0.00 (0.0)	0.00 (0.0)	1.27 (2.2)
	35~39	12	5.75 (0.9)	0.25 (0.9)	0.00 (0.0)	0.00 (0.0)	0.25 (0.9)
	40~44	15	4.53 (2.1)	1.40 (2.0)	0.00 (0.0)	0.07 (0.3)	1.40 (2.0)
	45~49	19	5.32 (1.3)	0.68 (1.3)	0.00 (0.0)	0.00 (0.0)	0.68 (1.3)
	50~54	20	5.05 (1.4)	0.70 (1.2)	0.10 (0.3)	0.15 (0.7)	0.80 (1.4)
	55~59	32	4.69 (1.7)	1.13 (1.6)	0.09 (0.4)	0.09 (0.4)	1.22 (1.7)
	60~64	23	4.13 (1.9)	1.43 (1.7)	0.17 (0.8)	0.26 (0.5)	1.61 (1.8)
	65~69	29	3.72 (1.8)	1.55 (1.6)	0.14 (0.5)	0.59 (1.2)	1.69 (1.6)
	70~74	30	3.63 (1.8)	1.17 (1.4)	0.23 (0.6)	0.97 (1.4)	1.40 (1.7)
	75~79	20	2.55 (2.0)	1.10 (1.2)	0.05 (0.2)	2.30 (2.2)	1.15 (1.3)
	80~84	23	1.74 (1.7)	1.17 (1.7)	0.35 (0.9)	2.74 (2.2)	1.52 (2.0)
85~	12	1.50 (1.8)	1.17 (1.6)	0.08 (0.3)	3.25 (2.8)	1.25 (1.5)	
男女計	15~19	14	5.64 (0.8)	0.36 (0.8)	0.00 (0.0)	0.00 (0.0)	0.36 (0.8)
	20~24	5	5.40 (1.3)	0.60 (1.3)	0.00 (0.0)	0.00 (0.0)	0.60 (1.3)
	25~29	10	6.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)	0.00 (0.0)
	30~34	18	5.11 (1.8)	0.89 (1.8)	0.00 (0.0)	0.00 (0.0)	0.89 (1.8)
	35~39	25	5.04 (1.7)	0.92 (1.6)	0.04 (0.2)	0.00 (0.0)	0.96 (1.7)
	40~44	22	4.32 (2.3)	1.55 (2.0)	0.00 (0.0)	0.14 (0.5)	1.55 (2.0)
	45~49	37	4.86 (1.7)	1.00 (1.5)	0.14 (0.7)	0.00 (0.0)	1.14 (1.7)
	50~54	33	4.85 (1.4)	0.91 (1.3)	0.06 (0.2)	0.18 (0.6)	0.97 (1.4)
	55~59	49	4.47 (1.7)	1.31 (1.5)	0.10 (0.4)	0.12 (0.4)	1.41 (1.7)
	60~64	45	3.89 (2.0)	1.49 (1.8)	0.09 (0.6)	0.53 (1.3)	1.58 (1.8)
	65~69	59	3.25 (1.9)	1.81 (1.7)	0.17 (0.5)	0.76 (1.4)	1.98 (1.8)
	70~74	55	3.55 (1.8)	1.24 (1.5)	0.15 (0.5)	1.07 (1.4)	1.38 (1.6)
	75~79	35	2.34 (2.2)	1.14 (1.4)	0.20 (0.5)	2.31 (2.3)	1.34 (1.6)
	80~84	35	1.69 (1.5)	1.29 (1.6)	0.34 (0.8)	2.66 (2.1)	1.63 (1.9)
85~	25	1.48 (1.7)	1.72 (1.7)	0.08 (0.3)	2.68 (2.5)	1.80 (1.8)	

※( )内に標準偏差を示した。( ): Standard deviation



◆歯-第20表◆ 歯肉出血を有する者(10歳以上・永久歯)

	年齢階級	総数	人数(人)			割合(%)		
			歯肉出血			歯肉出血		
			なし	あり	対象歯のない者	なし	あり	対象歯のない者
男	10～14	15	7	8	0	46.7	53.3	0.0
	15～19	9	3	6	0	33.3	66.7	0.0
	20～24	2	1	1	0	50.0	50.0	0.0
	25～29	5	3	2	0	60.0	40.0	0.0
	30～34	7	5	2	0	71.4	28.6	0.0
	35～39	13	6	7	0	46.2	53.9	0.0
	40～44	7	1	6	0	14.3	85.7	0.0
	45～49	18	8	10	0	44.4	55.6	0.0
	50～54	13	4	9	0	30.8	69.2	0.0
	55～59	17	10	7	0	58.8	41.2	0.0
	60～64	22	10	10	2	45.5	45.5	9.1
	65～69	30	13	16	1	43.3	53.3	3.3
	70～74	25	10	14	1	40.0	56.0	4.0
	75～79	15	4	8	3	26.7	53.3	20.0
80～84	12	4	6	2	33.3	50.0	16.7	
85～	13	4	6	3	30.8	46.2	23.1	
女	10～14	15	9	6	0	60.0	40.0	0.0
	15～19	5	2	3	0	40.0	60.0	0.0
	20～24	3	3	-	0	100.0	0.0	0.0
	25～29	5	3	2	0	60.0	40.0	0.0
	30～34	11	7	4	0	63.6	36.4	0.0
	35～39	12	8	4	0	66.7	33.3	0.0
	40～44	15	7	8	0	46.7	53.3	0.0
	45～49	19	9	10	0	47.4	52.6	0.0
	50～54	20	10	10	0	50.0	50.0	0.0
	55～59	32	16	16	0	50.0	50.0	0.0
	60～64	23	12	11	0	52.2	47.8	0.0
	65～69	29	7	22	0	24.1	75.9	0.0
	70～74	30	15	14	1	50.0	46.7	3.3
	75～79	20	10	8	2	50.0	40.0	10.0
80～84	23	7	12	4	30.4	52.2	17.4	
85～	12	2	5	5	16.7	41.7	41.7	
男女計	10～14	30	16	14	0	53.3	46.7	0.0
	15～19	14	5	9	0	35.7	64.3	0.0
	20～24	5	4	1	0	80.0	20.0	0.0
	25～29	10	6	4	0	60.0	40.0	0.0
	30～34	18	12	6	0	66.7	33.3	0.0
	35～39	25	14	11	0	56.0	44.0	0.0
	40～44	22	8	14	0	36.4	63.6	0.0
	45～49	37	17	20	0	46.0	54.1	0.0
	50～54	33	14	19	0	42.4	57.6	0.0
	55～59	49	26	23	0	53.1	46.9	0.0
	60～64	45	22	21	2	48.9	46.7	4.4
	65～69	59	20	38	1	33.9	64.4	1.7
	70～74	55	25	28	2	45.5	50.9	3.6
	75～79	35	14	16	5	40.0	45.7	14.3
80～84	35	11	18	6	31.4	51.4	17.1	
85～	25	6	11	8	24.0	44.0	32.0	

◆歯-第21表◆ 歯肉出血の有無に関する1人平均分画数(10歳以上・永久歯)

	年齢階級	被調査者数	なし	あり	対象歯なし
男	10～14	15	4.87 (1.3)	1.13 (1.3)	0 (0.0)
	15～19	9	4.22 (2.1)	1.78 (2.1)	0 (0.0)
	20～24	2	4.5 (2.1)	1.5 (2.1)	0 (0.0)
	25～29	5	4.8 (1.8)	1.2 (1.8)	0 (0.0)
	30～34	7	4.57 (2.5)	1.43 (2.5)	0 (0.0)
	35～39	13	4.54 (1.8)	1.46 (1.8)	0 (0.0)
	40～44	7	3 (2.1)	2.71 (1.7)	0.29 (0.8)
	45～49	18	4.17 (2.0)	1.83 (2.0)	0 (0.0)
	50～54	13	4.15 (1.6)	1.62 (1.7)	0.23 (0.4)
	55～59	17	5 (1.2)	0.82 (1.2)	0.18 (0.4)
	60～64	22	3.73 (2.2)	1.45 (2.0)	0.82 (1.8)
	65～69	30	3.43 (1.9)	1.63 (1.8)	0.93 (1.6)
	70～74	25	3.44 (2.0)	1.36 (1.7)	1.2 (1.4)
	75～79	15	2.33 (2.4)	1.33 (1.7)	2.33 (2.5)
80～84	12	2.42 (1.8)	1 (1.4)	2.5 (2.1)	
85～	13	2.62 (2.0)	1.15 (1.6)	2.15 (2.2)	
女	10～14	15	4.87 (1.6)	1.07 (1.4)	0.07 (0.3)
	15～19	5	4.6 (1.5)	1.4 (1.5)	0 (0.0)
	20～24	3	6 (0.0)	0 (0.0)	0 (0.0)
	25～29	5	5.4 (0.9)	0.6 (0.9)	0 (0.0)
	30～34	11	4.91 (1.9)	1.09 (1.9)	0 (0.0)
	35～39	12	5.58 (0.7)	0.42 (0.7)	0 (0.0)
	40～44	15	3.87 (2.4)	2.07 (2.3)	0.07 (0.3)
	45～49	19	4.84 (1.5)	1.16 (1.5)	0 (0.0)
	50～54	20	4.55 (1.7)	1.3 (1.7)	0.15 (0.7)
	55～59	32	4.53 (1.9)	1.38 (1.8)	0.09 (0.4)
	60～64	23	4 (2.1)	1.74 (2.2)	0.26 (0.5)
	65～69	29	3.52 (1.9)	1.9 (1.8)	0.59 (1.2)
	70～74	30	4.2 (1.6)	0.83 (1.1)	0.97 (1.4)
	75～79	20	2.9 (2.2)	0.8 (1.4)	2.3 (2.2)
80～84	23	2 (1.7)	1.3 (1.8)	2.7 (2.2)	
85～	12	1.67 (2.1)	1.08 (1.6)	3.25 (2.8)	
男女計	10～14	30	4.87 (1.4)	1.1 (1.4)	0.03 (0.2)
	15～19	14	4.36 (1.8)	1.64 (1.8)	0 (0.0)
	20～24	5	5.4 (1.3)	0.6 (1.3)	0 (0.0)
	25～29	10	5.1 (1.4)	0.9 (1.4)	0 (0.0)
	30～34	18	4.78 (2.1)	1.22 (2.1)	0 (0.0)
	35～39	25	5.04 (1.5)	0.96 (1.5)	0 (0.0)
	40～44	22	3.59 (2.3)	2.27 (2.1)	0.14 (0.5)
	45～49	37	4.51 (1.8)	1.49 (1.8)	0 (0.0)
	50～54	33	4.39 (1.7)	1.42 (1.7)	0.18 (0.6)
	55～59	49	4.69 (1.7)	1.18 (1.7)	0.12 (0.4)
	60～64	45	3.87 (2.1)	1.6 (2.1)	0.53 (1.3)
	65～69	59	3.47 (1.9)	1.76 (1.8)	0.76 (1.4)
	70～74	55	3.85 (1.8)	1.07 (1.4)	1.07 (1.4)
	75～79	35	2.66 (2.3)	1.03 (1.5)	2.31 (2.3)
80～84	35	2.14 (1.8)	1.2 (1.6)	2.63 (2.1)	
85～	25	2.16 (2.1)	1.12 (1.5)	2.68 (2.5)	

※( )内に標準偏差を示した。( ): Standard deviation

◆歯-第22表◆ 歯肉出血と歯石沈着の有無別にみた歯周ポケット(4mm以上、6mm以上)の有無(右側上顎大臼歯)(10歳以上・永久歯)

年齢階級	総数	歯周ポケット4mm未満				歯周ポケット4mm以上6mm未満				歯周ポケット6mm以上				
		歯石(-)		歯石(+)		歯石(-)		歯石(+)		歯石(-)		歯石(+)		
		出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	
		人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	
男	10~14	15	12 (80.0)	2 (13.3)	0 (0.0)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	5 (55.6)	1 (11.1)	1 (11.1)	1 (11.1)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	2 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	1 (20.0)	2 (40.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	4 (57.1)	2 (28.6)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	5 (38.5)	3 (23.1)	0 (0.0)	0 (0.0)	1 (7.7)	2 (15.4)	1 (7.7)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	7	1 (14.3)	2 (28.6)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	18	7 (38.9)	2 (11.1)	2 (11.1)	0 (0.0)	2 (11.1)	2 (11.1)	1 (5.6)	0 (0.0)	0 (0.0)	1 (5.6)	1 (5.6)	0 (0.0)
	50~54	12	5 (41.7)	3 (25.0)	1 (8.3)	0 (0.0)	1 (8.3)	2 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	17	7 (41.2)	0 (0.0)	3 (17.7)	0 (0.0)	4 (23.5)	1 (5.9)	0 (0.0)	1 (5.9)	0 (0.0)	0 (0.0)	1 (5.9)	0 (0.0)
	60~64	19	6 (31.6)	1 (5.3)	3 (15.8)	2 (10.5)	4 (21.1)	2 (10.5)	0 (0.0)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	25	5 (20.0)	0 (0.0)	1 (4.0)	3 (12.0)	5 (20.0)	5 (20.0)	4 (16.0)	2 (8.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	21	7 (33.3)	2 (9.5)	2 (9.5)	1 (4.8)	4 (19.1)	1 (4.8)	1 (4.8)	3 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	8	2 (25.0)	1 (12.5)	1 (12.5)	0 (0.0)	1 (12.5)	1 (12.5)	0 (0.0)	2 (25.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	80~84	6	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (50.0)	2 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (16.7)	0 (0.0)	0 (0.0)
85~	9	1 (11.1)	1 (11.1)	0 (0.0)	0 (0.0)	2 (22.2)	2 (22.2)	0 (0.0)	2 (22.2)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	
全年齢	193	70 (36.3)	22 (11.4)	18 (9.3)	9 (4.7)	28 (14.5)	20 (10.4)	7 (3.6)	14 (7.3)	1 (0.5)	2 (1.0)	2 (1.0)	0 (0.0)	
女	10~14	15	10 (66.7)	3 (20.0)	0 (0.0)	1 (6.7)	0 (0.0)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	3	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	4 (80.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	7 (63.6)	0 (0.0)	0 (0.0)	1 (9.1)	2 (18.2)	1 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	9 (75.0)	0 (0.0)	1 (8.3)	1 (8.3)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	8 (53.3)	1 (6.7)	0 (0.0)	1 (6.7)	0 (0.0)	1 (6.7)	0 (0.0)	4 (26.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	19	11 (57.9)	4 (21.1)	0 (0.0)	0 (0.0)	1 (5.3)	0 (0.0)	0 (0.0)	3 (15.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	19	8 (42.1)	3 (15.8)	2 (10.5)	0 (0.0)	2 (10.5)	4 (21.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	31	17 (54.8)	1 (3.2)	2 (6.5)	1 (3.2)	4 (12.9)	2 (6.5)	1 (3.2)	2 (6.5)	0 (0.0)	1 (3.2)	0 (0.0)	0 (0.0)
	60~64	22	8 (36.4)	3 (13.6)	2 (9.1)	0 (0.0)	5 (22.7)	2 (9.1)	0 (0.0)	1 (4.6)	0 (0.0)	1 (4.6)	0 (0.0)	0 (0.0)
	65~69	26	9 (34.6)	1 (3.9)	2 (7.7)	1 (3.9)	3 (11.5)	6 (23.1)	0 (0.0)	3 (11.5)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.9)
	70~74	24	12 (50.0)	0 (0.0)	2 (8.3)	0 (0.0)	5 (20.8)	4 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.2)	0 (0.0)	0 (0.0)
	75~79	13	4 (30.8)	0 (0.0)	2 (15.4)	1 (7.7)	2 (15.4)	1 (7.7)	0 (0.0)	2 (15.4)	0 (0.0)	1 (7.7)	0 (0.0)	0 (0.0)
	80~84	12	2 (16.7)	0 (0.0)	1 (8.3)	0 (0.0)	2 (16.7)	5 (41.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (8.3)	1 (8.3)
85~	5	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (40.0)	2 (40.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
全年齢	237	117 (49.4)	17 (7.2)	14 (5.9)	7 (3.0)	28 (11.8)	30 (12.7)	1 (0.4)	16 (6.8)	0 (0.0)	4 (1.7)	1 (0.4)	2 (0.8)	
男女計	10~14	30	22 (73.3)	5 (16.7)	0 (0.0)	2 (6.7)	0 (0.0)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	14	10 (71.4)	1 (7.1)	1 (7.1)	1 (7.1)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	10	5 (50.0)	3 (30.0)	2 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	18	11 (61.1)	2 (11.1)	1 (5.6)	1 (5.6)	2 (11.1)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	25	14 (56.0)	3 (12.0)	1 (4.0)	1 (4.0)	1 (4.0)	3 (12.0)	1 (4.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	22	9 (40.9)	3 (13.6)	1 (4.6)	2 (9.1)	0 (0.0)	1 (4.6)	0 (0.0)	6 (27.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	37	18 (48.7)	6 (16.2)	2 (5.4)	0 (0.0)	3 (8.1)	2 (5.4)	1 (2.7)	3 (8.1)	0 (0.0)	1 (2.7)	0 (0.0)	1 (2.7)
	50~54	31	13 (41.9)	6 (19.4)	3 (9.7)	0 (0.0)	3 (9.7)	6 (19.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	48	24 (50.0)	1 (2.1)	5 (10.4)	1 (2.1)	8 (16.7)	3 (6.3)	1 (2.1)	3 (6.3)	0 (0.0)	1 (2.1)	0 (0.0)	1 (2.1)
	60~64	41	14 (34.2)	4 (9.8)	5 (12.2)	2 (4.9)	9 (22.0)	4 (9.8)	0 (0.0)	2 (4.9)	0 (0.0)	1 (2.4)	0 (0.0)	0 (0.0)
	65~69	51	14 (27.5)	1 (2.0)	3 (5.9)	4 (7.8)	8 (15.7)	11 (21.6)	4 (7.8)	5 (9.8)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.0)
	70~74	45	19 (42.2)	2 (4.4)	4 (8.9)	1 (2.2)	9 (20.0)	5 (11.1)	1 (2.2)	3 (6.7)	0 (0.0)	1 (2.2)	0 (0.0)	0 (0.0)
	75~79	21	6 (28.6)	1 (4.8)	3 (14.3)	1 (4.8)	3 (14.3)	2 (9.5)	0 (0.0)	4 (19.1)	0 (0.0)	1 (4.8)	0 (0.0)	0 (0.0)
	80~84	18	2 (11.1)	0 (0.0)	1 (5.6)	0 (0.0)	5 (27.8)	7 (38.9)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.6)	1 (5.6)	1 (5.6)
85~	14	1 (7.1)	1 (7.1)	0 (0.0)	0 (0.0)	4 (28.6)	4 (28.6)	0 (0.0)	3 (21.4)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	
全年齢	430	187 (43.5)	39 (9.1)	32 (7.4)	16 (3.7)	56 (13.0)	50 (11.6)	8 (1.9)	30 (7.0)	1 (0.2)	6 (1.4)	1 (0.2)	4 (0.9)	

◆歯-第23表◆ 歯肉出血と歯石沈着の有無別にみた歯周ポケット(4mm以上、6mm以上)の有無(左側上顎大臼歯)(10歳以上・永久歯)

年齢階級	総数	歯周ポケット4mm未満				歯周ポケット4mm以上6mm未満				歯周ポケット6mm以上					
		歯石(-)		歯石(+)		歯石(-)		歯石(+)		歯石(-)		歯石(+)			
		出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)		
		人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)		
男	10~14	15	11 (73.3)	1 (6.7)	2 (13.3)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	5 (55.6)	1 (11.1)	0 (0.0)	2 (22.2)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	2 (40.0)	1 (20.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	6 (85.7)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	7 (53.9)	0 (0.0)	0 (0.0)	0 (0.0)	1 (7.7)	2 (15.4)	2 (15.4)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	6	2 (33.3)	0 (0.0)	1 (16.7)	1 (16.7)	0 (0.0)	1 (16.7)	0 (0.0)	1 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	18	7 (38.9)	0 (0.0)	2 (11.1)	1 (5.6)	2 (11.1)	2 (11.1)	0 (0.0)	3 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.6)	1 (5.6)
	50~54	12	7 (58.3)	0 (0.0)	0 (0.0)	2 (16.7)	1 (8.3)	1 (8.3)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	15	6 (40.0)	1 (6.7)	3 (20.0)	2 (13.3)	3 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	19	6 (31.6)	2 (10.5)	3 (15.8)	2 (10.5)	3 (15.8)	1 (5.3)	1 (5.3)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	24	7 (29.2)	3 (12.5)	1 (4.2)	2 (8.3)	3 (12.5)	3 (12.5)	1 (4.2)	2 (8.3)	0 (0.0)	2 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	21	8 (38.1)	1 (4.8)	1 (4.8)	1 (4.8)	4 (19.1)	1 (4.8)	0 (0.0)	4 (19.1)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.8)	1 (4.8)
	75~79	8	2 (25.0)	0 (0.0)	1 (12.5)	1 (12.5)	2 (25.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (12.5)	0 (0.0)	1 (12.5)	1 (12.5)
	80~84	6	2 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (16.7)	0 (0.0)	1 (16.7)	1 (16.7)	1 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)
	85~	8	2 (25.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (37.5)	2 (25.0)	0 (0.0)	1 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
全年齢	188	81 (43.1)	11 (5.9)	16 (8.5)	15 (8.0)	23 (12.2)	15 (8.0)	4 (2.1)	15 (8.0)	1 (0.5)	4 (2.1)	0 (0.0)	3 (1.6)	3 (1.6)	
女	10~14	15	13 (86.7)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	3	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	6 (54.6)	2 (18.2)	0 (0.0)	1 (9.1)	2 (18.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	11 (91.7)	0 (0.0)	0 (0.0)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	6 (40.0)	3 (20.0)	0 (0.0)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	4 (26.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	19	14 (73.7)	2 (10.5)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.3)	0 (0.0)	2 (10.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	19	11 (57.9)	2 (10.5)	2 (10.5)	1 (5.3)	1 (5.3)	1 (5.3)	0 (0.0)	0 (0.0)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	32	17 (53.1)	2 (6.3)	2 (6.3)	2 (6.3)	3 (9.4)	1 (3.1)	1 (3.1)	2 (6.3)	1 (3.1)	1 (3.1)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	23	10 (43.5)	2 (8.7)	1 (4.4)	2 (8.7)	2 (8.7)	4 (17.4)	0 (0.0)	1 (4.4)	0 (0.0)	1 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	26	7 (26.9)	2 (7.7)	2 (7.7)	3 (11.5)	4 (15.4)	4 (15.4)	0 (0.0)	4 (15.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	27	13 (48.2)	0 (0.0)	2 (7.4)	0 (0.0)	3 (11.1)	3 (11.1)	0 (0.0)	2 (7.4)	1 (3.7)	2 (7.4)	0 (0.0)	1 (3.7)	1 (3.7)
	75~79	9	3 (33.3)	1 (11.1)	1 (11.1)	1 (11.1)	0 (0.0)	0 (0.0)	1 (11.1)	2 (22.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	80~84	10	4 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (30.0)	2 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (10.0)	1 (10.0)
	85~	5	2 (40.0)	0 (0.0)	0 (0.0)	1 (20.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
全年齢	236	130 (55.1)	17 (7.2)	11 (4.7)	12 (5.1)	21 (8.9)	17 (7.2)	2 (0.9)	17 (7.2)	3 (1.3)	4 (1.7)	0 (0.0)	2 (0.9)	2 (0.9)	
男女計	10~14	30	24 (80.0)	2 (6.7)	3 (10.0)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	14	10 (71.4)	1 (7.1)	0 (0.0)	2 (14.3)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	5	4 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	10	7 (70.0)	1 (10.0)	2 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	18	12 (66.7)	3 (16.7)	0 (0.0)	1 (5.6)	2 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	25	18 (72.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (8.0)	2 (8.0)	2 (8.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	21	8 (38.1)	3 (14.3)	1 (4.8)	2 (9.5)	1 (4.8)	1 (4.8)	0 (0.0)	5 (23.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	37	21 (56.8)	2 (5.4)	2 (5.4)	1 (2.7)	2 (5.4)	3 (8.1)	0 (0.0)	5 (13.5)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.7)	1 (2.7)
	50~54	31	18 (58.1)	2 (6.5)	2 (6.5)	3 (9.7)	2 (6.5)	2 (6.5)	0 (0.0)	1 (3.2)	1 (3.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	47	23 (48.9)	3 (6.4)	5 (10.6)	4 (8.5)	6 (12.8)	1 (2.1)	1 (2.1)	2 (4.3)	1 (2.1)	1 (2.1)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	42	16 (38.1)	4 (9.5)	4 (9.5)	4 (9.5)	5 (11.9)	5 (11.9)	1 (2.4)	2 (4.8)	0 (0.0)	1 (2.4)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	50	14 (28.0)	5 (10.0)	3 (6.0)	5 (10.0)	7 (14.0)	7 (14.0)	1 (2.0)	6 (12.0)	0 (0.0)	2 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	48	21 (43.8)	1 (2.1)	3 (6.3)	1 (2.1)	7 (14.6)	4 (8.3)	0 (0.0)	6 (12.5)	1 (2.1)	2 (4.2)	0 (0.0)	2 (4.2)	2 (4.2)
	75~79	17	5 (29.4)	1 (5.9)	2 (11.8)	2 (11.8)	2 (11.8)	0 (0.0)	1 (5.9)	2 (11.8)	0 (0.0)	1 (5.9)	0 (0.0)	1 (5.9)	1 (5.9)
	80~84	16	6 (37.5)	0 (0.0)	0 (0.0)	0 (0.0)	3 (18.8)	3 (18.8)	0 (0.0)	1 (6.3)	1 (6.3)	1 (6.3)	0 (0.0)	1 (6.3)	1 (6.3)
	85~	13	4 (30.8)	0 (0.0)	0 (0.0)	1 (7.7)	4 (30.8)	3 (23.1)	0 (0.0)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
全年齢	424	211 (49.8)	28 (6.6)	27 (6.4)	27 (6.4)	44 (10.4)	32 (7.6)	6 (1.4)	32 (7.6)	4 (0.9)	8 (1.9)	0 (0.0)	5 (1.2)	5 (1.2)	

◆歯-第24表◆ 歯肉出血と歯石沈着の有無別にみた歯周ポケット(4mm以上、6mm以上)の有無(右側下顎大臼歯)(10歳以上・永久歯)

年齢階級	総数	歯周ポケット4mm未満				歯周ポケット4mm以上6mm未満				歯周ポケット6mm以上					
		歯石(-)		歯石(+)		歯石(-)		歯石(+)		歯石(-)		歯石(+)			
		出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)		
		人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)		
男	10~14	15	10 (66.7)	3 (20.0)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	5 (55.6)	1 (11.1)	0 (0.0)	2 (22.2)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	2 (40.0)	2 (40.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	5 (71.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	4 (30.8)	0 (0.0)	4 (30.8)	0 (0.0)	2 (15.4)	2 (15.4)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	6	1 (16.7)	1 (16.7)	1 (16.7)	1 (16.7)	0 (0.0)	1 (16.7)	1 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	18	4 (22.2)	2 (11.1)	3 (16.7)	2 (11.1)	4 (22.2)	1 (5.6)	0 (0.0)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.6)
	50~54	13	4 (30.8)	1 (7.7)	0 (0.0)	2 (15.4)	3 (23.1)	3 (23.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	16	3 (18.8)	1 (6.3)	3 (18.8)	1 (6.3)	4 (25.0)	0 (0.0)	1 (6.3)	2 (12.5)	1 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	17	4 (23.5)	1 (5.9)	2 (11.8)	1 (5.9)	3 (17.7)	3 (17.7)	2 (11.8)	1 (5.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	23	5 (21.7)	1 (4.4)	0 (0.0)	3 (13.0)	7 (30.4)	2 (8.7)	2 (8.7)	2 (8.7)	0 (0.0)	1 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	14	6 (42.9)	1 (7.1)	2 (14.3)	1 (7.1)	2 (14.3)	1 (7.1)	0 (0.0)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	8	2 (25.0)	1 (12.5)	1 (12.5)	0 (0.0)	1 (12.5)	0 (0.0)	0 (0.0)	2 (25.0)	0 (0.0)	1 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)
	80~84	7	1 (14.3)	0 (0.0)	1 (14.3)	0 (0.0)	3 (42.9)	0 (0.0)	0 (0.0)	1 (14.3)	0 (0.0)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)
85~	5	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (40.0)	2 (40.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
全年齢	178	57 (32.0)	15 (8.4)	19 (10.7)	14 (7.9)	32 (18.0)	18 (10.1)	7 (3.9)	11 (6.2)	1 (0.6)	3 (1.7)	0 (0.0)	0 (0.0)	1 (0.6)	
女	10~14	15	11 (73.3)	2 (13.3)	0 (0.0)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	5	3 (60.0)	1 (20.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	3	2 (66.7)	0 (0.0)	1 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	4 (80.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	5 (45.5)	2 (18.2)	0 (0.0)	1 (9.1)	2 (18.2)	1 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	10 (83.3)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	9 (60.0)	1 (6.7)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	3 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	19	13 (68.4)	0 (0.0)	3 (15.8)	0 (0.0)	1 (5.3)	1 (5.3)	0 (0.0)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	20	9 (45.0)	3 (15.0)	4 (20.0)	1 (5.0)	1 (5.0)	1 (5.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.0)
	55~59	31	13 (41.9)	2 (6.5)	4 (12.9)	2 (6.5)	4 (12.9)	2 (6.5)	2 (6.5)	2 (6.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	21	9 (42.9)	2 (9.5)	1 (4.8)	1 (4.8)	5 (23.8)	1 (4.8)	0 (0.0)	1 (4.8)	0 (0.0)	1 (4.8)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	25	9 (36.0)	1 (4.0)	3 (12.0)	2 (8.0)	3 (12.0)	2 (8.0)	2 (8.0)	2 (8.0)	0 (0.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	24	11 (45.8)	2 (8.3)	4 (16.7)	0 (0.0)	3 (12.5)	2 (8.3)	1 (4.2)	0 (0.0)	1 (4.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	11	6 (54.6)	0 (0.0)	0 (0.0)	0 (0.0)	2 (18.2)	0 (0.0)	1 (9.1)	2 (18.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	80~84	11	4 (36.4)	0 (0.0)	1 (9.1)	0 (0.0)	1 (9.1)	3 (27.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (9.1)	0 (0.0)	0 (0.0)	1 (9.1)
85~	5	2 (40.0)	0 (0.0)	1 (20.0)	0 (0.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
全年齢	233	120 (51.5)	17 (7.3)	24 (10.3)	10 (4.3)	24 (10.3)	15 (6.4)	6 (2.6)	11 (4.7)	1 (0.4)	3 (1.3)	0 (0.0)	0 (0.0)	2 (0.9)	
男女計	10~14	30	21 (70.0)	5 (16.7)	1 (3.3)	2 (6.7)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	14	8 (57.1)	2 (14.3)	0 (0.0)	3 (21.4)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	5	3 (60.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	10	6 (60.0)	2 (20.0)	2 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	18	10 (55.6)	2 (11.1)	0 (0.0)	1 (5.6)	2 (11.1)	3 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	25	14 (56.0)	1 (4.0)	4 (16.0)	0 (0.0)	2 (8.0)	3 (12.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	21	10 (47.6)	2 (9.5)	2 (9.5)	2 (9.5)	0 (0.0)	1 (4.8)	1 (4.8)	3 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	37	17 (46.0)	2 (5.4)	6 (16.2)	2 (5.4)	5 (13.5)	2 (5.4)	0 (0.0)	2 (5.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.7)
	50~54	33	13 (39.4)	4 (12.1)	4 (12.1)	3 (9.1)	4 (12.1)	4 (12.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.0)
	55~59	47	16 (34.0)	3 (6.4)	7 (14.9)	3 (6.4)	8 (17.0)	2 (4.3)	3 (6.4)	4 (8.5)	1 (2.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	38	13 (34.2)	3 (7.9)	3 (7.9)	2 (5.3)	8 (21.1)	4 (10.5)	2 (5.3)	2 (5.3)	0 (0.0)	1 (2.6)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	48	14 (29.2)	2 (4.2)	3 (6.3)	5 (10.4)	10 (20.8)	4 (8.3)	4 (8.3)	4 (8.3)	0 (0.0)	2 (4.2)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	38	17 (44.7)	3 (7.9)	6 (15.8)	1 (2.6)	5 (13.2)	3 (7.9)	1 (2.6)	1 (2.6)	1 (2.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	19	8 (42.1)	1 (5.3)	1 (5.3)	0 (0.0)	3 (15.8)	0 (0.0)	1 (5.3)	4 (21.1)	0 (0.0)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)
	80~84	18	5 (27.8)	0 (0.0)	2 (11.1)	0 (0.0)	4 (22.2)	3 (16.7)	0 (0.0)	1 (5.6)	0 (0.0)	2 (11.1)	0 (0.0)	0 (0.0)	1 (5.6)
85~	10	2 (20.0)	0 (0.0)	1 (10.0)	0 (0.0)	3 (30.0)	3 (30.0)	0 (0.0)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
全年齢	411	177 (43.1)	32 (7.8)	43 (10.5)	24 (5.8)	56 (13.6)	33 (8.0)	13 (3.2)	22 (5.4)	2 (0.5)	6 (1.5)	0 (0.0)	0 (0.0)	3 (0.7)	

◆歯-第25表◆ 歯肉出血と歯石沈着の有無別にみた歯周ポケット(4mm以上、6mm以上)の有無(左側下顎大臼歯)(10歳以上・永久歯)

年齢階級	総数	歯周ポケット4mm未満				歯周ポケット4mm以上6mm未満				歯周ポケット6mm以上				
		歯石(-)		歯石(+)		歯石(-)		歯石(+)		歯石(-)		歯石(+)		
		出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	
		人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	
男	10~14	15	11 (73.3)	2 (13.3)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	15~19	9	6 (66.7)	0 (0.0)	0 (0.0)	2 (22.2)	0 (0.0)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	20~24	2	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	25~29	5	3 (60.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	30~34	7	5 (71.4)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	35~39	13	4 (30.8)	1 (7.7)	2 (15.4)	2 (15.4)	0 (0.0)	2 (15.4)	1 (7.7)	0 (0.0)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)
男	40~44	7	1 (14.3)	1 (14.3)	1 (14.3)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)
男	45~49	18	7 (38.9)	3 (16.7)	3 (16.7)	2 (11.1)	0 (0.0)	1 (5.6)	0 (0.0)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.6)
男	50~54	12	8 (66.7)	0 (0.0)	0 (0.0)	1 (8.3)	0 (0.0)	2 (16.7)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	55~59	17	4 (23.5)	0 (0.0)	3 (17.7)	1 (5.9)	6 (35.3)	1 (5.9)	1 (5.9)	1 (5.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	60~64	19	6 (31.6)	2 (10.5)	3 (15.8)	0 (0.0)	3 (15.8)	3 (15.8)	1 (5.3)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	65~69	25	5 (20.0)	1 (4.0)	2 (8.0)	1 (4.0)	5 (20.0)	6 (24.0)	2 (8.0)	1 (4.0)	0 (0.0)	1 (4.0)	0 (0.0)	1 (4.0)
男	70~74	16	6 (37.5)	0 (0.0)	2 (12.5)	1 (6.3)	4 (25.0)	2 (12.5)	0 (0.0)	1 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	75~79	9	2 (22.2)	1 (11.1)	1 (11.1)	1 (11.1)	3 (33.3)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	80~84	3	1 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (66.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	85~	7	3 (42.9)	0 (0.0)	0 (0.0)	0 (0.0)	3 (42.9)	0 (0.0)	0 (0.0)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	全年齢	184	73 (39.7)	13 (7.1)	20 (10.9)	13 (7.1)	25 (13.6)	22 (12.0)	5 (2.7)	9 (4.9)	1 (0.5)	1 (0.5)	0 (0.0)	2 (1.1)
女	10~14	15	10 (66.7)	4 (26.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	15~19	5	4 (80.0)	0 (0.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	20~24	3	2 (66.7)	0 (0.0)	1 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	25~29	5	3 (60.0)	0 (0.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	30~34	11	7 (63.6)	0 (0.0)	1 (9.1)	0 (0.0)	2 (18.2)	1 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	35~39	12	12 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	40~44	14	7 (50.0)	1 (7.1)	0 (0.0)	2 (14.3)	2 (14.3)	0 (0.0)	0 (0.0)	2 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	45~49	19	12 (63.2)	2 (10.5)	2 (10.5)	0 (0.0)	0 (0.0)	1 (5.3)	1 (5.3)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	50~54	19	7 (36.8)	2 (10.5)	4 (21.1)	2 (10.5)	2 (10.5)	2 (10.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	55~59	31	14 (45.2)	3 (9.7)	5 (16.1)	2 (6.5)	4 (12.9)	1 (3.2)	1 (3.2)	1 (3.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	60~64	21	8 (38.1)	2 (9.5)	1 (4.8)	0 (0.0)	4 (19.1)	3 (14.3)	1 (4.8)	1 (4.8)	0 (0.0)	1 (4.8)	0 (0.0)	0 (0.0)
女	65~69	23	7 (30.4)	2 (8.7)	3 (13.0)	2 (8.7)	2 (8.7)	3 (13.0)	0 (0.0)	2 (8.7)	0 (0.0)	1 (4.4)	0 (0.0)	1 (4.4)
女	70~74	23	11 (47.8)	1 (4.4)	3 (13.0)	0 (0.0)	6 (26.1)	0 (0.0)	1 (4.4)	1 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	75~79	9	3 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (22.2)	1 (11.1)	2 (22.2)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	80~84	9	2 (22.2)	1 (11.1)	0 (0.0)	1 (11.1)	1 (11.1)	2 (22.2)	0 (0.0)	0 (0.0)	1 (11.1)	0 (0.0)	0 (0.0)	1 (11.1)
女	85~	5	2 (40.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	全年齢	224	111 (49.6)	18 (8.0)	23 (10.3)	11 (4.9)	25 (11.2)	16 (7.1)	6 (2.7)	9 (4.0)	1 (0.5)	2 (0.9)	0 (0.0)	2 (0.9)
男女計	10~14	30	21 (70.0)	6 (20.0)	2 (6.7)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	15~19	14	10 (71.4)	0 (0.0)	0 (0.0)	3 (21.4)	0 (0.0)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	20~24	5	3 (60.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	25~29	10	6 (60.0)	1 (10.0)	2 (20.0)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	30~34	18	12 (66.7)	1 (5.6)	2 (11.1)	0 (0.0)	2 (11.1)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	35~39	25	16 (64.0)	1 (4.0)	2 (8.0)	2 (8.0)	0 (0.0)	2 (8.0)	1 (4.0)	0 (0.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	40~44	21	8 (38.1)	2 (9.5)	1 (4.8)	3 (14.3)	3 (14.3)	0 (0.0)	0 (0.0)	4 (19.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	45~49	37	19 (51.4)	5 (13.5)	5 (13.5)	2 (5.4)	0 (0.0)	2 (5.4)	1 (2.7)	2 (5.4)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.7)
男女計	50~54	31	15 (48.4)	2 (6.5)	4 (12.9)	3 (9.7)	2 (6.5)	4 (12.9)	0 (0.0)	1 (3.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	55~59	48	18 (37.5)	3 (6.3)	8 (16.7)	3 (6.3)	10 (20.8)	2 (4.2)	2 (4.2)	2 (4.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	60~64	40	14 (35.0)	4 (10.0)	4 (10.0)	0 (0.0)	7 (17.5)	6 (15.0)	2 (5.0)	2 (5.0)	0 (0.0)	1 (2.5)	0 (0.0)	0 (0.0)
男女計	65~69	48	12 (25.0)	3 (6.3)	5 (10.4)	3 (6.3)	7 (14.6)	9 (18.8)	2 (4.2)	3 (6.3)	0 (0.0)	2 (4.2)	0 (0.0)	2 (4.2)
男女計	70~74	39	17 (43.6)	1 (2.6)	5 (12.8)	1 (2.6)	10 (25.6)	2 (5.1)	1 (2.6)	2 (5.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	75~79	18	5 (27.8)	1 (5.6)	1 (5.6)	1 (5.6)	5 (27.8)	2 (11.1)	2 (11.1)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	80~84	12	3 (25.0)	1 (8.3)	0 (0.0)	1 (8.3)	1 (8.3)	4 (33.3)	0 (0.0)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	1 (8.3)
男女計	85~	12	5 (41.7)	0 (0.0)	1 (8.3)	0 (0.0)	3 (25.0)	2 (16.7)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	全年齢	408	184 (45.1)	31 (7.6)	43 (10.5)	24 (5.9)	50 (12.3)	38 (9.3)	11 (2.7)	18 (4.4)	2 (0.5)	3 (0.7)	0 (0.0)	4 (1.0)

◆歯-第26表◆ 歯肉出血と歯石沈着の有無別にみた歯周ポケット(4mm以上、6mm以上)の有無(上顎前歯部)(10歳以上・永久歯)

年齢階級	総数	歯周ポケット4mm未満				歯周ポケット4mm以上6mm未満				歯周ポケット6mm以上				
		歯石(-)		歯石(+)		歯石(-)		歯石(+)		歯石(-)		歯石(+)		
		出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	
		人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	
男	10~14	15	12 (80.0)	1 (6.7)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	6 (66.7)	0 (0.0)	1 (11.1)	1 (11.1)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	2 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	4 (57.1)	2 (28.6)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	11 (84.6)	0 (0.0)	2 (15.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	7	4 (57.1)	0 (0.0)	0 (0.0)	1 (14.3)	0 (0.0)	0 (0.0)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	18	12 (66.7)	1 (5.6)	3 (16.7)	0 (0.0)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	13	11 (84.6)	0 (0.0)	1 (7.7)	0 (0.0)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	17	12 (70.6)	0 (0.0)	4 (23.5)	0 (0.0)	1 (5.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	20	14 (70.0)	1 (5.0)	0 (0.0)	2 (10.0)	1 (5.0)	0 (0.0)	1 (5.0)	1 (5.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	28	16 (57.1)	2 (7.1)	3 (10.7)	0 (0.0)	4 (14.3)	1 (3.6)	1 (3.6)	0 (0.0)	0 (0.0)	1 (3.6)	0 (0.0)	0 (0.0)
	70~74	24	15 (62.5)	3 (12.5)	2 (8.3)	1 (4.2)	0 (0.0)	1 (4.2)	0 (0.0)	2 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	11	5 (45.5)	0 (0.0)	1 (9.1)	1 (9.1)	2 (18.2)	0 (0.0)	1 (9.1)	0 (0.0)	0 (0.0)	1 (9.1)	0 (0.0)	0 (0.0)
	80~84	9	7 (77.8)	0 (0.0)	0 (0.0)	0 (0.0)	1 (11.1)	0 (0.0)	0 (0.0)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	85~	10	6 (60.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (30.0)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
全年齢	208	142 (68.3)	10 (4.8)	19 (9.1)	7 (3.4)	15 (7.2)	3 (1.4)	4 (1.9)	6 (2.9)	0 (0.0)	2 (1.0)	0 (0.0)	0 (0.0)	
女	10~14	15	13 (86.7)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	5	4 (80.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	3	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	4 (80.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	7 (63.6)	0 (0.0)	2 (18.2)	0 (0.0)	1 (9.1)	1 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	12 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	9 (60.0)	1 (6.7)	2 (13.3)	1 (6.7)	0 (0.0)	0 (0.0)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	19	16 (84.2)	2 (10.5)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	20	17 (85.0)	1 (5.0)	2 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	32	22 (68.8)	4 (12.5)	2 (6.3)	2 (6.3)	1 (3.1)	0 (0.0)	1 (3.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	22	15 (68.2)	3 (13.6)	1 (4.6)	2 (9.1)	1 (4.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	29	18 (62.1)	1 (3.5)	5 (17.2)	1 (3.5)	1 (3.5)	1 (3.5)	0 (0.0)	2 (6.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	25	19 (76.0)	0 (0.0)	1 (4.0)	1 (4.0)	2 (8.0)	1 (4.0)	0 (0.0)	0 (0.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	14	9 (64.3)	0 (0.0)	1 (7.1)	2 (14.3)	2 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	80~84	15	6 (40.0)	2 (13.3)	1 (6.7)	0 (0.0)	4 (26.7)	0 (0.0)	0 (0.0)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	1 (6.7)
	85~	6	3 (50.0)	1 (16.7)	0 (0.0)	0 (0.0)	1 (16.7)	0 (0.0)	0 (0.0)	1 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
全年齢	248	177 (71.4)	18 (7.3)	19 (7.7)	9 (3.6)	13 (5.2)	3 (1.2)	2 (0.8)	5 (2.0)	1 (0.4)	0 (0.0)	0 (0.0)	1 (0.4)	
男女計	10~14	30	25 (83.3)	2 (6.7)	2 (6.7)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	14	10 (71.4)	1 (7.1)	1 (7.1)	1 (7.1)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	10	9 (90.0)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	18	11 (61.1)	2 (11.1)	3 (16.7)	0 (0.0)	1 (5.6)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	25	23 (92.0)	0 (0.0)	2 (8.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	22	13 (59.1)	1 (4.6)	2 (9.1)	2 (9.1)	0 (0.0)	0 (0.0)	2 (9.1)	2 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	37	28 (75.7)	3 (8.1)	4 (10.8)	0 (0.0)	1 (2.7)	0 (0.0)	0 (0.0)	1 (2.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	33	28 (84.9)	1 (3.0)	3 (9.1)	0 (0.0)	1 (3.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	49	34 (69.4)	4 (8.2)	6 (12.2)	2 (4.1)	2 (4.1)	0 (0.0)	1 (2.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	42	29 (69.1)	4 (9.5)	1 (2.4)	4 (9.5)	2 (4.8)	0 (0.0)	1 (2.4)	1 (2.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	57	34 (59.7)	3 (5.3)	8 (14.0)	1 (1.8)	5 (8.8)	2 (3.5)	1 (1.8)	2 (3.5)	0 (0.0)	1 (1.8)	0 (0.0)	0 (0.0)
	70~74	49	34 (69.4)	3 (6.1)	3 (6.1)	2 (4.1)	2 (4.1)	2 (4.1)	0 (0.0)	2 (4.1)	1 (2.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	25	14 (56.0)	0 (0.0)	2 (8.0)	3 (12.0)	4 (16.0)	0 (0.0)	1 (4.0)	0 (0.0)	0 (0.0)	1 (4.0)	0 (0.0)	0 (0.0)
	80~84	24	13 (54.2)	2 (8.3)	1 (4.2)	0 (0.0)	5 (20.8)	0 (0.0)	0 (0.0)	2 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.2)
	85~	16	9 (56.3)	1 (6.3)	0 (0.0)	0 (0.0)	4 (25.0)	1 (6.3)	0 (0.0)	1 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
全年齢	456	319 (70.0)	28 (6.1)	38 (8.3)	16 (3.5)	28 (6.1)	6 (1.3)	6 (1.3)	11 (2.4)	1 (0.2)	2 (0.4)	0 (0.0)	1 (0.2)	

◆歯-第27表◆ 歯肉出血と歯石沈着の有無別にみた歯周ポケット(4mm以上、6mm以上)の有無(下顎前歯部)(10歳以上・永久歯)

年齢階級	総数	歯周ポケット4mm未満				歯周ポケット4mm以上6mm未満				歯周ポケット6mm以上				
		歯石(-)		歯石(+)		歯石(-)		歯石(+)		歯石(-)		歯石(+)		
		出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	出血(-)	出血(+)	
		人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	人 (%)	
男	10~14	15	11 (73.3)	0 (0.0)	1 (6.7)	3 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	5 (55.6)	1 (11.1)	0 (0.0)	3 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	1 (50.0)	0 (0.0)	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	1 (20.0)	0 (0.0)	4 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	2 (28.6)	0 (0.0)	3 (42.9)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	4 (30.8)	0 (0.0)	6 (46.2)	2 (15.4)	0 (0.0)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	7	1 (14.3)	0 (0.0)	3 (42.9)	1 (14.3)	0 (0.0)	0 (0.0)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	18	5 (27.8)	0 (0.0)	9 (50.0)	2 (11.1)	0 (0.0)	0 (0.0)	1 (5.6)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	13	3 (23.1)	0 (0.0)	8 (61.5)	2 (15.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	17	2 (11.8)	0 (0.0)	12 (70.6)	1 (5.9)	0 (0.0)	0 (0.0)	2 (11.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	20	6 (30.0)	0 (0.0)	9 (45.0)	4 (20.0)	1 (5.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	27	2 (7.4)	1 (3.7)	19 (70.4)	1 (3.7)	1 (3.7)	0 (0.0)	2 (7.4)	1 (3.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	24	9 (37.5)	1 (4.2)	10 (41.7)	3 (12.5)	0 (0.0)	0 (0.0)	1 (4.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	11	3 (27.3)	0 (0.0)	3 (27.3)	1 (9.1)	0 (0.0)	0 (0.0)	1 (9.1)	1 (9.1)	0 (0.0)	1 (9.1)	0 (0.0)	1 (9.1)
	80~84	10	4 (40.0)	0 (0.0)	2 (20.0)	1 (10.0)	2 (20.0)	0 (0.0)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
85~	10	4 (40.0)	1 (10.0)	1 (10.0)	0 (0.0)	2 (20.0)	0 (0.0)	1 (10.0)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
全年齢	208	63 (30.3)	4 (1.9)	91 (43.8)	26 (12.5)	6 (2.9)	1 (0.5)	10 (4.8)	5 (2.4)	0 (0.0)	1 (0.5)	0 (0.0)	1 (0.5)	
女	10~14	14	9 (64.3)	1 (7.1)	3 (21.4)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	5	2 (40.0)	1 (20.0)	0 (0.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	3	0 (0.0)	0 (0.0)	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	1 (20.0)	0 (0.0)	4 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	5 (45.5)	1 (9.1)	4 (36.4)	0 (0.0)	1 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	6 (50.0)	0 (0.0)	5 (41.7)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	3 (20.0)	0 (0.0)	9 (60.0)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	19	9 (47.4)	0 (0.0)	8 (42.1)	2 (10.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	20	5 (25.0)	0 (0.0)	13 (65.0)	2 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	32	7 (21.9)	0 (0.0)	16 (50.0)	8 (25.0)	1 (3.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	23	6 (26.1)	0 (0.0)	11 (47.8)	5 (21.7)	0 (0.0)	0 (0.0)	1 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	28	9 (32.1)	0 (0.0)	13 (46.4)	5 (17.9)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	28	11 (39.3)	0 (0.0)	13 (46.4)	3 (10.7)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	18	8 (44.4)	0 (0.0)	8 (44.4)	1 (5.6)	0 (0.0)	0 (0.0)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	80~84	18	4 (22.2)	2 (11.1)	5 (27.8)	4 (22.2)	0 (0.0)	1 (5.6)	2 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
85~	7	2 (28.6)	0 (0.0)	1 (14.3)	2 (28.6)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (14.3)	
全年齢	258	87 (33.7)	5 (1.9)	116 (45.0)	37 (14.3)	3 (1.2)	1 (0.4)	4 (1.6)	4 (1.6)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.4)	
男女計	10~14	29	20 (69.0)	1 (3.5)	4 (13.8)	4 (13.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	14	7 (50.0)	2 (14.3)	0 (0.0)	5 (35.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	5	1 (20.0)	0 (0.0)	4 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	10	2 (20.0)	0 (0.0)	8 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	18	7 (38.9)	1 (5.6)	7 (38.9)	2 (11.1)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	25	10 (40.0)	0 (0.0)	11 (44.0)	3 (12.0)	0 (0.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	22	4 (18.2)	0 (0.0)	12 (54.6)	2 (9.1)	0 (0.0)	0 (0.0)	1 (4.6)	3 (13.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	37	14 (37.8)	0 (0.0)	17 (46.0)	4 (10.8)	0 (0.0)	0 (0.0)	1 (2.7)	1 (2.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	33	8 (24.2)	0 (0.0)	21 (63.6)	4 (12.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	49	9 (18.4)	0 (0.0)	28 (57.1)	9 (18.4)	1 (2.0)	0 (0.0)	2 (4.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	43	12 (27.9)	0 (0.0)	20 (46.5)	9 (20.9)	1 (2.3)	0 (0.0)	1 (2.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	55	11 (20.0)	1 (1.8)	32 (58.2)	6 (10.9)	1 (1.8)	0 (0.0)	2 (3.6)	2 (3.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	70~74	52	20 (38.5)	1 (1.9)	23 (44.2)	6 (11.5)	0 (0.0)	0 (0.0)	1 (1.9)	1 (1.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	75~79	29	11 (37.9)	0 (0.0)	11 (37.9)	2 (6.9)	0 (0.0)	0 (0.0)	2 (6.9)	1 (3.5)	0 (0.0)	1 (3.5)	0 (0.0)	1 (3.5)
	80~84	28	8 (28.6)	2 (7.1)	7 (25.0)	5 (17.9)	2 (7.1)	1 (3.6)	3 (10.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
85~	17	6 (35.3)	1 (5.9)	2 (11.8)	2 (11.8)	3 (17.7)	0 (0.0)	1 (5.9)	1 (5.9)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.9)	
全年齢	466	150 (32.2)	9 (1.9)	207 (44.4)	63 (13.5)	9 (1.9)	2 (0.4)	14 (3.0)	9 (1.9)	0 (0.0)	1 (0.2)	0 (0.0)	2 (0.4)	



◆歯-第28表◆ 歯肉の状況(全体)、旧CPIコードによる分類(5歳以上・永久歯)

年齢階級	対象者数	所見のない者 人 人(%)	総数 人(%)	所見のある者									対象歯のない者 人(%)	
				プロービング後の出血 人(%)	歯石の沈着 注 人(%)	歯周ポケット 4mm以上6mm未満			歯周ポケット 6mm以上					
						総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)	総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)			
男	5~9	12	7 (58.3)	4 (33.3)	0 (0.0)	4 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (8.3)
男	10~14	15	7 (46.7)	8 (53.3)	3 (20.0)	5 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	15~19	9	2 (22.2)	7 (77.8)	1 (11.1)	3 (33.3)	3 (33.3)	3 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	20~24	2	1 (50.0)	1 (50.0)	0 (0.0)	0 (0.0)	1 (50.0)	0 (0.0)	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	25~29	5	1 (20.0)	4 (80.0)	0 (0.0)	4 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	30~34	7	2 (28.6)	5 (71.4)	0 (0.0)	3 (42.9)	2 (28.6)	0 (0.0)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	35~39	13	2 (15.4)	11 (84.6)	0 (0.0)	5 (38.5)	5 (38.5)	1 (7.7)	4 (30.8)	1 (7.7)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)
男	40~44	7	0 (0.0)	7 (100.0)	1 (14.3)	3 (42.9)	3 (42.9)	0 (0.0)	3 (42.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	45~49	18	2 (11.1)	16 (88.9)	0 (0.0)	6 (33.3)	8 (44.4)	3 (16.7)	5 (27.8)	2 (11.1)	0 (0.0)	2 (11.1)	0 (0.0)	0 (0.0)
男	50~54	13	1 (7.7)	12 (92.3)	0 (0.0)	4 (30.8)	8 (61.5)	1 (7.7)	7 (53.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男	55~59	17	1 (5.9)	16 (94.1)	0 (0.0)	4 (23.5)	10 (58.8)	1 (5.9)	9 (52.9)	2 (11.8)	0 (0.0)	2 (11.8)	0 (0.0)	0 (0.0)
男	60~64	22	4 (18.2)	16 (72.7)	0 (0.0)	5 (22.7)	11 (50.0)	2 (9.1)	9 (40.9)	0 (0.0)	0 (0.0)	0 (0.0)	2 (9.1)	2 (9.1)
男	65~69	30	0 (0.0)	29 (96.7)	0 (0.0)	7 (23.3)	16 (53.3)	5 (16.7)	11 (36.7)	6 (20.0)	0 (0.0)	6 (20.0)	1 (3.3)	1 (3.3)
男	70~74	25	5 (20.0)	19 (76.0)	1 (4.0)	5 (20.0)	12 (48.0)	3 (12.0)	9 (36.0)	1 (4.0)	0 (0.0)	1 (4.0)	1 (4.0)	1 (4.0)
男	75~79	15	2 (13.3)	10 (66.7)	0 (0.0)	2 (13.3)	3 (20.0)	1 (6.7)	2 (13.3)	5 (33.3)	1 (6.7)	4 (26.7)	3 (20.0)	3 (20.0)
男	80~84	12	1 (8.3)	9 (75.0)	0 (0.0)	1 (8.3)	5 (41.7)	2 (16.7)	3 (25.0)	3 (25.0)	2 (16.7)	1 (8.3)	2 (16.7)	2 (16.7)
男	85~	13	1 (7.7)	9 (69.2)	1 (7.7)	0 (0.0)	7 (53.8)	2 (15.4)	5 (38.5)	1 (7.7)	1 (7.7)	0 (0.0)	3 (23.1)	3 (23.1)
女	5~9	10	6 (60.0)	4 (40.0)	1 (10.0)	3 (30.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	10~14	15	7 (46.7)	8 (53.3)	4 (26.7)	3 (20.0)	1 (6.7)	0 (0.0)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	15~19	5	2 (40.0)	3 (60.0)	1 (20.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	20~24	3	0 (0.0)	3 (100.0)	0 (0.0)	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	25~29	5	0 (0.0)	5 (100.0)	1 (20.0)	4 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	30~34	11	3 (27.3)	8 (72.7)	1 (9.1)	4 (36.4)	3 (27.3)	3 (27.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	35~39	12	6 (50.0)	6 (50.0)	0 (0.0)	5 (41.7)	1 (8.3)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	40~44	15	3 (20.0)	12 (80.0)	0 (0.0)	5 (33.3)	7 (46.7)	0 (0.0)	7 (46.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	45~49	19	3 (15.8)	16 (84.2)	4 (21.1)	7 (36.8)	5 (26.3)	2 (10.5)	3 (15.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
女	50~54	20	4 (20.0)	16 (80.0)	0 (0.0)	9 (45.0)	5 (25.0)	0 (0.0)	5 (25.0)	2 (10.0)	0 (0.0)	2 (10.0)	0 (0.0)	0 (0.0)
女	55~59	32	4 (12.5)	28 (87.5)	0 (0.0)	12 (37.5)	14 (43.8)	4 (12.5)	10 (31.3)	2 (6.3)	0 (0.0)	2 (6.3)	0 (0.0)	0 (0.0)
女	60~64	23	2 (8.7)	21 (91.3)	1 (4.4)	6 (26.1)	13 (56.5)	3 (13.0)	10 (43.5)	1 (4.3)	0 (0.0)	1 (4.4)	0 (0.0)	0 (0.0)
女	65~69	29	2 (6.9)	27 (93.1)	0 (0.0)	7 (24.1)	18 (62.1)	7 (24.1)	11 (37.9)	2 (6.9)	0 (0.0)	2 (6.9)	0 (0.0)	0 (0.0)
女	70~74	30	8 (26.7)	21 (70.0)	0 (0.0)	6 (20.0)	10 (33.3)	2 (6.7)	8 (26.7)	5 (16.7)	1 (3.3)	4 (13.3)	1 (3.3)	1 (3.3)
女	75~79	20	2 (10.0)	16 (80.0)	0 (0.0)	5 (25.0)	10 (50.0)	1 (5.0)	9 (45.0)	1 (5.0)	0 (0.0)	1 (5.0)	2 (10.0)	2 (10.0)
女	80~84	23	2 (8.7)	17 (73.9)	1 (4.4)	5 (21.7)	7 (30.4)	3 (13.0)	4 (17.4)	4 (17.4)	1 (4.4)	3 (13.0)	4 (17.4)	4 (17.4)
女	85~	12	1 (8.3)	6 (50.0)	0 (0.0)	0 (0.0)	5 (41.7)	2 (16.7)	3 (25.0)	1 (8.3)	0 (0.0)	1 (8.3)	5 (41.7)	5 (41.7)
男女計	5~9	22	13 (59.1)	8 (36.4)	1 (4.6)	7 (31.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.6)
男女計	10~14	30	14 (46.7)	16 (53.3)	7 (23.3)	8 (26.7)	1 (3.3)	0 (0.0)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	15~19	14	4 (28.6)	10 (71.4)	2 (14.3)	5 (35.7)	3 (21.4)	3 (21.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	20~24	5	1 (20.0)	4 (80.0)	0 (0.0)	3 (60.0)	1 (20.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	25~29	10	1 (10.0)	9 (90.0)	1 (10.0)	8 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	30~34	18	5 (27.8)	13 (72.2)	1 (5.6)	7 (38.9)	5 (27.8)	3 (16.7)	2 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	35~39	25	8 (32.0)	17 (68.0)	0 (0.0)	10 (40.0)	6 (24.0)	1 (4.0)	5 (20.0)	1 (4.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	40~44	22	3 (13.6)	19 (86.4)	1 (4.6)	8 (36.4)	10 (45.5)	0 (0.0)	10 (45.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
男女計	45~49	37	5 (13.5)	32 (86.5)	4 (10.8)	13 (35.1)	13 (35.1)	5 (13.5)	8 (21.6)	2 (5.4)	0 (0.0)	2 (5.4)	0 (0.0)	0 (0.0)
男女計	50~54	33	5 (15.2)	28 (84.8)	0 (0.0)	13 (39.4)	13 (39.4)	1 (3.0)	12 (36.4)	2 (6.1)	0 (0.0)	2 (6.1)	0 (0.0)	0 (0.0)
男女計	55~59	49	5 (10.2)	44 (89.8)	0 (0.0)	16 (32.7)	24 (49.0)	5 (10.2)	19 (38.8)	4 (8.2)	0 (0.0)	4 (8.2)	0 (0.0)	0 (0.0)
男女計	60~64	45	6 (13.3)	37 (82.2)	1 (2.2)	11 (24.4)	24 (53.3)	5 (11.1)	19 (42.2)	1 (2.2)	0 (0.0)	1 (2.2)	2 (4.4)	2 (4.4)
男女計	65~69	59	2 (3.4)	56 (94.9)	0 (0.0)	14 (23.7)	34 (57.6)	12 (20.3)	22 (37.3)	8 (13.6)	0 (0.0)	8 (13.6)	1 (1.7)	1 (1.7)
男女計	70~74	55	13 (23.6)	40 (72.7)	1 (1.8)	11 (20.0)	22 (40.0)	5 (9.1)	17 (30.9)	6 (10.9)	1 (1.8)	5 (9.1)	2 (3.6)	2 (3.6)
男女計	75~79	35	4 (11.4)	26 (74.3)	0 (0.0)	7 (20.0)	13 (37.1)	2 (5.7)	11 (31.4)	6 (17.1)	1 (2.9)	5 (14.3)	5 (14.3)	5 (14.3)
男女計	80~84	35	3 (8.6)	26 (74.3)	1 (2.9)	6 (17.1)	12 (34.3)	5 (14.3)	7 (20.0)	7 (20.0)	3 (8.6)	4 (11.4)	6 (17.1)	6 (17.1)
男女計	85~	25	2 (8.0)	15 (60.0)	1 (4.0)	0 (0.0)	12 (48.0)	4 (16.0)	8 (32.0)	2 (8.0)	1 (4.0)	1 (4.0)	8 (32.0)	8 (32.0)

注) 歯石の沈着の項には、歯周ポケットが4mm以上の者は含まない。

◆歯-第29表◆ 歯肉所見の有無(5歳以上・永久歯)

	年齢階級	対象者数	所見のない者		所見のある者		対象歯のない者	
		人	人	(%)	人	(%)	人	(%)
男	5~9	12	7	(58.3)	4	(33.3)	1	(8.3)
	10~14	15	7	(46.7)	8	(53.3)	0	(0.0)
	15~19	9	2	(22.2)	7	(77.8)	0	(0.0)
	20~24	2	1	(50.0)	1	(50.0)	0	(0.0)
	25~29	5	1	(20.0)	4	(80.0)	0	(0.0)
	30~34	7	2	(28.6)	5	(71.4)	0	(0.0)
	35~39	13	2	(15.4)	11	(84.6)	0	(0.0)
	40~44	7	0	(0.0)	7	(100.0)	0	(0.0)
	45~49	18	2	(11.1)	16	(88.9)	0	(0.0)
	50~54	13	1	(7.7)	12	(92.3)	0	(0.0)
	55~59	17	1	(5.9)	16	(94.1)	0	(0.0)
	60~64	22	4	(18.2)	16	(72.7)	2	(9.1)
	65~69	30	0	(0.0)	29	(96.7)	1	(3.3)
	70~74	25	5	(20.0)	19	(76.0)	1	(4.0)
	75~79	15	2	(13.3)	10	(66.7)	3	(20.0)
80~84	12	1	(8.3)	9	(75.0)	2	(16.7)	
85~	13	1	(7.7)	9	(69.2)	3	(23.1)	
女	5~9	10	6	(60.0)	4	(40.0)	0	(0.0)
	10~14	15	7	(46.7)	8	(53.3)	0	(0.0)
	15~19	5	2	(40.0)	3	(60.0)	0	(0.0)
	20~24	3	0	(0.0)	3	(100.0)	0	(0.0)
	25~29	5	0	(0.0)	5	(100.0)	0	(0.0)
	30~34	11	3	(27.3)	8	(72.7)	0	(0.0)
	35~39	12	6	(50.0)	6	(50.0)	0	(0.0)
	40~44	15	3	(20.0)	12	(80.0)	0	(0.0)
	45~49	19	3	(15.8)	16	(84.2)	0	(0.0)
	50~54	20	4	(20.0)	16	(80.0)	0	(0.0)
	55~59	32	4	(12.5)	28	(87.5)	0	(0.0)
	60~64	23	2	(8.7)	21	(91.3)	0	(0.0)
	65~69	29	2	(6.9)	27	(93.1)	0	(0.0)
	70~74	30	8	(26.7)	21	(70.0)	1	(3.3)
	75~79	20	2	(10.0)	16	(80.0)	2	(10.0)
80~84	23	2	(8.7)	17	(73.9)	4	(17.4)	
85~	12	1	(8.3)	6	(50.0)	5	(41.7)	
男女計	5~9	22	13	(59.1)	8	(36.4)	1	(4.6)
	10~14	30	14	(46.7)	16	(53.3)	0	(0.0)
	15~19	14	4	(28.6)	10	(71.4)	0	(0.0)
	20~24	5	1	(20.0)	4	(80.0)	0	(0.0)
	25~29	10	1	(10.0)	9	(90.0)	0	(0.0)
	30~34	18	5	(27.8)	13	(72.2)	0	(0.0)
	35~39	25	8	(32.0)	17	(68.0)	0	(0.0)
	40~44	22	3	(13.6)	19	(86.4)	0	(0.0)
	45~49	37	5	(13.5)	32	(86.5)	0	(0.0)
	50~54	33	5	(15.2)	28	(84.8)	0	(0.0)
	55~59	49	5	(10.2)	44	(89.8)	0	(0.0)
	60~64	45	6	(13.3)	37	(82.2)	2	(4.4)
	65~69	59	2	(3.4)	56	(94.9)	1	(1.7)
	70~74	55	13	(23.6)	40	(72.7)	2	(3.6)
	75~79	35	4	(11.4)	26	(74.3)	5	(14.3)
80~84	35	3	(8.6)	26	(74.3)	6	(17.1)	
85~	25	2	(8.0)	15	(60.0)	8	(32.0)	

◆歯-第30表◆ 歯肉所見の旧CPIコードによる分類(5歳以上・永久歯)

年齢階級	対象者数	所見のない者 人 人(%)	総数 人(%)	所見のある者									対象歯のない者 人(%)	
				ブローピング後の出血 人(%)	歯石の沈着 注 人(%)	歯周ポケット 4mm以上6mm未満			歯周ポケット 6mm以上					
						総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)	総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)			
男	5~9	12	7 (58.3)	4 (33.3)	0 (0.0)	4 (33.3)	/	/	/	/	/	/	/	1 (8.3)
	10~19	24	9 (37.5)	15 (62.5)	4 (16.7)	8 (33.3)	3 (12.5)	3 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~29	7	2 (28.6)	5 (71.4)	0 (0.0)	4 (57.1)	1 (14.3)	0 (0.0)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~39	20	4 (20.0)	16 (80.0)	0 (0.0)	8 (40.0)	7 (35.0)	1 (5.0)	6 (30.0)	1 (5.0)	1 (5.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~49	25	2 (8.0)	23 (92.0)	1 (4.0)	9 (36.0)	11 (44.0)	3 (12.0)	8 (32.0)	2 (8.0)	0 (0.0)	2 (8.0)	0 (0.0)	0 (0.0)
	50~59	30	2 (6.7)	28 (93.3)	0 (0.0)	8 (26.7)	18 (60.0)	2 (6.7)	16 (53.3)	2 (6.7)	0 (0.0)	2 (6.7)	0 (0.0)	0 (0.0)
	60~69	52	4 (7.7)	45 (86.5)	0 (0.0)	12 (23.1)	27 (51.9)	7 (13.5)	20 (38.5)	6 (11.5)	0 (0.0)	6 (11.5)	3 (5.8)	3 (5.8)
	70~79	40	7 (17.5)	29 (72.5)	1 (2.5)	7 (17.5)	15 (37.5)	4 (10.0)	11 (27.5)	6 (15.0)	1 (2.5)	5 (12.5)	4 (10.0)	4 (10.0)
	80~	25	2 (8.0)	18 (72.0)	1 (4.0)	1 (4.0)	12 (48.0)	4 (16.0)	8 (32.0)	4 (16.0)	3 (12.0)	1 (4.0)	5 (20.0)	5 (20.0)
	全年齢	235	39 (16.6)	183 (77.9)	7 (3.0)	61 (26.0)	94 (40.0)	24 (10.2)	70 (29.8)	21 (8.9)	5 (2.1)	16 (6.8)	13 (5.5)	13 (5.5)
女	5~9	10	6 (60.0)	4 (40.0)	1 (10.0)	3 (30.0)	/	/	/	/	/	/	/	0 (0.0)
	10~19	20	9 (45.0)	11 (55.0)	5 (25.0)	5 (25.0)	1 (5.0)	0 (0.0)	1 (5.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~29	8	0 (0.0)	8 (100.0)	1 (12.5)	7 (87.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~39	23	9 (39.1)	14 (60.9)	1 (4.4)	9 (39.1)	4 (17.4)	3 (13.0)	1 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~49	34	6 (17.7)	28 (82.4)	4 (11.8)	12 (35.3)	12 (35.3)	2 (5.9)	10 (29.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~59	52	8 (15.4)	44 (84.6)	0 (0.0)	21 (40.4)	19 (36.5)	4 (7.7)	15 (28.9)	4 (7.7)	0 (0.0)	4 (7.7)	0 (0.0)	0 (0.0)
	60~69	52	4 (7.7)	48 (92.3)	1 (1.9)	13 (25.0)	31 (59.6)	10 (19.2)	21 (40.4)	3 (5.8)	0 (0.0)	3 (5.8)	0 (0.0)	0 (0.0)
	70~79	50	10 (20.0)	37 (74.0)	0 (0.0)	11 (22.0)	20 (40.0)	3 (6.0)	17 (34.0)	6 (12.0)	1 (2.0)	5 (10.0)	3 (6.0)	3 (6.0)
	80~	35	3 (8.6)	23 (65.7)	1 (2.9)	5 (14.3)	12 (34.3)	5 (14.3)	7 (20.0)	5 (14.3)	1 (2.9)	4 (11.4)	9 (25.7)	9 (25.7)
	全年齢	284	55 (19.4)	217 (76.4)	14 (4.9)	86 (30.3)	99 (34.9)	27 (9.5)	72 (25.4)	18 (6.3)	2 (0.7)	16 (5.6)	12 (4.2)	12 (4.2)
男女計	5~9	22	13 (59.1)	8 (36.4)	1 (4.6)	7 (31.8)	/	/	/	/	/	/	/	1 (4.6)
	10~19	44	18 (40.9)	26 (59.1)	9 (20.5)	13 (29.6)	4 (9.1)	3 (6.8)	1 (2.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~29	15	2 (13.3)	13 (86.7)	1 (6.7)	11 (73.3)	1 (6.7)	0 (0.0)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~39	43	13 (30.2)	30 (69.8)	1 (2.3)	17 (39.5)	11 (25.6)	4 (9.3)	7 (16.3)	1 (2.3)	1 (2.3)	0 (0.0)	0 (0.0)	0 (0.0)
	40~49	59	8 (13.6)	51 (86.4)	5 (8.5)	21 (35.6)	23 (39.0)	5 (8.5)	18 (30.5)	2 (3.4)	0 (0.0)	2 (3.4)	0 (0.0)	0 (0.0)
	50~59	82	10 (12.2)	72 (87.8)	0 (0.0)	29 (35.4)	37 (45.1)	6 (7.3)	31 (37.8)	6 (7.3)	0 (0.0)	6 (7.3)	0 (0.0)	0 (0.0)
	60~69	104	8 (7.7)	93 (89.4)	1 (1.0)	25 (24.0)	58 (55.8)	17 (16.4)	41 (39.4)	9 (8.7)	0 (0.0)	9 (8.7)	3 (2.9)	3 (2.9)
	70~79	90	17 (18.9)	66 (73.3)	1 (1.1)	18 (20.0)	35 (38.9)	7 (7.8)	28 (31.1)	12 (13.3)	2 (2.2)	10 (11.1)	7 (7.8)	7 (7.8)
	80~	60	5 (8.3)	41 (68.3)	2 (3.3)	6 (10.0)	24 (40.0)	9 (15.0)	15 (25.0)	9 (15.0)	4 (6.7)	5 (8.3)	14 (23.3)	14 (23.3)
	全年齢	519	94 (18.1)	400 (77.1)	21 (4.1)	147 (28.3)	193 (37.2)	51 (9.8)	142 (27.4)	39 (7.5)	7 (1.4)	32 (6.2)	25 (4.8)	25 (4.8)

注) 歯石の沈着の項には、歯周ポケットが4mm以上の者は含まない。

◆歯-第31表◆ 歯肉の状況(右側上顎臼歯部)、旧CPIコードによる分類(5歳以上・永久歯)

年齢階級	対象者数	所見のない者	総数	所見のある者									対象歯のない者				
				ブローピング後の出血	歯石の沈着注)	歯周ポケット4mm以上6mm未満			歯周ポケット6mm以上								
						総数	歯石(-)	歯石(+)	総数	歯石(-)	歯石(+)						
人	人(%)	人(%)	人(%)	人(%)	人(%)	人(%)	人(%)	人(%)	人(%)	人(%)	人(%)	人(%)					
男	5~9	12	7 (58.3)	1 (8.3)	0 (0.0)	1 (8.3)											4 (33.3)
	10~14	15	12 (80.0)	3 (20.0)	2 (13.3)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	5 (55.6)	4 (44.4)	1 (11.1)	2 (22.2)	1 (11.1)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	2 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	1 (20.0)	4 (80.0)	2 (40.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	4 (57.1)	3 (42.9)	2 (28.6)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	5 (38.5)	8 (61.5)	3 (23.1)	0 (0.0)	5 (38.5)	3 (23.1)	2 (15.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	7	1 (14.3)	6 (85.7)	2 (28.6)	2 (28.6)	2 (28.6)	0 (0.0)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	18	7 (38.9)	11 (61.1)	2 (11.1)	2 (11.1)	5 (27.8)	4 (22.2)	1 (5.6)	2 (11.1)	1 (5.6)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	13	5 (38.5)	7 (53.8)	3 (23.1)	1 (7.7)	3 (23.1)	3 (23.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (7.7)
	55~59	17	7 (41.2)	10 (58.8)	0 (0.0)	3 (17.7)	6 (35.3)	5 (29.4)	1 (5.9)	1 (5.9)	0 (0.0)	1 (5.9)	0 (0.0)	1 (5.9)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	22	6 (27.3)	13 (59.1)	1 (4.6)	5 (22.7)	7 (31.8)	6 (27.3)	1 (4.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (13.6)
	65~69	30	5 (16.7)	20 (66.7)	0 (0.0)	4 (13.3)	16 (53.3)	10 (33.3)	6 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (16.7)
	70~74	25	7 (28.0)	14 (56.0)	2 (8.0)	3 (12.0)	9 (36.0)	5 (20.0)	4 (16.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	4 (16.0)
	75~79	15	2 (13.3)	6 (40.0)	1 (6.7)	1 (6.7)	4 (26.7)	2 (13.3)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	7 (46.7)
	80~84	12	0 (0.0)	6 (50.0)	0 (0.0)	0 (0.0)	5 (41.7)	5 (41.7)	0 (0.0)	1 (8.3)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (50.0)
	85~	13	1 (7.7)	8 (61.5)	1 (7.7)	0 (0.0)	6 (46.2)	4 (30.8)	2 (15.4)	1 (7.7)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	4 (30.8)
女	5~9	10	8 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)										2 (20.0)	
	10~14	15	10 (66.7)	5 (33.3)	3 (20.0)	1 (6.7)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	15~19	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	20~24	3	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	25~29	5	4 (80.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	7 (63.6)	4 (36.4)	0 (0.0)	1 (9.1)	3 (27.3)	3 (27.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	9 (75.0)	3 (25.0)	0 (0.0)	2 (16.7)	1 (8.3)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	8 (53.3)	7 (46.7)	1 (6.7)	1 (6.7)	5 (33.3)	1 (6.7)	4 (26.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	19	11 (57.9)	8 (42.1)	4 (21.1)	0 (0.0)	4 (21.1)	1 (5.3)	3 (15.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	20	8 (40.0)	11 (55.0)	3 (15.0)	2 (10.0)	6 (30.0)	6 (30.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.0)	1 (5.0)
	55~59	32	17 (53.1)	14 (43.8)	1 (3.1)	3 (9.4)	9 (28.1)	6 (18.8)	3 (9.4)	1 (3.1)	1 (3.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.1)	1 (3.1)
	60~64	23	8 (34.8)	14 (60.9)	3 (13.0)	2 (8.7)	8 (34.8)	7 (30.4)	1 (4.4)	1 (4.3)	1 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.4)	1 (4.4)
	65~69	29	9 (31.0)	17 (58.6)	1 (3.5)	3 (10.3)	12 (41.4)	9 (31.0)	3 (10.3)	1 (3.4)	0 (0.0)	1 (3.5)	3 (10.3)	1 (3.5)	3 (10.3)	0 (0.0)	3 (10.3)
	70~74	30	12 (40.0)	12 (40.0)	0 (0.0)	2 (6.7)	9 (30.0)	9 (30.0)	0 (0.0)	1 (3.3)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (20.0)	6 (20.0)
	75~79	20	4 (20.0)	9 (45.0)	0 (0.0)	3 (15.0)	5 (25.0)	3 (15.0)	2 (10.0)	1 (5.0)	1 (5.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	7 (35.0)	7 (35.0)
	80~84	23	2 (8.7)	10 (43.5)	0 (0.0)	1 (4.4)	7 (30.4)	7 (30.4)	0 (0.0)	2 (8.7)	0 (0.0)	2 (8.7)	0 (0.0)	2 (8.7)	0 (0.0)	11 (47.8)	11 (47.8)
	85~	12	0 (0.0)	5 (41.7)	0 (0.0)	0 (0.0)	5 (41.7)	4 (33.3)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	7 (58.3)	7 (58.3)
男女計	5~9	22	15 (68.2)	1 (4.5)	0 (0.0)	1 (4.6)										6 (27.3)	
	10~14	30	22 (73.3)	8 (26.7)	5 (16.7)	2 (6.7)	1 (3.3)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	15~19	14	10 (71.4)	4 (28.6)	1 (7.1)	2 (14.3)	1 (7.1)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	20~24	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	25~29	10	5 (50.0)	5 (50.0)	3 (30.0)	2 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	30~34	18	11 (61.1)	7 (38.9)	2 (11.1)	2 (11.1)	3 (16.7)	3 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	35~39	25	14 (56.0)	11 (44.0)	3 (12.0)	2 (8.0)	6 (24.0)	4 (16.0)	2 (8.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	22	9 (40.9)	13 (59.1)	3 (13.6)	3 (13.6)	7 (31.8)	1 (4.6)	6 (27.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	37	18 (48.7)	19 (51.4)	6 (16.2)	2 (5.4)	9 (24.3)	5 (13.5)	4 (10.8)	2 (5.4)	1 (2.7)	1 (2.7)	0 (0.0)	1 (2.7)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	33	13 (39.4)	18 (54.5)	6 (18.2)	3 (9.1)	9 (27.3)	9 (27.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (6.1)	2 (6.1)
	55~59	49	24 (49.0)	24 (49.0)	1 (2.0)	6 (12.2)	15 (30.6)	11 (22.5)	4 (8.2)	2 (4.1)	1 (2.0)	1 (2.0)	0 (0.0)	1 (2.0)	0 (0.0)	1 (2.0)	1 (2.0)
	60~64	45	14 (31.1)	27 (60.0)	4 (8.9)	7 (15.6)	15 (33.3)	13 (28.9)	2 (4.4)	1 (2.2)	1 (2.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	4 (8.9)	4 (8.9)
	65~69	59	14 (23.7)	37 (62.7)	1 (1.7)	7 (11.9)	28 (47.5)	19 (32.2)	9 (15.3)	1 (1.7)	0 (0.0)	1 (1.7)	0 (0.0)	1 (1.7)	0 (0.0)	8 (13.6)	8 (13.6)
	70~74	55	19 (34.6)	26 (47.3)	2 (3.6)	5 (9.1)	18 (32.7)	14 (25.5)	4 (7.3)	1 (1.8)	1 (1.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	10 (18.2)	10 (18.2)
	75~79	35	6 (17.1)	15 (42.9)	1 (2.9)	4 (11.4)	9 (25.7)	5 (14.3)	4 (11.4)	1 (2.9)	1 (2.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	14 (40.0)	14 (40.0)
	80~84	35	2 (5.7)	16 (45.7)	0 (0.0)	1 (2.9)	12 (34.3)	12 (34.3)	0 (0.0)	3 (8.6)	1 (2.9)	2 (5.7)	0 (0.0)	2 (5.7)	0 (0.0)	17 (48.6)	17 (48.6)
	85~	25	1 (4.0)	13 (52.0)	1 (4.0)	0 (0.0)	11 (44.0)	8 (32.0)	3 (12.0)	1 (4.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	11 (44.0)	11 (44.0)

注) 歯石の沈着の項には、歯周ポケットが4mm以上の者は含まない。

◆歯-第32表◆ 歯肉の状況(左側上顎臼歯部)、旧CPIコードによる分類(5歳以上・永久歯)

年齢階級	対象者数	所見のない者 人 (%)	総数 人 (%)	所見のある者									対象歯のない者 人 (%)	
				ブローピング後の出血 人 (%)	歯石の沈着 人 (%)	歯周ポケット 4mm以上6mm未満			歯周ポケット 6mm以上					
						総数 人 (%)	歯石(-) 人 (%)	歯石(+) 人 (%)	総数 人 (%)	歯石(-) 人 (%)	歯石(+) 人 (%)			
男	5~9	12	4 (33.3)	2 (16.7)	0 (0.0)	2 (16.7)	/	/	/	/	/	/	/	6 (50.0)
	10~14	15	11 (73.3)	4 (26.7)	1 (6.7)	3 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	5 (55.6)	4 (44.4)	1 (11.1)	2 (22.2)	1 (11.1)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	1 (50.0)	1 (50.0)	0 (0.0)	0 (0.0)	1 (50.0)	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	2 (40.0)	3 (60.0)	1 (20.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	6 (85.7)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	7 (53.9)	6 (46.2)	0 (0.0)	0 (0.0)	6 (46.2)	3 (23.1)	3 (23.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	7	2 (28.6)	4 (57.1)	0 (0.0)	2 (28.6)	2 (28.6)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (14.3)
	45~49	18	7 (38.9)	11 (61.1)	0 (0.0)	3 (16.7)	7 (38.9)	4 (22.2)	3 (16.7)	1 (5.6)	0 (0.0)	1 (5.6)	0 (0.0)	0 (0.0)
	50~54	13	7 (53.9)	5 (38.5)	0 (0.0)	2 (15.4)	3 (23.1)	2 (15.4)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (7.7)
	55~59	17	6 (35.3)	9 (52.9)	1 (5.9)	5 (29.4)	3 (17.6)	3 (17.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (11.8)
	60~64	22	6 (27.3)	13 (59.1)	2 (9.1)	5 (22.7)	6 (27.3)	4 (18.2)	2 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (13.6)
	65~69	30	7 (23.3)	17 (56.7)	3 (10.0)	3 (10.0)	9 (30.0)	6 (20.0)	3 (10.0)	2 (6.7)	2 (6.7)	0 (0.0)	0 (0.0)	6 (20.0)
	70~74	25	8 (32.0)	13 (52.0)	1 (4.0)	2 (8.0)	9 (36.0)	5 (20.0)	4 (16.0)	1 (4.0)	0 (0.0)	1 (4.0)	4 (16.0)	4 (16.0)
	75~79	15	2 (13.3)	6 (40.0)	0 (0.0)	2 (13.3)	2 (13.3)	2 (13.3)	0 (0.0)	2 (13.3)	1 (6.7)	1 (6.7)	7 (46.7)	7 (46.7)
	80~84	12	2 (16.7)	4 (33.3)	0 (0.0)	0 (0.0)	2 (16.7)	1 (8.3)	1 (8.3)	2 (16.7)	2 (16.7)	0 (0.0)	0 (0.0)	6 (50.0)
	85~	13	2 (15.4)	6 (46.2)	0 (0.0)	0 (0.0)	6 (46.2)	5 (38.5)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (38.5)
女	5~9	10	7 (70.0)	1 (10.0)	1 (10.0)	0 (0.0)	/	/	/	/	/	/	/	2 (20.0)
	10~14	15	13 (86.7)	2 (13.3)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	3	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	5 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	6 (54.6)	5 (45.5)	2 (18.2)	1 (9.1)	2 (18.2)	2 (18.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	11 (91.7)	1 (8.3)	0 (0.0)	0 (0.0)	1 (8.3)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	6 (40.0)	9 (60.0)	3 (20.0)	1 (6.7)	5 (33.3)	1 (6.7)	4 (26.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	19	14 (73.7)	5 (26.3)	2 (10.5)	0 (0.0)	3 (15.8)	1 (5.3)	2 (10.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	20	11 (55.0)	8 (40.0)	2 (10.0)	3 (15.0)	2 (10.0)	2 (10.0)	0 (0.0)	1 (5.0)	1 (5.0)	0 (0.0)	1 (5.0)	1 (5.0)
	55~59	32	17 (53.1)	15 (46.9)	2 (6.3)	4 (12.5)	7 (21.9)	4 (12.5)	3 (9.4)	2 (6.3)	2 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	23	10 (43.5)	13 (56.5)	2 (8.7)	3 (13.0)	7 (30.4)	6 (26.1)	1 (4.4)	1 (4.3)	1 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	29	7 (24.1)	19 (65.5)	2 (6.9)	5 (17.2)	12 (41.4)	8 (27.6)	4 (13.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (10.3)
	70~74	30	13 (43.3)	14 (46.7)	0 (0.0)	2 (6.7)	8 (26.7)	6 (20.0)	2 (6.7)	4 (13.3)	3 (10.0)	1 (3.3)	3 (10.0)	3 (10.0)
	75~79	20	3 (15.0)	6 (30.0)	1 (5.0)	2 (10.0)	3 (15.0)	0 (0.0)	3 (15.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	11 (55.0)
	80~84	23	4 (17.4)	6 (26.1)	0 (0.0)	0 (0.0)	5 (21.7)	5 (21.7)	0 (0.0)	1 (4.3)	0 (0.0)	1 (4.4)	13 (56.5)	13 (56.5)
	85~	12	2 (16.7)	3 (25.0)	0 (0.0)	1 (8.3)	2 (16.7)	2 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	7 (58.3)
男女計	5~9	22	11 (50.0)	3 (13.6)	1 (4.6)	2 (9.1)	/	/	/	/	/	/	/	8 (36.4)
	10~14	30	24 (80.0)	6 (20.0)	2 (6.7)	4 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	14	10 (71.4)	4 (28.6)	1 (7.1)	2 (14.3)	1 (7.1)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	5	4 (80.0)	1 (20.0)	0 (0.0)	0 (0.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	10	7 (70.0)	3 (30.0)	1 (10.0)	2 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	18	12 (66.7)	6 (33.3)	3 (16.7)	1 (5.6)	2 (11.1)	2 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	25	18 (72.0)	7 (28.0)	0 (0.0)	0 (0.0)	7 (28.0)	4 (16.0)	3 (12.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	22	8 (36.4)	13 (59.1)	3 (13.6)	3 (13.6)	7 (31.8)	2 (9.1)	5 (22.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.6)
	45~49	37	21 (56.8)	16 (43.2)	2 (5.4)	3 (8.1)	10 (27.0)	5 (13.5)	5 (13.5)	1 (2.7)	0 (0.0)	1 (2.7)	0 (0.0)	0 (0.0)
	50~54	33	18 (54.6)	13 (39.4)	2 (6.1)	5 (15.2)	5 (15.2)	4 (12.1)	1 (3.0)	1 (3.0)	1 (3.0)	0 (0.0)	0 (0.0)	2 (6.1)
	55~59	49	23 (46.9)	24 (49.0)	3 (6.1)	9 (18.4)	10 (20.4)	7 (14.3)	3 (6.1)	2 (4.1)	2 (4.1)	0 (0.0)	0 (0.0)	2 (4.1)
	60~64	45	16 (35.6)	26 (57.8)	4 (8.9)	8 (17.8)	13 (28.9)	10 (22.2)	3 (6.7)	1 (2.2)	1 (2.2)	0 (0.0)	0 (0.0)	3 (6.7)
	65~69	59	14 (23.7)	36 (61.0)	5 (8.5)	8 (13.6)	21 (35.6)	14 (23.7)	7 (11.9)	2 (3.4)	2 (3.4)	0 (0.0)	0 (0.0)	9 (15.3)
	70~74	55	21 (38.2)	27 (49.1)	1 (1.8)	4 (7.3)	17 (30.9)	11 (20.0)	6 (10.9)	5 (9.1)	3 (5.5)	2 (3.6)	7 (12.7)	7 (12.7)
	75~79	35	5 (14.3)	12 (34.3)	1 (2.9)	4 (11.4)	5 (14.3)	2 (5.7)	3 (8.6)	2 (5.7)	1 (2.9)	1 (2.9)	18 (51.4)	18 (51.4)
	80~84	35	6 (17.1)	10 (28.6)	0 (0.0)	0 (0.0)	7 (20.0)	6 (17.1)	1 (2.9)	3 (8.6)	2 (5.7)	1 (2.9)	19 (54.3)	19 (54.3)
	85~	25	4 (16.0)	9 (36.0)	0 (0.0)	1 (4.0)	8 (32.0)	7 (28.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	12 (48.0)

注) 歯石の沈着の項には、歯周ポケットが4mm以上の者は含まない。

◆歯-第33表◆ 歯肉の状況(右側下顎臼歯部)、旧CPIコードによる分類(5歳以上・永久歯)

年齢階級	対象者数	所見のない者 人 人(%)	所見のある者									対象歯のない者 人 人(%)		
			総数 人 人(%)	ブローピング後の出血 人 人(%)	歯石の沈着 人 人(%)	歯周ポケット 4mm以上6mm未満			歯周ポケット 6mm以上					
						総数 人 人(%)	歯石(-) 人 人(%)	歯石(+) 人 人(%)	総数 人 人(%)	歯石(-) 人 人(%)	歯石(+) 人 人(%)			
男	5~9	12	7 (58.3)	1 (8.3)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	4 (33.3)
	10~14	15	10 (66.7)	5 (33.3)	3 (20.0)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	5 (55.6)	4 (44.4)	1 (11.1)	2 (22.2)	1 (11.1)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	1 (50.0)	1 (50.0)	0 (0.0)	0 (0.0)	1 (50.0)	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	2 (40.0)	3 (60.0)	2 (40.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	5 (71.4)	2 (28.6)	0 (0.0)	0 (0.0)	2 (28.6)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	4 (30.8)	9 (69.2)	0 (0.0)	4 (30.8)	5 (38.5)	4 (30.8)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	7	1 (14.3)	5 (71.4)	1 (14.3)	2 (28.6)	2 (28.6)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (14.3)
	45~49	18	4 (22.2)	14 (77.8)	2 (11.1)	5 (27.8)	6 (33.3)	5 (27.8)	1 (5.6)	1 (5.6)	0 (0.0)	1 (5.6)	0 (0.0)	0 (0.0)
	50~54	13	4 (30.8)	9 (69.2)	1 (7.7)	2 (15.4)	6 (46.2)	6 (46.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	17	3 (17.7)	13 (76.5)	1 (5.9)	4 (23.5)	7 (41.2)	4 (23.5)	3 (17.7)	1 (5.9)	1 (5.9)	0 (0.0)	0 (0.0)	1 (5.9)
	60~64	22	4 (18.2)	13 (59.1)	1 (4.6)	3 (13.6)	9 (40.9)	6 (27.3)	3 (13.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (22.7)
	65~69	30	5 (16.7)	18 (60.0)	1 (3.3)	3 (10.0)	13 (43.3)	9 (30.0)	4 (13.3)	1 (3.3)	1 (3.3)	0 (0.0)	0 (0.0)	7 (23.3)
	70~74	25	6 (24.0)	8 (32.0)	1 (4.0)	3 (12.0)	4 (16.0)	3 (12.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	11 (44.0)
	75~79	15	2 (13.3)	6 (40.0)	1 (6.7)	1 (6.7)	3 (20.0)	1 (6.7)	2 (13.3)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	7 (46.7)
80~84	12	1 (8.3)	6 (50.0)	0 (0.0)	1 (8.3)	4 (33.3)	3 (25.0)	1 (8.3)	1 (8.3)	1 (8.3)	0 (0.0)	0 (0.0)	5 (41.7)	
85~	13	0 (0.0)	5 (38.5)	0 (0.0)	0 (0.0)	5 (38.5)	4 (30.8)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	8 (61.5)	
女	5~9	10	8 (80.0)	1 (10.0)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (10.0)
	10~14	15	11 (73.3)	4 (26.7)	2 (13.3)	1 (6.7)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	5	3 (60.0)	2 (40.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	3	2 (66.7)	1 (33.3)	0 (0.0)	1 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	4 (80.0)	1 (20.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	5 (45.5)	6 (54.5)	2 (18.2)	1 (9.1)	3 (27.3)	3 (27.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	10 (83.3)	2 (16.7)	1 (8.3)	0 (0.0)	1 (8.3)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	9 (60.0)	6 (40.0)	1 (6.7)	2 (13.3)	3 (20.0)	0 (0.0)	3 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	19	13 (68.4)	6 (31.6)	0 (0.0)	3 (15.8)	3 (15.8)	2 (10.5)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	20	9 (45.0)	11 (55.0)	3 (15.0)	5 (25.0)	2 (10.0)	2 (10.0)	0 (0.0)	1 (5.0)	0 (0.0)	1 (5.0)	0 (0.0)	0 (0.0)
	55~59	32	13 (40.6)	18 (56.3)	2 (6.3)	6 (18.8)	10 (31.3)	6 (18.8)	4 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.1)
	60~64	23	9 (39.1)	12 (52.2)	2 (8.7)	2 (8.7)	7 (30.4)	6 (26.1)	1 (4.4)	1 (4.3)	1 (4.4)	0 (0.0)	0 (0.0)	2 (8.7)
	65~69	29	9 (31.0)	16 (55.2)	1 (3.5)	5 (17.2)	9 (31.0)	5 (17.2)	4 (13.8)	1 (3.4)	1 (3.5)	0 (0.0)	0 (0.0)	4 (13.8)
	70~74	30	11 (36.7)	13 (43.3)	2 (6.7)	4 (13.3)	6 (20.0)	5 (16.7)	1 (3.3)	1 (3.3)	1 (3.3)	0 (0.0)	0 (0.0)	6 (20.0)
	75~79	20	6 (30.0)	5 (25.0)	0 (0.0)	0 (0.0)	5 (25.0)	2 (10.0)	3 (15.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	9 (45.0)
80~84	23	4 (17.4)	7 (30.4)	0 (0.0)	1 (4.4)	4 (17.4)	4 (17.4)	0 (0.0)	2 (8.7)	1 (4.4)	1 (4.4)	0 (0.0)	12 (52.2)	
85~	12	2 (16.7)	3 (25.0)	0 (0.0)	1 (8.3)	2 (16.7)	2 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	7 (58.3)	
男女計	5~9	22	15 (68.2)	2 (9.1)	1 (4.6)	1 (4.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (22.7)
	10~14	30	21 (70.0)	9 (30.0)	5 (16.7)	3 (10.0)	1 (3.3)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	14	8 (57.1)	6 (42.9)	2 (14.3)	3 (21.4)	1 (7.1)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	5	3 (60.0)	2 (40.0)	0 (0.0)	1 (20.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	10	6 (60.0)	4 (40.0)	2 (20.0)	2 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	18	10 (55.6)	8 (44.4)	2 (11.1)	1 (5.6)	5 (27.8)	5 (27.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	25	14 (56.0)	11 (44.0)	1 (4.0)	4 (16.0)	6 (24.0)	5 (20.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	22	10 (45.5)	11 (50.0)	2 (9.1)	4 (18.2)	5 (22.7)	1 (4.6)	4 (18.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.6)
	45~49	37	17 (46.0)	20 (54.1)	2 (5.4)	8 (21.6)	9 (24.3)	7 (18.9)	2 (5.4)	1 (2.7)	0 (0.0)	1 (2.7)	0 (0.0)	0 (0.0)
	50~54	33	13 (39.4)	20 (60.6)	4 (12.1)	7 (21.2)	8 (24.2)	8 (24.2)	0 (0.0)	1 (3.0)	0 (0.0)	1 (3.0)	0 (0.0)	0 (0.0)
	55~59	49	16 (32.7)	31 (63.3)	3 (6.1)	10 (20.4)	17 (34.7)	10 (20.4)	7 (14.3)	1 (2.0)	1 (2.0)	0 (0.0)	0 (0.0)	2 (4.1)
	60~64	45	13 (28.9)	25 (55.6)	3 (6.7)	5 (11.1)	16 (35.6)	12 (26.7)	4 (8.9)	1 (2.2)	1 (2.2)	0 (0.0)	0 (0.0)	7 (15.6)
	65~69	59	14 (23.7)	34 (57.6)	2 (3.4)	8 (13.6)	22 (37.3)	14 (23.7)	8 (13.6)	2 (3.4)	2 (3.4)	0 (0.0)	0 (0.0)	11 (18.6)
	70~74	55	17 (30.9)	21 (38.2)	3 (5.5)	7 (12.7)	10 (18.2)	8 (14.6)	2 (3.6)	1 (1.8)	1 (1.8)	0 (0.0)	0 (0.0)	17 (30.9)
	75~79	35	8 (22.9)	11 (31.4)	1 (2.9)	1 (2.9)	8 (22.9)	3 (8.6)	5 (14.3)	1 (2.9)	1 (2.9)	0 (0.0)	0 (0.0)	16 (45.7)
80~84	35	5 (14.3)	13 (37.1)	0 (0.0)	2 (5.7)	8 (22.9)	7 (20.0)	1 (2.9)	3 (8.6)	2 (5.7)	1 (2.9)	0 (0.0)	17 (48.6)	
85~	25	2 (8.0)	8 (32.0)	0 (0.0)	1 (4.0)	7 (28.0)	6 (24.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	15 (60.0)	

注) 歯石の沈着の項には、歯周ポケットが4mm以上の者は含まない。

◆歯-第34表◆ 歯肉の状況(左側下顎臼歯部)、旧CPIコードによる分類(5歳以上・永久歯)

年齢階級	対象者数	所見のない者 人 人(%)	所見のある者									対象歯のない者 人 人(%)	
			総数 人(%)	ブローピング後の出血 人(%)	歯石の沈着 人(%)	歯周ポケット 4mm以上6mm未満			歯周ポケット 6mm以上				
						総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)	総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)		
男	5~9	12	5 (41.7)	2 (16.7)	1 (8.3)	1 (8.3)	/	/	/	/	/	/	5 (41.7)
	10~14	15	11 (73.3)	4 (26.7)	2 (13.3)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	6 (66.7)	3 (33.3)	0 (0.0)	2 (22.2)	1 (11.1)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	1 (50.0)	1 (50.0)	0 (0.0)	0 (0.0)	1 (50.0)	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	3 (60.0)	2 (40.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	5 (71.4)	2 (28.6)	1 (14.3)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	4 (30.8)	9 (69.2)	1 (7.7)	4 (30.8)	3 (23.1)	2 (15.4)	1 (7.7)	1 (7.7)	1 (7.7)	0 (0.0)	0 (0.0)
	40~44	7	1 (14.3)	6 (85.7)	1 (14.3)	2 (28.6)	3 (42.9)	1 (14.3)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	18	7 (38.9)	11 (61.1)	3 (16.7)	5 (27.8)	2 (11.1)	1 (5.6)	1 (5.6)	1 (5.6)	0 (0.0)	1 (5.6)	0 (0.0)
	50~54	13	8 (61.5)	4 (30.8)	0 (0.0)	1 (7.7)	3 (23.1)	2 (15.4)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	1 (7.7)
	55~59	17	4 (23.5)	13 (76.5)	0 (0.0)	4 (23.5)	9 (52.9)	7 (41.2)	2 (11.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	22	6 (27.3)	13 (59.1)	2 (9.1)	3 (13.6)	8 (36.4)	6 (27.3)	2 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	3 (13.6)
	65~69	30	5 (16.7)	20 (66.7)	1 (3.3)	3 (10.0)	14 (46.7)	11 (36.7)	3 (10.0)	2 (6.7)	1 (3.3)	1 (3.3)	5 (16.7)
	70~74	25	6 (24.0)	10 (40.0)	0 (0.0)	3 (12.0)	7 (28.0)	6 (24.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	9 (36.0)
	75~79	15	2 (13.3)	7 (46.7)	1 (6.7)	2 (13.3)	4 (26.7)	4 (26.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (40.0)
	80~84	12	1 (8.3)	2 (16.7)	0 (0.0)	0 (0.0)	2 (16.7)	2 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	9 (75.0)
85~	13	3 (23.1)	4 (30.8)	0 (0.0)	0 (0.0)	4 (30.8)	3 (23.1)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	6 (46.2)	
女	5~9	10	8 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	/	/	/	/	/	/	2 (20.0)
	10~14	15	10 (66.7)	5 (33.3)	4 (26.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	5	4 (80.0)	1 (20.0)	0 (0.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	3	2 (66.7)	1 (33.3)	0 (0.0)	1 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	3 (60.0)	2 (40.0)	0 (0.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	7 (63.6)	4 (36.4)	0 (0.0)	1 (9.1)	3 (27.3)	3 (27.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	12 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	7 (46.7)	7 (46.7)	1 (6.7)	2 (13.3)	4 (26.7)	2 (13.3)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (6.7)
	45~49	19	12 (63.2)	7 (36.8)	2 (10.5)	2 (10.5)	3 (15.8)	1 (5.3)	2 (10.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	20	7 (35.0)	12 (60.0)	2 (10.0)	6 (30.0)	4 (20.0)	4 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (5.0)
	55~59	32	14 (43.8)	17 (53.1)	3 (9.4)	7 (21.9)	7 (21.9)	5 (15.6)	2 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.1)
	60~64	23	8 (34.8)	13 (56.5)	2 (8.7)	1 (4.4)	9 (39.1)	7 (30.4)	2 (8.7)	1 (4.3)	1 (4.4)	0 (0.0)	2 (8.7)
	65~69	29	7 (24.1)	16 (55.2)	2 (6.9)	5 (17.2)	7 (24.1)	5 (17.2)	2 (6.9)	2 (6.9)	1 (3.5)	1 (3.5)	6 (20.7)
	70~74	30	11 (36.7)	12 (40.0)	1 (3.3)	3 (10.0)	8 (26.7)	6 (20.0)	2 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	7 (23.3)
	75~79	20	3 (15.0)	6 (30.0)	0 (0.0)	0 (0.0)	6 (30.0)	3 (15.0)	3 (15.0)	0 (0.0)	0 (0.0)	0 (0.0)	11 (55.0)
	80~84	23	2 (8.7)	7 (30.4)	1 (4.4)	1 (4.4)	3 (13.0)	3 (13.0)	0 (0.0)	2 (8.7)	1 (4.4)	1 (4.4)	14 (60.9)
85~	12	2 (16.7)	3 (25.0)	0 (0.0)	1 (8.3)	2 (16.7)	2 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	7 (58.3)	
男女計	5~9	22	13 (59.1)	2 (9.1)	1 (4.6)	1 (4.6)	/	/	/	/	/	/	7 (31.8)
	10~14	30	21 (70.0)	9 (30.0)	6 (20.0)	3 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	14	10 (71.4)	4 (28.6)	0 (0.0)	3 (21.4)	1 (7.1)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	5	3 (60.0)	2 (40.0)	0 (0.0)	1 (20.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	10	6 (60.0)	4 (40.0)	1 (10.0)	3 (30.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	18	12 (66.7)	6 (33.3)	1 (5.6)	2 (11.1)	3 (16.7)	3 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	25	16 (64.0)	9 (36.0)	1 (4.0)	4 (16.0)	3 (12.0)	2 (8.0)	1 (4.0)	1 (4.0)	1 (4.0)	0 (0.0)	0 (0.0)
	40~44	22	8 (36.4)	13 (59.1)	2 (9.1)	4 (18.2)	7 (31.8)	3 (13.6)	4 (18.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.6)
	45~49	37	19 (51.4)	18 (48.6)	5 (13.5)	7 (18.9)	5 (13.5)	2 (5.4)	3 (8.1)	1 (2.7)	0 (0.0)	1 (2.7)	0 (0.0)
	50~54	33	15 (45.5)	16 (48.5)	2 (6.1)	7 (21.2)	7 (21.2)	6 (18.2)	1 (3.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (6.1)
	55~59	49	18 (36.7)	30 (61.2)	3 (6.1)	11 (22.5)	16 (32.7)	12 (24.5)	4 (8.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.0)
	60~64	45	14 (31.1)	26 (57.8)	4 (8.9)	4 (8.9)	17 (37.8)	13 (28.9)	4 (8.9)	1 (2.2)	1 (2.2)	0 (0.0)	5 (11.1)
	65~69	59	12 (20.3)	36 (61.0)	3 (5.1)	8 (13.6)	21 (35.6)	16 (27.1)	5 (8.5)	4 (6.8)	2 (3.4)	2 (3.4)	11 (18.6)
	70~74	55	17 (30.9)	22 (40.0)	1 (1.8)	6 (10.9)	15 (27.3)	12 (21.8)	3 (5.5)	0 (0.0)	0 (0.0)	0 (0.0)	16 (29.1)
	75~79	35	5 (14.3)	13 (37.1)	1 (2.9)	2 (5.7)	10 (28.6)	7 (20.0)	3 (8.6)	0 (0.0)	0 (0.0)	0 (0.0)	17 (48.6)
	80~84	35	3 (8.6)	9 (25.7)	1 (2.9)	1 (2.9)	5 (14.3)	5 (14.3)	0 (0.0)	2 (5.7)	1 (2.9)	1 (2.9)	23 (65.7)
85~	25	5 (20.0)	7 (28.0)	0 (0.0)	1 (4.0)	6 (24.0)	5 (20.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	13 (52.0)	

注) 歯石の沈着の項には、歯周ポケットが4mm以上の者は含まない。

◆歯-第35表◆ 歯肉の状況(上顎前歯部)、旧CPIコードによる分類(5歳以上・永久歯)

年齢階級	対象者数	所見のない者 人 人(%)	総数 人(%)	所見のある者									対象歯のない者 人(%)		
				ブローピング後の出血 人(%)	歯石の沈着 注) 人(%)	歯周ポケット 4mm以上6mm未満			歯周ポケット 6mm以上						
						総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)	総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)				
男	5~9	12	7 (58.3)	1 (8.3)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	4 (33.3)
	10~14	15	11 (73.3)	3 (20.0)	1 (6.7)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	5 (55.6)	3 (33.3)	0 (0.0)	2 (22.2)	1 (11.1)	1 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	2 (28.6)	3 (42.9)	2 (28.6)	1 (14.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	4 (30.8)	2 (15.4)	0 (0.0)	2 (15.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	7	1 (14.3)	3 (42.9)	0 (0.0)	1 (14.3)	2 (28.6)	0 (0.0)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	18	5 (27.8)	6 (33.3)	1 (5.6)	3 (16.7)	2 (11.1)	1 (5.6)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	13	3 (23.1)	2 (15.4)	0 (0.0)	1 (7.7)	1 (7.7)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	17	2 (11.8)	5 (29.4)	0 (0.0)	4 (23.5)	1 (5.9)	1 (5.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	22	6 (27.3)	6 (27.3)	1 (4.6)	2 (9.1)	3 (13.6)	1 (4.6)	2 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (9.1)
	65~69	30	2 (6.7)	12 (40.0)	2 (6.7)	3 (10.0)	6 (20.0)	5 (16.7)	1 (3.3)	1 (3.3)	1 (3.3)	0 (0.0)	0 (0.0)	2 (6.7)	2 (6.7)
	70~74	25	9 (36.0)	9 (36.0)	3 (12.0)	3 (12.0)	3 (12.0)	1 (4.0)	2 (8.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.0)	1 (4.0)
	75~79	15	3 (20.0)	6 (40.0)	0 (0.0)	2 (13.3)	3 (20.0)	2 (13.3)	1 (6.7)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	4 (26.7)	4 (26.7)
	80~84	12	4 (33.3)	2 (16.7)	0 (0.0)	0 (0.0)	2 (16.7)	1 (8.3)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (25.0)	3 (25.0)
85~	13	4 (30.8)	4 (30.8)	0 (0.0)	0 (0.0)	4 (30.8)	4 (30.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (23.1)	3 (23.1)	
女	5~9	10	6 (60.0)	2 (20.0)	1 (10.0)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (20.0)	
	10~14	15	9 (60.0)	2 (13.3)	1 (6.7)	1 (6.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	15~19	5	2 (40.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	20~24	3	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	25~29	5	1 (20.0)	1 (20.0)	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	30~34	11	5 (45.5)	4 (36.4)	0 (0.0)	2 (18.2)	2 (18.2)	2 (18.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	35~39	12	6 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	40~44	15	3 (20.0)	6 (40.0)	1 (6.7)	3 (20.0)	2 (13.3)	0 (0.0)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	45~49	19	9 (47.4)	3 (15.8)	2 (10.5)	1 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	50~54	20	5 (25.0)	3 (15.0)	1 (5.0)	2 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	55~59	32	7 (21.9)	10 (31.3)	4 (12.5)	4 (12.5)	2 (6.3)	1 (3.1)	1 (3.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	60~64	23	6 (26.1)	7 (30.4)	3 (13.0)	3 (13.0)	1 (4.3)	1 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.4)	
	65~69	29	9 (31.0)	11 (37.9)	1 (3.5)	6 (20.7)	4 (13.8)	2 (6.9)	2 (6.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	70~74	30	11 (36.7)	6 (20.0)	0 (0.0)	2 (6.7)	3 (10.0)	3 (10.0)	0 (0.0)	1 (3.3)	1 (3.3)	0 (0.0)	0 (0.0)	5 (16.7)	
	75~79	20	8 (40.0)	5 (25.0)	0 (0.0)	3 (15.0)	2 (10.0)	2 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (30.0)	
	80~84	23	4 (17.4)	9 (39.1)	2 (8.7)	1 (4.4)	5 (21.7)	4 (17.4)	1 (4.4)	1 (4.3)	0 (0.0)	1 (4.4)	8 (34.8)	8 (34.8)	
85~	12	2 (16.7)	3 (25.0)	1 (8.3)	0 (0.0)	2 (16.7)	1 (8.3)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (50.0)		
男女計	5~9	22	13 (59.1)	3 (13.6)	1 (4.6)	2 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (27.3)	
	10~14	30	20 (66.7)	5 (16.7)	2 (6.7)	3 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	15~19	14	7 (50.0)	4 (28.6)	1 (7.1)	2 (14.3)	1 (7.1)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	20~24	5	1 (20.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	25~29	10	2 (20.0)	1 (10.0)	1 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	30~34	18	7 (38.9)	7 (38.9)	2 (11.1)	3 (16.7)	2 (11.1)	2 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	35~39	25	10 (40.0)	2 (8.0)	0 (0.0)	2 (8.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	40~44	22	4 (18.2)	9 (40.9)	1 (4.6)	4 (18.2)	4 (18.2)	0 (0.0)	4 (18.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	45~49	37	14 (37.8)	9 (24.3)	3 (8.1)	4 (10.8)	2 (5.4)	1 (2.7)	1 (2.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	50~54	33	8 (24.2)	5 (15.2)	1 (3.0)	3 (9.1)	1 (3.0)	1 (3.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	55~59	49	9 (18.4)	15 (30.6)	4 (8.2)	8 (16.3)	3 (6.1)	2 (4.1)	1 (2.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	60~64	45	12 (26.7)	13 (28.9)	4 (8.9)	5 (11.1)	4 (8.9)	2 (4.4)	2 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (6.7)	
	65~69	59	11 (18.6)	23 (39.0)	3 (5.1)	9 (15.3)	10 (16.9)	7 (11.9)	3 (5.1)	1 (1.7)	1 (1.7)	0 (0.0)	0 (0.0)	2 (3.4)	
	70~74	55	20 (36.4)	15 (27.3)	3 (5.5)	5 (9.1)	6 (10.9)	4 (7.3)	2 (3.6)	1 (1.8)	1 (1.8)	0 (0.0)	0 (0.0)	6 (10.9)	
	75~79	35	11 (31.4)	11 (31.4)	0 (0.0)	5 (14.3)	5 (14.3)	4 (11.4)	1 (2.9)	1 (2.9)	1 (2.9)	0 (0.0)	0 (0.0)	10 (28.6)	
	80~84	35	8 (22.9)	11 (31.4)	2 (5.7)	1 (2.9)	7 (20.0)	5 (14.3)	2 (5.7)	1 (2.9)	0 (0.0)	1 (2.9)	11 (31.4)	11 (31.4)	
85~	25	6 (24.0)	7 (28.0)	1 (4.0)	0 (0.0)	6 (24.0)	5 (20.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	9 (36.0)		

注) 歯石の沈着の項には、歯周ポケットが4mm以上の者は含まない。



◆歯-第36表◆ 歯肉の状況(下顎前歯部)、旧CPIコードによる分類(5歳以上・永久歯)

年齢階級	対象者数	所見のない者 人 人(%)	総数 人(%)	所見のある者									対象歯のない者 人(%)
				ブローピング後の出血 人(%)	歯石の沈着 人(%)	歯周ポケット 4mm以上6mm未満			歯周ポケット 6mm以上				
						総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)	総数 人(%)	歯石(-) 人(%)	歯石(+) 人(%)		
男	5~9	12	7 (58.3)	3 (25.0)	0 (0.0)	3 (25.0)	/	/	/	/	/	/	2 (16.7)
	10~14	15	11 (73.3)	4 (26.7)	0 (0.0)	4 (26.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	15~19	9	5 (55.6)	4 (44.4)	1 (11.1)	3 (33.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	2	1 (50.0)	1 (50.0)	0 (0.0)	1 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	1 (20.0)	4 (80.0)	0 (0.0)	4 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	7	2 (28.6)	5 (71.4)	0 (0.0)	5 (71.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	13	4 (30.8)	9 (69.2)	0 (0.0)	8 (61.5)	1 (7.7)	1 (7.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	7	1 (14.3)	6 (85.7)	0 (0.0)	4 (57.1)	2 (28.6)	0 (0.0)	2 (28.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	18	5 (27.8)	13 (72.2)	0 (0.0)	11 (61.1)	2 (11.1)	0 (0.0)	2 (11.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	13	3 (23.1)	10 (76.9)	0 (0.0)	10 (76.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	17	2 (11.8)	15 (88.2)	0 (0.0)	13 (76.5)	2 (11.8)	0 (0.0)	2 (11.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	22	6 (27.3)	14 (63.6)	0 (0.0)	13 (59.1)	1 (4.5)	1 (4.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (9.1)
	65~69	30	2 (6.7)	25 (83.3)	1 (3.3)	20 (66.7)	4 (13.3)	1 (3.3)	3 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (10.0)
	70~74	25	9 (36.0)	15 (60.0)	1 (4.0)	13 (52.0)	1 (4.0)	0 (0.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.0)
	75~79	15	3 (20.0)	8 (53.3)	0 (0.0)	4 (26.7)	2 (13.3)	0 (0.0)	2 (13.3)	2 (13.3)	1 (6.7)	1 (6.7)	4 (26.7)
	80~84	12	4 (33.3)	6 (50.0)	0 (0.0)	3 (25.0)	3 (25.0)	2 (16.7)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (16.7)
85~	13	4 (30.8)	6 (46.2)	1 (7.7)	1 (7.7)	4 (30.8)	2 (15.4)	2 (15.4)	0 (0.0)	0 (0.0)	0 (0.0)	3 (23.1)	
女	5~9	10	6 (60.0)	4 (40.0)	1 (10.0)	3 (30.0)	/	/	/	/	/	/	0 (0.0)
	10~14	15	9 (60.0)	5 (33.3)	1 (6.7)	4 (26.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (6.7)
	15~19	5	2 (40.0)	3 (60.0)	1 (20.0)	2 (40.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	3	0 (0.0)	3 (100.0)	0 (0.0)	3 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	5	1 (20.0)	4 (80.0)	0 (0.0)	4 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	11	5 (45.5)	6 (54.5)	1 (9.1)	4 (36.4)	1 (9.1)	1 (9.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	12	6 (50.0)	6 (50.0)	0 (0.0)	6 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	15	3 (20.0)	12 (80.0)	0 (0.0)	10 (66.7)	2 (13.3)	0 (0.0)	2 (13.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	19	9 (47.4)	10 (52.6)	0 (0.0)	10 (52.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	20	5 (25.0)	15 (75.0)	0 (0.0)	15 (75.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	32	7 (21.9)	25 (78.1)	0 (0.0)	24 (75.0)	1 (3.1)	1 (3.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	23	6 (26.1)	17 (73.9)	0 (0.0)	16 (69.6)	1 (4.3)	0 (0.0)	1 (4.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	65~69	29	9 (31.0)	19 (65.5)	0 (0.0)	18 (62.1)	1 (3.4)	0 (0.0)	1 (3.5)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.5)
	70~74	30	11 (36.7)	17 (56.7)	0 (0.0)	16 (53.3)	1 (3.3)	0 (0.0)	1 (3.3)	0 (0.0)	0 (0.0)	0 (0.0)	2 (6.7)
	75~79	20	8 (40.0)	10 (50.0)	0 (0.0)	9 (45.0)	1 (5.0)	0 (0.0)	1 (5.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (10.0)
	80~84	23	4 (17.4)	14 (60.9)	2 (8.7)	9 (39.1)	3 (13.0)	1 (4.4)	2 (8.7)	0 (0.0)	0 (0.0)	0 (0.0)	5 (21.7)
85~	12	2 (16.7)	5 (41.7)	0 (0.0)	3 (25.0)	1 (8.3)	1 (8.3)	0 (0.0)	1 (8.3)	0 (0.0)	1 (8.3)	5 (41.7)	
男女計	5~9	22	13 (59.1)	7 (31.8)	1 (4.6)	6 (27.3)	/	/	/	/	/	/	2 (9.1)
	10~14	30	20 (66.7)	9 (30.0)	1 (3.3)	8 (26.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.3)
	15~19	14	7 (50.0)	7 (50.0)	2 (14.3)	5 (35.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	20~24	5	1 (20.0)	4 (80.0)	0 (0.0)	4 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	25~29	10	2 (20.0)	8 (80.0)	0 (0.0)	8 (80.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	30~34	18	7 (38.9)	11 (61.1)	1 (5.6)	9 (50.0)	1 (5.6)	1 (5.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	35~39	25	10 (40.0)	15 (60.0)	0 (0.0)	14 (56.0)	1 (4.0)	1 (4.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	40~44	22	4 (18.2)	18 (81.8)	0 (0.0)	14 (63.6)	4 (18.2)	0 (0.0)	4 (18.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	45~49	37	14 (37.8)	23 (62.2)	0 (0.0)	21 (56.8)	2 (5.4)	0 (0.0)	2 (5.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	50~54	33	8 (24.2)	25 (75.8)	0 (0.0)	25 (75.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	55~59	49	9 (18.4)	40 (81.6)	0 (0.0)	37 (75.5)	3 (6.1)	1 (2.0)	2 (4.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
	60~64	45	12 (26.7)	31 (68.9)	0 (0.0)	29 (64.4)	2 (4.4)	1 (2.2)	1 (2.2)	0 (0.0)	0 (0.0)	0 (0.0)	2 (4.4)
	65~69	59	11 (18.6)	44 (74.6)	1 (1.7)	38 (64.4)	5 (8.5)	1 (1.7)	4 (6.8)	0 (0.0)	0 (0.0)	0 (0.0)	4 (6.8)
	70~74	55	20 (36.4)	32 (58.2)	1 (1.8)	29 (52.7)	2 (3.6)	0 (0.0)	2 (3.6)	0 (0.0)	0 (0.0)	0 (0.0)	3 (5.5)
	75~79	35	11 (31.4)	18 (51.4)	0 (0.0)	13 (37.1)	3 (8.6)	0 (0.0)	3 (8.6)	2 (5.7)	1 (2.9)	1 (2.9)	6 (17.1)
	80~84	35	8 (22.9)	20 (57.1)	2 (5.7)	12 (34.3)	6 (17.1)	3 (8.6)	3 (8.6)	0 (0.0)	0 (0.0)	0 (0.0)	7 (20.0)
85~	25	6 (24.0)	11 (44.0)	1 (4.0)	4 (16.0)	5 (20.0)	3 (12.0)	2 (8.0)	1 (4.0)	0 (0.0)	1 (4.0)	8 (32.0)	

注) 歯石の沈着の項には、歯周ポケットが4mm以上の者は含まない。

