

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

愛媛県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	7,296	5,469	12,767	100.0	100.0	100.0	1,122.5	754.3	928.5	513.1	366.5	427.0	364.6	273.3	311.2	43.0	30.1	36.0
口腔・咽頭	C00-C14	190	86	276	2.6	1.6	2.2	29.2	11.9	20.1	17.2	6.1	11.3	12.9	4.7	8.5	1.5	0.5	0.9
食道	C15	213	49	262	2.9	0.9	2.1	32.8	6.8	19.1	16.6	2.8	9.2	11.9	2.1	6.7	1.6	0.3	0.9
胃	C16	1,201	554	1,755	16.5	10.1	13.7	184.8	76.4	127.6	78.8	29.2	51.0	53.9	20.7	35.5	6.4	2.4	4.2
大腸(結腸・直腸)	C18-C20	1,011	783	1,795	13.9	14.3	14.1	155.5	108.0	130.5	74.6	40.3	56.1	53.4	28.4	40.0	6.5	3.3	4.8
結腸	C18	604	536	1,140	8.3	9.8	8.9	92.9	73.9	82.9	42.7	25.5	33.4	30.2	17.8	23.5	3.6	2.0	2.8
直腸	C19-C20	407	247	655	5.6	4.5	5.1	62.6	34.1	47.6	31.8	14.8	22.7	23.2	10.6	16.5	2.9	1.3	2.0
肝および肝内胆管	C22	477	240	718	6.5	4.4	5.6	73.4	33.1	52.2	34.0	10.0	21.0	24.1	6.7	14.7	2.9	0.8	1.8
胆のう・胆管	C23-C24	145	141	286	2.0	2.6	2.2	22.3	19.4	20.8	8.2	5.4	6.6	5.5	3.7	4.4	0.6	0.4	0.5
膵臓	C25	240	234	474	3.3	4.3	3.7	36.9	32.3	34.5	16.4	11.6	13.7	11.5	8.2	9.7	1.4	1.0	1.2
喉頭	C32	57	1	58	0.8	0.0	0.5	8.8	0.1	4.2	3.8	0.0	1.7	2.6	0.0	1.2	0.3	0.0	0.2
肺	C33-C34	1,160	608	1,768	15.9	11.1	13.8	178.5	83.9	128.6	76.4	32.2	51.5	53.0	23.0	36.3	6.4	3.0	4.6
皮膚	C43-C44	151	170	321	2.1	3.1	2.5	23.2	23.4	23.3	9.6	7.7	8.5	6.8	5.6	6.1	0.6	0.5	0.6
乳房	C50	12	1,149	1,161	0.2	21.0	9.1	1.8	158.5	84.4	1.2	102.0	54.1	0.9	77.5	40.9	0.1	8.4	4.4
子宮	C53-C55	-	384	384	-	7.0	3.0	-	53.0	-	-	39.5	-	-	30.9	-	-	3.2	-
子宮頸部	C53	-	159	159	-	2.9	1.2	-	21.9	-	-	18.1	-	-	14.1	-	-	1.4	-
子宮体部	C54	-	216	216	-	3.9	1.7	-	29.8	-	-	21.1	-	-	16.5	-	-	1.9	-
卵巣	C56	-	136	136	-	2.5	1.1	-	18.8	-	-	14.8	-	-	12.1	-	-	1.1	-
前立腺	C61	1,240	-	1,240	17.0	-	9.7	190.8	-	-	79.3	-	-	53.7	-	-	6.8	-	-
膀胱	C67	228	81	309	3.1	1.5	2.4	35.1	11.2	22.5	14.5	3.2	8.2	10.1	2.2	5.7	1.1	0.3	0.7
腎・尿路(膀胱除く)	C64-C66 C68	269	123	392	3.7	2.2	3.1	41.4	17.0	28.5	21.4	8.0	14.1	15.8	6.3	10.7	1.8	0.7	1.2
脳・中枢神経系	C70-C72	45	40	85	0.6	0.7	0.7	6.9	5.5	6.2	5.0	3.4	4.1	4.7	2.8	3.7	0.4	0.3	0.3
甲状腺	C73	70	190	260	1.0	3.5	2.0	10.8	26.2	18.9	6.7	20.1	13.5	5.0	15.9	10.6	0.6	1.6	1.1
悪性リンパ腫	C81-C85 C96	226	218	444	3.1	4.0	3.5	34.8	30.1	32.3	17.0	13.2	14.9	12.4	9.7	10.9	1.4	1.0	1.2
多発性骨髄腫	C88-C90	52	51	103	0.7	0.9	0.8	8.0	7.0	7.5	3.3	2.3	2.7	2.2	1.6	1.9	0.3	0.2	0.2
白血病	C91-C95	108	63	171	1.5	1.2	1.3	16.6	8.7	12.4	9.7	4.6	7.0	8.4	3.7	6.0	0.8	0.3	0.6

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

愛媛県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	7,861	6,253	14,116	100.0	100.0	100.0	1,209.4	862.5	1,026.6	554.0	473.2	499.9	393.4	360.9	368.9	46.4	37.9	41.6
食道	C15 D001	234	53	287	3.0	0.8	2.0	36.0	7.3	20.9	18.2	3.0	10.0	13.1	2.2	7.3	1.8	0.3	1.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,220	897	2,118	15.5	14.3	15.0	187.7	123.7	154.0	91.8	49.9	69.1	66.0	35.7	49.7	8.1	4.2	6.0
結腸 *2	C18 D010	749	618	1,367	9.5	9.9	9.7	115.2	85.2	99.4	54.1	32.8	42.4	38.2	23.4	30.2	4.6	2.7	3.6
直腸 *2	C19-C20 D011-D012	471	279	751	6.0	4.5	5.3	72.5	38.5	54.6	37.7	17.1	26.7	27.7	12.2	19.5	3.4	1.5	2.4
肺	C33-C34 D021-D022	1,161	608	1,769	14.8	9.7	12.5	178.6	83.9	128.7	76.4	32.2	51.5	53.0	23.0	36.3	6.4	3.0	4.6
皮膚	C43-C44 D030-D049	188	209	397	2.4	3.3	2.8	28.9	28.8	28.9	11.6	9.5	10.3	8.1	6.8	7.3	0.7	0.7	0.7
乳房	C50 D05	12	1,271	1,283	0.2	20.3	9.1	1.8	175.3	93.3	1.2	115.6	61.1	0.9	88.1	46.4	0.1	9.5	5.0
子宮	C53-C55 D06	-	796	796	-	12.7	5.6	-	109.8	-	-	115.4	-	-	95.2	-	-	8.4	-
子宮頸部	C53 D06	-	571	571	-	9.1	4.0	-	78.8	-	-	93.9	-	-	78.5	-	-	6.5	-
膀胱	C67 D090	461	125	586	5.9	2.0	4.2	70.9	17.2	42.6	30.1	5.8	16.5	20.8	4.0	11.5	2.4	0.5	1.4

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	7,296	9	3	3	5	13	16	15	26	59	93	180	340	680	1,319	1,192	1,269	1,095	697	234	45	3	0
	口腔・咽頭	C00-C14	190	0	0	0	0	0	1	0	4	7	8	13	19	30	25	25	24	18	12	3	1	0	0
	食道	C15	213	0	0	0	0	0	0	0	1	2	6	20	33	46	42	30	28	3	0	2	0	0	0
	胃	C16	1,201	0	0	0	0	1	2	0	2	6	8	20	49	96	222	188	224	222	128	24	8	1	0
	大腸（結腸・直腸）	C18-C20	1,011	0	0	0	0	3	0	1	4	14	17	37	64	94	215	159	155	128	86	30	4	0	0
	結腸	C18	604	0	0	0	0	2	0	0	1	8	4	21	36	53	117	95	99	86	59	20	3	0	0
	直腸	C19-C20	407	0	0	0	0	1	0	1	3	6	13	16	28	41	98	64	56	42	27	10	1	0	0
	肝および肝内胆管	C22	477	0	0	0	1	0	0	0	1	2	9	13	29	55	84	73	77	73	40	17	3	0	0
	胆のう・胆管	C23-C24	145	0	0	0	0	0	0	0	0	0	0	0	2	13	17	23	25	27	30	6	2	0	0
	膵臓	C25	240	0	0	0	0	0	1	0	1	1	6	3	10	22	39	44	39	35	24	14	1	0	0
	喉頭	C32	57	0	0	0	0	0	0	0	0	0	0	0	6	4	9	11	12	7	8	0	0	0	0
	肺	C33-C34	1,160	0	0	0	0	1	0	2	0	5	11	22	40	107	216	195	201	179	122	52	6	1	0
	皮膚	C43-C44	151	1	0	0	0	0	0	0	2	3	2	5	3	8	14	16	22	35	23	13	4	0	0
	乳房	C50	12	0	0	0	0	0	0	0	1	1	0	1	2	1	1	2	0	1	2	0	0	0	0
	前立腺	C61	1,240	0	0	0	1	0	0	0	0	0	0	12	37	102	241	244	269	178	116	34	6	0	0
	膀胱	C67	228	0	0	0	0	1	0	0	0	2	3	3	6	22	33	32	39	38	32	15	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	269	1	0	0	0	0	1	1	4	3	9	13	12	33	49	39	49	29	17	8	0	1	0
	脳・中枢神経系	C70-C72	45	1	2	2	0	1	1	2	2	1	1	0	3	3	5	5	6	5	4	1	0	0	0
	甲状腺	C73	70	0	0	0	0	0	0	1	2	2	2	8	6	8	14	12	9	3	3	0	0	0	0
	悪性リンパ腫	C81-C85 C96	226	0	1	0	0	2	1	1	1	4	3	9	9	21	35	41	32	38	19	7	2	0	0
	多発性骨髄腫	C88-C90	52	0	0	0	0	0	0	0	0	1	0	2	0	4	10	7	9	11	5	3	0	0	0
	白血病	C91-C95	108	4	0	0	1	1	2	1	1	1	4	3	8	8	16	18	9	20	7	4	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	5,469	3	2	0	4	9	20	57	79	193	216	244	329	436	684	655	723	753	613	345	94	10	0
	口腔・咽頭	C00-C14	86	0	0	0	0	1	1	1	1	5	5	7	2	2	10	9	5	15	10	6	4	2	0
	食道	C15	49	0	0	0	0	0	0	0	0	0	2	1	1	5	12	9	6	6	4	2	1	0	0
	胃	C16	554	0	0	0	0	0	1	2	1	10	13	9	21	44	64	72	101	86	79	41	9	1	0
	大腸（結腸・直腸）	C18-C20	783	0	0	0	0	0	0	3	4	11	10	27	28	55	87	102	115	143	119	60	17	2	0
	結腸	C18	536	0	0	0	0	0	0	1	2	7	6	16	15	31	60	65	78	98	91	51	13	2	0
	直腸	C19-C20	247	0	0	0	0	0	0	2	2	4	4	11	13	24	27	37	37	45	28	9	4	0	0
	肝および肝内胆管	C22	240	0	0	0	0	0	0	0	0	0	0	1	9	12	28	34	37	50	49	18	2	0	0
	胆のう・胆管	C23-C24	141	0	0	0	0	0	0	0	0	0	2	2	2	7	9	14	29	18	32	21	5	0	0
	膵臓	C25	234	0	0	0	0	0	0	0	0	4	6	4	12	13	27	31	25	50	33	24	5	0	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	肺	C33-C34	608	0	0	0	0	1	0	2	0	3	5	18	18	45	108	112	88	89	67	42	9	1	0
	皮膚	C43-C44	170	0	0	0	0	1	1	1	1	2	1	2	7	11	15	11	19	32	24	27	12	3	0
	乳房	C50	1,149	0	0	0	0	0	4	17	30	80	91	95	109	111	147	121	143	104	56	33	8	0	0
	子宮	C53-C55	384	0	0	0	1	1	3	13	15	31	34	32	51	48	44	31	25	30	15	8	2	0	0
	子宮頸部	C53	159	0	0	0	0	0	2	11	10	19	16	12	17	17	15	6	12	10	9	3	0	0	0
	子宮体部	C54	216	0	0	0	1	1	1	2	5	12	18	20	34	31	28	23	12	18	5	4	1	0	0
	卵巣	C56	136	0	0	0	3	2	3	3	8	11	12	15	12	9	12	10	13	8	10	5	0	0	0
	膀胱	C67	81	0	0	0	0	0	0	0	0	0	1	0	3	4	7	11	13	10	16	12	3	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	123	1	0	0	0	1	0	0	3	4	5	4	6	10	17	13	9	21	18	8	3	0	0
	脳・中枢神経系	C70-C72	40	1	0	0	0	0	0	0	2	3	1	2	5	3	6	2	4	5	4	1	1	0	0
	甲状腺	C73	190	0	0	0	0	1	6	12	9	17	12	12	13	17	31	19	20	12	6	1	2	0	0
	悪性リンパ腫	C81-C85 C96	218	0	1	0	0	0	0	1	2	6	6	9	14	16	26	22	35	32	27	18	3	0	0
	多発性骨髄腫	C88-C90	51	0	0	0	0	0	0	0	0	0	0	0	1	5	7	9	7	9	8	5	0	0	0
	白血病	C91-C95	63	0	1	0	0	1	1	1	2	2	2	2	2	6	4	6	10	11	7	2	3	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	12,767	12	5	3	9	22	36	72	105	252	309	424	669	1,116	2,003	1,847	1,992	1,848	1,311	580	139	13	0
	口腔・咽頭	C00-C14	276	0	0	0	0	1	2	1	5	12	13	20	21	32	35	34	29	33	22	9	5	2	0
	食道	C15	262	0	0	0	0	0	0	0	0	1	4	7	21	38	58	51	36	34	7	2	3	0	0
	胃	C16	1,755	0	0	0	0	1	3	2	3	16	21	29	70	140	286	260	325	308	207	65	17	2	0
	大腸（結腸・直腸）	C18-C20	1,795	0	0	0	0	3	0	4	8	25	27	64	92	149	302	261	270	271	206	90	21	2	0
	結腸	C18	1,140	0	0	0	0	2	0	1	3	15	10	37	51	84	177	160	177	184	150	71	16	2	0
	直腸	C19-C20	655	0	0	0	0	1	0	3	5	10	17	27	41	65	125	101	93	87	56	19	5	0	0
	肝および肝内胆管	C22	718	0	0	0	1	0	0	0	1	2	9	14	38	67	112	107	114	123	89	36	5	0	0
	胆のう・胆管	C23-C24	286	0	0	0	0	0	0	0	0	0	2	2	4	20	26	37	54	45	62	27	7	0	0
	膵臓	C25	474	0	0	0	0	0	1	0	1	5	12	7	22	35	66	75	64	85	57	38	6	0	0
	喉頭	C32	58	0	0	0	0	0	0	0	0	0	0	0	6	4	9	11	12	8	8	0	0	0	0
	肺	C33-C34	1,768	0	0	0	0	2	0	4	0	8	16	40	58	152	324	307	289	268	189	94	15	2	0
	皮膚	C43-C44	321	1	0	0	0	1	1	1	3	5	3	7	10	19	29	27	41	67	47	40	16	3	0
	乳房	C50	1,161	0	0	0	0	0	4	17	31	81	91	96	111	112	148	123	143	105	58	33	8	0	0
	子宮	C53-C55	384	0	0	0	1	1	3	13	15	31	34	32	51	48	44	31	25	30	15	8	2	0	0
	子宮頸部	C53	159	0	0	0	0	0	2	11	10	19	16	12	17	17	15	6	12	10	9	3	0	0	0
	子宮体部	C54	216	0	0	0	1	1	1	2	5	12	18	20	34	31	28	23	12	18	5	4	1	0	0
	卵巣	C56	136	0	0	0	3	2	3	3	8	11	12	15	12	9	12	10	13	8	10	5	0	0	0
	前立腺	C61	1,240	0	0	0	1	0	0	0	0	0	0	12	37	102	241	244	269	178	116	34	6	0	0
	膀胱	C67	309	0	0	0	0	1	0	0	0	2	4	3	9	26	40	43	52	48	48	27	5	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	392	2	0	0	0	1	1	1	7	7	14	17	18	43	66	52	58	50	35	16	3	1	0
	脳・中枢神経系	C70-C72	85	2	2	2	0	1	1	2	4	4	2	2	8	6	11	7	10	10	8	2	1	0	0
	甲状腺	C73	260	0	0	0	0	1	6	13	11	19	14	20	19	25	45	31	29	15	9	1	2	0	0
	悪性リンパ腫	C81-C85 C96	444	0	2	0	0	2	1	2	3	10	9	18	23	37	61	63	67	70	46	25	5	0	0
	多発性骨髄腫	C88-C90	103	0	0	0	0	0	0	0	0	1	0	2	1	9	17	16	16	20	13	8	0	0	0
	白血病	C91-C95	171	4	1	0	1	2	3	2	3	3	6	5	10	14	20	24	19	31	14	6	3	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	7,861	9	3	3	5	14	16	16	29	64	108	197	373	726	1,423	1,281	1,367	1,179	757	242	46	3	0	
	食道	C15 D001	234	0	0	0	0	0	0	0	0	1	3	6	22	35	52	47	34	29	3	0	2	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,220	0	0	0	0	3	0	2	5	18	22	51	81	117	262	191	187	148	97	32	4	0	0	
	結腸 *2	C18 D010	749	0	0	0	0	2	0	1	2	9	8	27	46	66	147	122	127	101	67	21	3	0	0	
	直腸 *2	C19-C20 D011-D012	471	0	0	0	0	1	0	1	3	9	14	24	35	51	115	69	60	47	30	11	1	0	0	
	肺	C33-C34 D021-D022	1,161	0	0	0	0	1	0	2	0	5	11	22	40	107	216	195	202	179	122	52	6	1	0	
	皮膚	C43-C44 D030-D049	188	1	0	0	0	0	0	0	0	3	3	2	5	3	10	17	21	27	43	35	14	4	0	0
	乳房	C50 D05	12	0	0	0	0	0	0	0	0	1	1	0	1	2	1	1	2	0	1	2	0	0	0	
	膀胱	C67 D090	461	0	0	0	0	2	0	0	0	1	3	8	6	15	37	69	75	81	83	60	19	2	0	0
	女	全部位	C00-C96 D00-D09	6,253	3	2	0	4	20	74	146	158	294	284	304	362	479	732	723	773	800	641	348	96	10	0
食道		C15 D001	53	0	0	0	0	0	0	0	0	0	2	1	1	6	13	9	6	7	5	2	1	0	0	
大腸（結腸・直腸）*2		C18-C20 D010-D012	897	0	0	0	0	1	0	3	5	14	15	39	40	69	102	127	127	151	124	61	17	2	0	
結腸 *2		C18 D010	618	0	0	0	0	1	0	1	3	9	11	26	25	39	74	81	85	102	95	51	13	2	0	
直腸 *2		C19-C20 D011-D012	279	0	0	0	0	0	0	2	2	5	4	13	15	30	28	46	42	49	29	10	4	0	0	
肺		C33-C34 D021-D022	608	0	0	0	0	1	0	2	0	3	5	18	18	45	108	112	88	89	67	42	9	1	0	
皮膚		C43-C44 D030-D049	209	0	0	0	0	1	1	1	1	2	2	3	7	15	17	14	31	40	31	28	12	3	0	
乳房		C50 D05	1,271	0	0	0	0	0	5	18	34	96	109	115	116	124	155	133	153	109	61	33	10	0	0	
子宮		C53-C55 D06	796	0	0	0	1	11	56	100	88	111	78	54	61	53	58	37	27	36	15	8	2	0	0	
子宮頸部		C53 D06	571	0	0	0	0	10	55	98	83	99	60	34	27	22	29	12	14	16	9	3	0	0	0	
膀胱	C67 D090	125	0	0	0	0	0	0	0	1	0	0	1	2	6	6	12	20	20	20	20	13	3	1	0	
総数 *3	全部位	C00-C96 D00-D09	14,116	12	5	3	9	34	90	162	187	358	392	501	735	1,205	2,155	2,004	2,140	1,979	1,399	591	142	13	0	
	食道	C15 D001	287	0	0	0	0	0	0	0	0	1	5	7	23	41	65	56	40	36	8	2	3	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	2,118	0	0	0	0	4	0	5	10	32	37	90	121	186	364	318	314	299	222	93	21	2	0	
	結腸 *2	C18 D010	1,367	0	0	0	0	3	0	2	5	18	19	53	71	105	221	203	212	203	162	72	16	2	0	
	直腸 *2	C19-C20 D011-D012	751	0	0	0	0	1	0	3	5	14	18	37	50	81	143	115	102	96	60	21	5	0	0	
	肺	C33-C34 D021-D022	1,769	0	0	0	0	2	0	4	0	8	16	40	58	152	324	307	290	268	189	94	15	2	0	
	皮膚	C43-C44 D030-D049	397	1	0	0	0	1	1	1	4	5	4	8	10	25	34	35	58	83	66	42	16	3	0	
	乳房	C50 D05	1,283	0	0	0	0	0	5	18	35	97	109	116	118	125	156	135	153	110	63	33	10	0	0	
	子宮	C53-C55 D06	796	0	0	0	1	11	56	100	88	111	78	54	61	53	58	37	27	36	15	8	2	0	0	
	子宮頸部	C53 D06	571	0	0	0	0	10	55	98	83	99	60	34	27	22	29	12	14	16	9	3	0	0	0	
	膀胱	C67 D090	586	0	0	0	0	2	0	1	1	3	9	8	21	43	81	95	101	103	80	32	5	1	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,122.5	34.6	10.3	9.7	15.2	48.1	53.3	44.1	65.0	122.9	216.3	461.5	809.5	1,446.8	2,198.3	3,056.4	3,845.5	4,211.5	4,450.0	-
	口腔・咽頭	C00-C14	29.2	0.0	0.0	0.0	0.0	0.0	3.3	0.0	10.0	14.6	18.6	33.3	45.2	63.8	41.7	64.1	72.7	69.2	72.7	-
	食道	C15	32.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.7	15.4	47.6	70.2	76.7	107.7	90.9	107.7	22.7	-
	胃	C16	184.8	0.0	0.0	0.0	0.0	3.7	6.7	0.0	5.0	12.5	18.6	51.3	116.7	204.3	370.0	482.1	678.8	853.8	731.8	-
	大腸（結腸・直腸）	C18-C20	155.5	0.0	0.0	0.0	0.0	11.1	0.0	2.9	10.0	29.2	39.5	94.9	152.4	200.0	358.3	407.7	469.7	492.3	545.5	-
	結腸	C18	92.9	0.0	0.0	0.0	0.0	7.4	0.0	0.0	2.5	16.7	9.3	53.8	85.7	112.8	195.0	243.6	300.0	330.8	372.7	-
	直腸	C19-C20	62.6	0.0	0.0	0.0	0.0	3.7	0.0	2.9	7.5	12.5	30.2	41.0	66.7	87.2	163.3	164.1	169.7	161.5	172.7	-
	肝および肝内胆管	C22	73.4	0.0	0.0	0.0	3.0	0.0	0.0	0.0	2.5	4.2	20.9	33.3	69.0	117.0	140.0	187.2	233.3	280.8	272.7	-
	胆のう・胆管	C23-C24	22.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	27.7	28.3	59.0	75.8	103.8	172.7	-
	膵臓	C25	36.9	0.0	0.0	0.0	0.0	0.0	3.3	0.0	2.5	2.1	14.0	7.7	23.8	46.8	65.0	112.8	118.2	134.6	177.3	-
	喉頭	C32	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	8.5	15.0	28.2	36.4	26.9	36.4	-
	肺	C33-C34	178.5	0.0	0.0	0.0	0.0	3.7	0.0	5.9	0.0	10.4	25.6	56.4	95.2	227.7	360.0	500.0	609.1	688.5	822.7	-
	皮膚	C43-C44	23.2	3.8	0.0	0.0	0.0	0.0	0.0	0.0	5.0	6.3	4.7	12.8	7.1	17.0	23.3	41.0	66.7	134.6	181.8	-
	乳房	C50	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.1	0.0	2.6	4.8	2.1	1.7	5.1	0.0	3.8	9.1	-
	前立腺	C61	190.8	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	30.8	88.1	217.0	401.7	625.6	815.2	684.6	709.1	-
	膀胱	C67	35.1	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	4.2	7.0	7.7	14.3	46.8	55.0	82.1	118.2	146.2	222.7	-
	腎・尿路（膀胱除く）	C64-C66 C68	41.4	3.8	0.0	0.0	0.0	0.0	3.3	2.9	10.0	6.3	20.9	33.3	28.6	70.2	81.7	100.0	148.5	111.5	118.2	-
	脳・中枢神経系	C70-C72	6.9	3.8	6.9	6.5	0.0	3.7	3.3	5.9	5.0	2.1	2.3	0.0	7.1	6.4	8.3	12.8	18.2	19.2	22.7	-
	甲状腺	C73	10.8	0.0	0.0	0.0	0.0	0.0	0.0	2.9	5.0	4.2	4.7	20.5	14.3	17.0	23.3	30.8	27.3	11.5	13.6	-
	悪性リンパ腫	C81-C85 C96	34.8	0.0	3.4	0.0	0.0	7.4	3.3	2.9	2.5	8.3	7.0	23.1	21.4	44.7	58.3	105.1	97.0	146.2	127.3	-
	多発性骨髄腫	C88-C90	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	5.1	0.0	8.5	16.7	17.9	27.3	42.3	36.4	-
	白血病	C91-C95	16.6	15.4	0.0	0.0	3.0	3.7	6.7	2.9	2.5	2.1	9.3	7.7	19.0	17.0	26.7	46.2	27.3	76.9	50.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	754.3	12.0	7.1	0.0	12.9	36.0	69.0	162.9	197.5	402.1	469.6	581.0	731.1	854.9	1,052.3	1,423.9	1,606.7	1,836.6	1,966.7	-
	口腔・咽頭	C00-C14	11.9	0.0	0.0	0.0	0.0	4.0	3.4	2.9	2.5	10.4	10.9	16.7	4.4	3.9	15.4	19.6	11.1	36.6	40.7	-
	食道	C15	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	2.4	2.2	9.8	18.5	19.6	13.3	14.6	13.0	-
	胃	C16	76.4	0.0	0.0	0.0	0.0	0.0	3.4	5.7	2.5	20.8	28.3	21.4	46.7	86.3	98.5	156.5	224.4	209.8	240.7	-
	大腸（結腸・直腸）	C18-C20	108.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	10.0	22.9	21.7	64.3	62.2	107.8	133.8	221.7	255.6	348.8	366.7	-
	結腸	C18	73.9	0.0	0.0	0.0	0.0	0.0	0.0	2.9	5.0	14.6	13.0	38.1	33.3	60.8	92.3	141.3	173.3	239.0	290.7	-
	直腸	C19-C20	34.1	0.0	0.0	0.0	0.0	0.0	0.0	5.7	5.0	8.3	8.7	26.2	28.9	47.1	41.5	80.4	82.2	109.8	75.9	-
	肝および肝内胆管	C22	33.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	20.0	23.5	43.1	73.9	82.2	122.0	127.8	-
	胆のう・胆管	C23-C24	19.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	4.8	4.4	13.7	13.8	30.4	64.4	43.9	107.4	-
	膵臓	C25	32.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	13.0	9.5	26.7	25.5	41.5	67.4	55.6	122.0	114.8	-
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	-
	肺	C33-C34	83.9	0.0	0.0	0.0	0.0	4.0	0.0	5.7	0.0	6.3	10.9	42.9	40.0	88.2	166.2	243.5	195.6	217.1	220.4	-
	皮膚	C43-C44	23.4	0.0	0.0	0.0	0.0	4.0	3.4	2.9	2.5	4.2	2.2	4.8	15.6	21.6	23.1	23.9	42.2	78.0	122.2	-
	乳房	C50	158.5	0.0	0.0	0.0	0.0	0.0	13.8	48.6	75.0	166.7	197.8	226.2	242.2	217.6	226.2	263.0	317.8	253.7	179.6	-
	子宮	C53-C55	53.0	0.0	0.0	0.0	3.2	4.0	10.3	37.1	37.5	64.6	73.9	76.2	113.3	94.1	67.7	67.4	55.6	73.2	46.3	-
	子宮頸部	C53	21.9	0.0	0.0	0.0	0.0	0.0	6.9	31.4	25.0	39.6	34.8	28.6	37.8	33.3	23.1	13.0	26.7	24.4	22.2	-
	子宮体部	C54	29.8	0.0	0.0	0.0	3.2	4.0	3.4	5.7	12.5	25.0	39.1	47.6	75.6	60.8	43.1	50.0	26.7	43.9	18.5	-
	卵巣	C56	18.8	0.0	0.0	0.0	9.7	8.0	10.3	8.6	20.0	22.9	26.1	35.7	26.7	17.6	18.5	21.7	28.9	19.5	27.8	-
	膀胱	C67	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	6.7	7.8	10.8	23.9	28.9	24.4	59.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	17.0	4.0	0.0	0.0	0.0	4.0	0.0	0.0	7.5	8.3	10.9	9.5	13.3	19.6	26.2	28.3	20.0	51.2	53.7	-
	脳・中枢神経系	C70-C72	5.5	4.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	6.3	2.2	4.8	11.1	5.9	9.2	4.3	8.9	12.2	11.1	-
	甲状腺	C73	26.2	0.0	0.0	0.0	0.0	4.0	20.7	34.3	22.5	35.4	26.1	28.6	28.9	33.3	47.7	41.3	44.4	29.3	16.7	-
	悪性リンパ腫	C81-C85 C96	30.1	0.0	3.6	0.0	0.0	0.0	0.0	2.9	5.0	12.5	13.0	21.4	31.1	31.4	40.0	47.8	77.8	78.0	88.9	-
	多発性骨髄腫	C88-C90	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	9.8	10.8	19.6	15.6	22.0	24.1	-
	白血病	C91-C95	8.7	0.0	3.6	0.0	0.0	4.0	3.4	2.9	5.0	4.2	4.3	4.8	4.4	11.8	6.2	13.0	22.2	26.8	22.2	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	928.5	23.5	8.8	5.0	14.1	42.3	61.0	104.3	131.3	262.5	347.2	523.5	769.0	1,138.8	1,602.4	2,172.9	2,553.8	2,758.2	2,688.2	-
	口腔・咽頭	C00-C14	20.1	0.0	0.0	0.0	0.0	1.9	3.4	1.4	6.3	12.5	14.6	24.7	24.1	32.7	28.0	40.0	37.2	49.3	50.0	-
	食道	C15	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.5	8.6	24.1	38.8	46.4	60.0	46.2	50.7	15.8	-
	胃	C16	127.6	0.0	0.0	0.0	0.0	1.9	5.1	2.9	3.8	16.7	23.6	35.8	80.5	142.9	228.8	305.9	416.7	459.7	382.9	-
	大腸（結腸・直腸）	C18-C20	130.5	0.0	0.0	0.0	0.0	5.8	0.0	5.8	10.0	26.0	30.3	79.0	105.7	152.0	241.6	307.1	346.2	404.5	419.7	-
	結腸	C18	82.9	0.0	0.0	0.0	0.0	3.8	0.0	1.4	3.8	15.6	11.2	45.7	58.6	85.7	141.6	188.2	226.9	274.6	314.5	-
	直腸	C19-C20	47.6	0.0	0.0	0.0	0.0	1.9	0.0	4.3	6.3	10.4	19.1	33.3	47.1	66.3	100.0	118.8	119.2	129.9	105.3	-
	肝および肝内胆管	C22	52.2	0.0	0.0	0.0	1.6	0.0	0.0	0.0	1.3	2.1	10.1	17.3	43.7	68.4	89.6	125.9	146.2	183.6	171.1	-
	胆のう・胆管	C23-C24	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.5	4.6	20.4	20.8	43.5	69.2	67.2	126.3	-
	膵臓	C25	34.5	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.3	5.2	13.5	8.6	25.3	35.7	52.8	88.2	82.1	126.9	132.9	-
	喉頭	C32	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	4.1	7.2	12.9	15.4	11.9	10.5	-
	肺	C33-C34	128.6	0.0	0.0	0.0	0.0	3.8	0.0	5.8	0.0	8.3	18.0	49.4	66.7	155.1	259.2	361.2	370.5	400.0	394.7	-
	皮膚	C43-C44	23.3	2.0	0.0	0.0	0.0	1.9	1.7	1.4	3.8	5.2	3.4	8.6	11.5	19.4	23.2	31.8	52.6	100.0	139.5	-
	乳房	C50	84.4	0.0	0.0	0.0	0.0	0.0	6.8	24.6	38.8	84.4	102.2	118.5	127.6	114.3	118.4	144.7	183.3	156.7	130.3	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	22.5	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	2.1	4.5	3.7	10.3	26.5	32.0	50.6	66.7	71.6	106.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	28.5	3.9	0.0	0.0	0.0	1.9	1.7	1.4	8.8	7.3	15.7	21.0	20.7	43.9	52.8	61.2	74.4	74.6	72.4	-
	脳・中枢神経系	C70-C72	6.2	3.9	3.5	3.3	0.0	1.9	1.7	2.9	5.0	4.2	2.2	2.5	9.2	6.1	8.8	8.2	12.8	14.9	14.5	-
	甲状腺	C73	18.9	0.0	0.0	0.0	0.0	1.9	10.2	18.8	13.8	19.8	15.7	24.7	21.8	25.5	36.0	36.5	37.2	22.4	15.8	-
	悪性リンパ腫	C81-C85 C96	32.3	0.0	3.5	0.0	0.0	3.8	1.7	2.9	3.8	10.4	10.1	22.2	26.4	37.8	48.8	74.1	85.9	104.5	100.0	-
	多発性骨髄腫	C88-C90	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.5	1.1	9.2	13.6	18.8	20.5	29.9	27.6	-
	白血病	C91-C95	12.4	7.8	1.8	0.0	1.6	3.8	5.1	2.9	3.8	3.1	6.7	6.2	11.5	14.3	16.0	28.2	24.4	46.3	30.3	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,209.4	34.6	10.3	9.7	15.2	51.9	53.3	47.1	72.5	133.3	251.2	505.1	888.1	1,544.7	2,371.7	3,284.6	4,142.4	4,534.6	4,763.6	-	
	食道	C15 D001	36.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	7.0	15.4	52.4	74.5	86.7	120.5	103.0	111.5	22.7	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	187.7	0.0	0.0	0.0	0.0	11.1	0.0	5.9	12.5	37.5	51.2	130.8	192.9	248.9	436.7	489.7	566.7	569.2	604.5	-	
	結腸 *2	C18 D010	115.2	0.0	0.0	0.0	0.0	7.4	0.0	2.9	5.0	18.8	18.6	69.2	109.5	140.4	245.0	312.8	384.8	388.5	413.6	-	
	直腸 *2	C19-C20 D011-D012	72.5	0.0	0.0	0.0	0.0	3.7	0.0	2.9	7.5	18.8	32.6	61.5	83.3	108.5	191.7	176.9	181.8	180.8	190.9	-	
	肺	C33-C34 D021-D022	178.6	0.0	0.0	0.0	0.0	3.7	0.0	5.9	0.0	10.4	25.6	56.4	95.2	227.7	360.0	500.0	612.1	688.5	822.7	-	
	皮膚	C43-C44 D030-D049	28.9	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	6.3	4.7	12.8	7.1	21.3	28.3	53.8	81.8	165.4	240.9	-
	乳房	C50 D05	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.1	0.0	2.6	4.8	2.1	1.7	5.1	0.0	3.8	9.1	-
	膀胱	C67 D090	70.9	0.0	0.0	0.0	0.0	7.4	0.0	0.0	0.0	2.5	6.3	18.6	15.4	35.7	78.7	115.0	192.3	245.5	319.2	368.2	-
女	全部位	C00-C96 D00-D09	862.5	12.0	7.1	0.0	12.9	80.0	255.2	417.1	395.0	612.5	617.4	723.8	804.4	939.2	1,126.2	1,571.7	1,717.8	1,951.2	2,027.8	-	
	食道	C15 D001	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	2.4	2.2	11.8	20.0	19.6	13.3	17.1	14.8	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	123.7	0.0	0.0	0.0	0.0	4.0	0.0	8.6	12.5	29.2	32.6	92.9	88.9	135.3	156.9	276.1	282.2	368.3	377.8	-	
	結腸 *2	C18 D010	85.2	0.0	0.0	0.0	0.0	4.0	0.0	2.9	7.5	18.8	23.9	61.9	55.6	76.5	113.8	176.1	188.9	248.8	298.1	-	
	直腸 *2	C19-C20 D011-D012	38.5	0.0	0.0	0.0	0.0	0.0	0.0	5.7	5.0	10.4	8.7	31.0	33.3	58.8	43.1	100.0	93.3	119.5	79.6	-	
	肺	C33-C34 D021-D022	83.9	0.0	0.0	0.0	0.0	4.0	0.0	5.7	0.0	6.3	10.9	42.9	40.0	88.2	166.2	243.5	195.6	217.1	220.4	-	
	皮膚	C43-C44 D030-D049	28.8	0.0	0.0	0.0	0.0	4.0	3.4	2.9	2.5	4.2	4.3	7.1	15.6	29.4	26.2	30.4	68.9	97.6	137.0	-	
	乳房	C50 D05	175.3	0.0	0.0	0.0	0.0	0.0	17.2	51.4	85.0	200.0	237.0	273.8	257.8	243.1	238.5	289.1	340.0	265.9	192.6	-	
	子宮	C53-C55 D06	109.8	0.0	0.0	0.0	3.2	44.0	193.1	285.7	220.0	231.3	169.6	128.6	135.6	103.9	89.2	80.4	60.0	87.8	46.3	-	
子宮頸部	C53 D06	78.8	0.0	0.0	0.0	0.0	40.0	189.7	280.0	207.5	206.3	130.4	81.0	60.0	43.1	44.6	26.1	31.1	39.0	22.2	-		
膀胱	C67 D090	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	2.2	4.8	13.3	11.8	18.5	43.5	44.4	48.8	68.5	-	
総数 *3	全部位	C00-C96 D00-D09	1,026.6	23.5	8.8	5.0	14.1	65.4	152.5	234.8	233.8	372.9	440.4	618.5	844.8	1,229.6	1,724.0	2,357.6	2,743.6	2,953.7	2,822.4	-	
	食道	C15 D001	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.6	8.6	26.4	41.8	52.0	65.9	51.3	53.7	17.1	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	154.0	0.0	0.0	0.0	0.0	7.7	0.0	7.2	12.5	33.3	41.6	111.1	139.1	189.8	291.2	374.1	402.6	446.3	444.7	-	
	結腸 *2	C18 D010	99.4	0.0	0.0	0.0	0.0	5.8	0.0	2.9	6.3	18.8	21.3	65.4	81.6	107.1	176.8	238.8	271.8	303.0	331.6	-	
	直腸 *2	C19-C20 D011-D012	54.6	0.0	0.0	0.0	0.0	1.9	0.0	4.3	6.3	14.6	20.2	45.7	57.5	82.7	114.4	135.3	130.8	143.3	113.2	-	
	肺	C33-C34 D021-D022	128.7	0.0	0.0	0.0	0.0	3.8	0.0	5.8	0.0	8.3	18.0	49.4	66.7	155.1	259.2	361.2	371.8	400.0	394.7	-	
	皮膚	C43-C44 D030-D049	28.9	2.0	0.0	0.0	0.0	1.9	1.7	1.4	5.0	5.2	4.5	9.9	11.5	25.5	27.2	41.2	74.4	123.9	167.1	-	
	乳房	C50 D05	93.3	0.0	0.0	0.0	0.0	0.0	8.5	26.1	43.8	101.0	122.5	143.2	135.6	127.6	124.8	158.8	196.2	164.2	139.5	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	42.6	0.0	0.0	0.0	0.0	3.8	0.0	1.4	1.3	3.1	10.1	9.9	24.1	43.9	64.8	111.8	129.5	153.7	155.3	-		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	12,458	10.9	36.9	0.1	44.8	7.3
口腔・咽頭	C00-C14	270	1.5	27.0	0.0	66.3	5.2
食道	C15	259	9.3	30.5	0.0	56.8	3.5
胃	C16	1,723	12.8	38.7	0.1	43.5	5.0
大腸（結腸・直腸）	C18-C20	1,753	12.9	28.0	0.1	51.7	7.3
結腸	C18	1,110	12.8	32.4	0.1	47.5	7.2
直腸	C19-C20	643	13.1	20.4	0.0	59.1	7.5
肝および肝内胆管	C22	694	2.4	64.1	0.0	24.9	8.5
胆のう・胆管	C23-C24	266	0.8	41.4	0.0	54.1	3.8
膵臓	C25	461	3.5	41.6	0.0	50.8	4.1
喉頭	C32	58	1.7	24.1	0.0	67.2	6.9
肺	C33-C34	1,708	11.5	49.9	0.1	32.8	5.7
皮膚	C43-C44	320	0.3	14.1	0.0	83.4	2.2
乳房	C50	1,144	18.4	19.1	0.0	53.3	9.3
乳房（女性のみ）	C50	1,132	18.6	19.1	0.0	53.2	9.2
子宮	C53-C55	377	12.5	21.0	0.0	55.7	10.9
子宮頸部	C53	158	21.5	20.3	0.0	45.6	12.7
子宮体部	C54	212	5.7	21.7	0.0	64.6	8.0
卵巣	C56	135	4.4	31.1	0.0	55.6	8.9
前立腺	C61	1,217	22.4	43.7	0.2	21.5	12.2
膀胱	C67	298	2.0	24.5	0.0	63.4	10.1
腎・尿路（膀胱除く）	C64-C66 C68	384	7.0	47.7	0.5	36.2	8.6
脳・中枢神経系	C70-C72	82	3.7	17.1	0.0	68.3	11.0
甲状腺	C73	256	9.8	51.6	1.2	25.0	12.5
悪性リンパ腫	C81-C85 C96	435	6.9	28.5	0.2	59.5	4.8
多発性骨髄腫	C88-C90	96	1.0	51.0	0.0	40.6	7.3
白血病	C91-C95	166	5.4	43.4	0.0	47.6	3.6

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	13,807	12.3	36.9	0.1	43.8	6.9
食道	C15 D001	284	9.9	33.8	0.0	53.2	3.2
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,076	15.7	29.7	0.0	48.0	6.6
結腸 *2	C18 D010	1,337	15.8	34.0	0.1	43.8	6.4
直腸 *2	C19-C20 D011-D012	739	15.4	21.9	0.0	55.6	7.0
肺	C33-C34 D021-D022	1,709	11.5	49.9	0.1	32.8	5.7
皮膚	C43-C44 D030-D049	396	0.3	13.9	0.0	84.1	1.8
乳房	C50 D05	1,266	20.7	19.4	0.0	51.2	8.7
乳房（女性のみ）	C50 D05	1,254	20.9	19.5	0.0	51.0	8.6
子宮	C53-C55 D06	789	27.6	30.0	0.0	35.0	7.4
子宮頸部	C53 D06	570	36.0	33.3	0.0	24.2	6.5
膀胱	C67 D090	575	2.3	30.8	0.0	59.8	7.1

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2016年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	12,194	46.7	8.7	12.4	17.1	15.0	21.2
口腔・咽頭	C00-C14	270	41.9	13.7	27.0	5.2	12.2	40.7
食道	C15	259	37.8	8.1	24.3	20.1	9.7	32.4
胃	C16	1,723	55.3	8.7	8.9	17.5	9.7	17.6
大腸（結腸・直腸）	C18-C20	1,753	41.8	17.3	9.6	18.6	12.7	26.9
結腸	C18	1,110	40.5	16.0	11.7	19.5	12.3	27.7
直腸	C19-C20	643	44.2	19.4	6.1	17.1	13.2	25.5
肝および肝内胆管	C22	694	58.8	1.9	7.8	7.6	23.9	9.7
胆のう・胆管	C23-C24	266	12.4	0.8	50.4	21.8	14.7	51.1
膵臓	C25	461	8.0	1.7	36.0	39.3	15.0	37.7
喉頭	C32	58	69.0	5.2	15.5	1.7	8.6	20.7
肺	C33-C34	1,708	39.1	8.9	7.3	31.4	13.3	16.2
皮膚	C43-C44	320	86.9	0.6	5.6	0.6	6.3	6.3
乳房	C50	1,144	57.5	20.5	2.4	6.6	12.9	23.0
乳房（女性のみ）	C50	1,132	57.4	20.6	2.5	6.6	12.9	23.1
子宮	C53-C55	377	49.9	1.9	22.0	10.3	15.9	23.9
子宮頸部	C53	158	41.1	1.9	29.7	10.8	16.5	31.6
子宮体部	C54	212	58.0	1.9	17.0	10.4	12.7	18.9
卵巣	C56	135	26.7	2.2	42.2	13.3	15.6	44.4
前立腺	C61	1,217	58.4	0.9	10.0	9.9	20.7	10.9
膀胱	C67	298	57.7	3.7	11.7	4.7	20.8	15.4
腎・尿路（膀胱除く）	C64-C66 C68	384	54.2	1.0	15.1	12.8	16.9	16.1
脳・中枢神経系	C70-C72	82	40.2	0.0	22.0	1.2	36.6	22.0
甲状腺	C73	256	43.4	30.9	4.3	3.5	18.0	35.2
悪性リンパ腫	C81-C85 C96	428	28.0	0.9	13.6	40.4	17.1	14.5
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,543	9.4	42.3	7.9	11.2	15.4	13.8	19.1
食道	C15 D001	284	8.8	34.5	7.4	22.2	18.3	8.8	29.6
大腸 (結腸・直腸) *3	C18-C20 D010-D012	2,076	15.4	35.3	14.6	8.1	15.7	10.9	22.7
結腸 *3	C18 D010	1,337	16.8	33.6	13.3	9.7	16.2	10.5	23.0
直腸 *3	C19-C20 D011-D012	739	12.9	38.4	16.9	5.3	14.9	11.6	22.2
肺	C33-C34 D021-D022	1,709	0.1	39.0	8.9	7.3	31.4	13.3	16.1
皮膚	C43-C44 D030-D049	396	19.2	70.2	0.5	4.5	0.5	5.1	5.1
乳房	C50 D05	1,266	9.4	52.0	18.6	2.2	5.9	11.9	20.8
乳房 (女性のみ)	C50 D05	1,254	9.5	51.8	18.6	2.2	6.0	11.9	20.8
子宮	C53-C55 D06	789	51.5	23.8	0.9	10.5	4.9	8.4	11.4
子宮頸部	C53 D06	570	71.2	11.4	0.5	8.2	3.0	5.6	8.8
膀胱	C67 D090	575	45.6	29.9	1.9	6.1	2.4	14.1	8.0

*1 DC0、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	12,194	1.1	47.7	6.4	11.4	16.4	17.0	17.8
口腔・咽頭	C00-C14	270	1.5	36.3	15.9	24.8	5.2	16.3	40.7
食道	C15	259	2.7	36.3	8.1	22.4	20.1	10.4	30.5
胃	C16	1,723	0.2	58.0	8.2	6.8	15.4	11.4	15.0
大腸（結腸・直腸）	C18-C20	1,753	2.6	39.6	10.6	14.0	17.3	15.8	24.6
結腸	C18	1,110	2.5	36.6	10.3	16.5	18.0	16.1	26.8
直腸	C19-C20	643	2.6	44.9	11.2	9.8	16.2	15.2	21.0
肝および肝内胆管	C22	694	0.0	57.9	2.0	8.1	7.6	24.4	10.1
胆のう・胆管	C23-C24	266	0.4	12.4	0.8	47.7	19.2	19.5	48.5
膵臓	C25	461	0.0	8.9	1.3	36.2	38.0	15.6	37.5
喉頭	C32	58	0.0	69.0	3.4	17.2	1.7	8.6	20.7
肺	C33-C34	1,708	0.0	41.7	7.0	6.5	30.9	14.0	13.5
皮膚	C43-C44	320	2.5	78.1	0.6	3.8	0.6	14.4	4.4
乳房	C50	1,144	3.1	60.9	13.5	2.8	6.1	13.5	16.3
乳房（女性のみ）	C50	1,132	3.1	60.8	13.6	2.8	6.2	13.5	16.4
子宮	C53-C55	377	2.1	50.7	1.9	17.2	9.3	18.8	19.1
子宮頸部	C53	158	5.1	40.5	1.3	25.9	10.1	17.1	27.2
子宮体部	C54	212	0.0	59.9	2.4	11.3	9.0	17.5	13.7
卵巣	C56	135	0.0	27.4	2.2	29.6	13.3	27.4	31.9
前立腺	C61	1,217	0.0	62.4	0.9	4.8	9.9	21.9	5.7
膀胱	C67	298	4.0	56.4	2.3	9.7	4.7	22.8	12.1
腎・尿路（膀胱除く）	C64-C66 C68	384	1.0	56.0	1.3	11.2	12.8	17.7	12.5
脳・中枢神経系	C70-C72	82	0.0	39.0	0.0	23.2	1.2	36.6	23.2
甲状腺	C73	256	0.0	54.3	14.1	3.5	3.1	25.0	17.6
悪性リンパ腫	C81-C85 C96	428	0.0	27.3	0.9	13.1	40.2	18.5	14.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,543	8.1	44.1	5.8	10.4	14.7	16.9	16.1
食道	C15 D001	284	9.9	34.2	7.4	20.4	18.3	9.9	27.8
大腸 (結腸・直腸) *3	C18-C20 D010-D012	2,076	10.2	35.4	9.0	11.8	14.6	19.0	20.8
結腸 *3	C18 D010	1,337	11.0	32.1	8.5	13.7	15.0	19.7	22.2
直腸 *3	C19-C20 D011-D012	739	8.7	41.3	9.7	8.5	14.1	17.7	18.3
肺	C33-C34 D021-D022	1,709	0.0	41.7	7.0	6.5	30.8	14.0	13.5
皮膚	C43-C44 D030-D049	396	19.4	64.1	0.5	3.0	0.5	12.4	3.5
乳房	C50 D05	1,266	9.7	57.3	12.2	2.5	5.5	12.8	14.7
乳房 (女性のみ)	C50 D05	1,254	9.7	57.1	12.3	2.6	5.6	12.8	14.8
子宮	C53-C55 D06	789	51.6	24.2	0.9	8.2	4.4	10.6	9.1
子宮頸部	C53 D06	570	71.4	11.2	0.4	7.2	2.8	7.0	7.5
膀胱	C67 D090	575	33.9	36.7	1.2	5.0	2.4	20.7	6.3

*1 DCO、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2016年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,080	51.1	9.8	10.2	4.1	24.8	20.0
口腔・咽頭	C00-C14	178	49.4	9.6	16.3	0.0	24.2	25.8
食道	C15	92	51.1	4.3	8.7	0.0	35.9	13.0
胃	C16	1,342	61.8	9.7	8.9	4.0	15.5	18.6
大腸（結腸・直腸）	C18-C20	1,487	45.1	18.6	9.0	12.0	15.4	27.6
結腸	C18	958	43.2	17.5	11.4	12.6	15.2	28.9
直腸	C19-C20	529	48.4	20.4	4.7	10.8	15.7	25.1
肝および肝内胆管	C22	290	39.0	0.3	3.8	0.0	56.9	4.1
胆のう・胆管	C23-C24	144	16.7	0.7	54.2	7.6	20.8	54.9
膵臓	C25	177	11.9	2.3	40.1	4.5	41.2	42.4
喉頭	C32	24	37.5	8.3	25.0	0.0	29.2	33.3
肺	C33-C34	893	57.8	6.8	4.0	1.8	29.6	10.9
皮膚	C43-C44	305	87.5	0.7	4.9	0.3	6.6	5.6
乳房	C50	979	62.4	19.0	1.6	0.8	16.1	20.6
乳房（女性のみ）	C50	967	62.4	19.0	1.7	0.8	16.1	20.7
子宮	C53-C55	282	59.9	1.4	13.5	2.1	23.0	14.9
子宮頸部	C53	91	57.1	2.2	9.9	1.1	29.7	12.1
子宮体部	C54	184	63.6	1.1	15.8	2.7	16.8	16.8
卵巣	C56	105	33.3	1.0	40.0	4.8	21.0	41.0
前立腺	C61	600	43.5	0.3	12.5	0.2	43.5	12.8
膀胱	C67	251	34.7	2.8	8.8	3.2	50.6	11.6
腎・尿路（膀胱除く）	C64-C66 C68	312	55.1	0.3	14.7	4.2	25.6	15.1
脳・中枢神経系	C70-C72	61	32.8	0.0	21.3	1.6	44.3	21.3
甲状腺	C73	234	41.0	33.3	3.4	2.1	20.1	36.8
悪性リンパ腫	C81-C85 C96	110	21.8	0.9	5.5	7.3	64.5	6.4
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,213	11.1	45.2	8.6	9.0	3.6	22.5	17.5
食道	C15 D001	113	15.9	41.6	3.5	7.1	0.0	31.9	10.6
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,810	17.3	37.0	15.2	7.4	9.8	13.1	22.7
結腸 *3	C18 D010	1,185	18.6	34.9	14.2	9.2	10.2	12.9	23.4
直腸 *3	C19-C20 D011-D012	625	15.0	41.0	17.3	4.0	9.1	13.6	21.3
肺	C33-C34 D021-D022	894	0.1	57.7	6.8	4.0	1.8	29.5	10.9
皮膚	C43-C44 D030-D049	376	18.6	71.0	0.5	4.0	0.3	5.6	4.5
乳房	C50 D05	1,097	10.5	55.7	17.0	1.5	0.7	14.7	18.4
乳房 (女性のみ)	C50 D05	1,085	10.6	55.6	17.0	1.5	0.7	14.7	18.4
子宮	C53-C55 D06	516	42.1	32.8	0.8	7.4	1.2	15.9	8.1
子宮頸部	C53 D06	325	66.8	16.0	0.6	2.8	0.3	13.5	3.4
膀胱	C67 D090	513	45.0	17.0	1.4	4.3	1.6	30.8	5.7

*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2016年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	12,458	26.9	18.4	7.4	9.6	26.4	8.6	3.2	27.7
口腔・咽頭	C00-C14	270	49.6	0.0	1.5	31.5	24.8	0.0	0.0	23.7
食道	C15	259	5.4	18.5	13.1	35.1	51.0	0.0	0.4	23.2
胃	C16	1,723	23.7	14.9	30.7	0.1	19.9	0.0	0.8	24.6
大腸（結腸・直腸）	C18-C20	1,753	25.8	42.6	8.1	1.7	26.6	0.1	1.0	22.4
結腸	C18	1,110	27.0	41.9	7.6	0.1	25.4	0.2	1.3	23.3
直腸	C19-C20	643	23.6	43.9	9.0	4.4	28.6	0.0	0.6	20.7
肝および肝内胆管	C22	694	16.6	3.9	0.0	2.2	34.9	0.0	36.6	39.0
胆のう・胆管	C23-C24	266	39.8	3.8	0.0	1.5	25.2	0.0	1.9	44.4
膵臓	C25	461	23.6	0.4	0.0	4.1	48.6	0.0	1.3	41.6
喉頭	C32	58	27.6	1.7	0.0	60.3	6.9	0.0	0.0	17.2
肺	C33-C34	1,708	4.4	32.8	0.0	13.8	33.1	0.1	0.5	34.0
皮膚	C43-C44	320	90.6	0.0	0.0	1.6	1.6	0.9	0.3	8.4
乳房	C50	1,144	76.0	0.0	0.0	29.5	30.2	50.4	0.8	16.1
乳房（女性のみ）	C50	1,132	76.0	0.0	0.0	29.6	30.4	50.4	0.7	16.1
子宮	C53-C55	377	52.3	9.0	0.0	18.0	34.0	0.8	0.8	20.7
子宮頸部	C53	158	41.1	4.4	0.0	39.2	34.2	0.0	1.9	20.9
子宮体部	C54	212	62.3	12.7	0.0	2.8	34.9	1.4	0.0	17.9
卵巣	C56	135	61.5	10.4	0.0	0.0	43.7	0.0	0.7	22.2
前立腺	C61	1,217	3.5	26.7	0.7	9.0	1.2	38.4	0.3	29.7
膀胱	C67	298	8.4	12.8	60.7	3.4	19.5	0.0	15.1	23.2
腎・尿路（膀胱除く）	C64-C66 C68	384	7.6	52.3	2.6	2.6	11.2	0.0	0.8	32.6
脳・中枢神経系	C70-C72	82	42.7	1.2	0.0	41.5	37.8	0.0	2.4	47.6
甲状腺	C73	256	73.0	0.0	0.0	6.3	0.4	5.5	1.2	25.0
悪性リンパ腫	C81-C85 C96	435	6.9	2.8	0.0	9.2	56.3	1.4	2.3	32.9
多発性骨髄腫	C88-C90	96	1.0	0.0	1.0	4.2	47.9	2.1	0.0	46.9
白血病	C91-C95	166	0.0	0.0	0.0	1.8	69.3	0.6	3.6	28.9

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2016年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	13,807	27.7	17.2	10.5	9.0	24.1	8.0	4.4	25.7
食道	C15 D001	284	4.9	16.9	18.3	32.0	46.5	0.0	0.7	23.2
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,076	22.4	37.3	20.1	1.4	22.5	0.1	1.0	19.3
結腸 *2	C18 D010	1,337	23.0	36.3	20.8	0.1	21.2	0.2	1.2	19.9
直腸 *2	C19-C20 D011-D012	739	21.2	39.1	18.9	3.8	24.9	0.0	0.5	18.3
肺	C33-C34 D021-D022	1,709	4.4	32.9	0.0	13.8	33.1	0.1	0.5	33.9
皮膚	C43-C44 D030-D049	396	90.9	0.0	0.0	1.3	1.3	0.8	0.3	8.3
乳房	C50 D05	1,266	77.8	0.0	0.0	30.3	27.3	47.2	0.8	14.9
乳房（女性のみ）	C50 D05	1,254	77.8	0.0	0.0	30.5	27.4	47.1	0.7	14.9
子宮	C53-C55 D06	789	51.1	5.6	0.1	8.7	16.2	0.4	21.8	14.6
子宮頸部	C53 D06	570	47.5	3.0	0.2	11.1	9.5	0.0	30.2	12.3
膀胱	C67 D090	575	5.9	7.0	72.0	1.7	17.0	0.9	13.4	15.8

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

愛媛県

2016年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	6,417	87.5	11.6	0.9
口腔・咽頭	C00-C14	138	84.8	13.8	1.4
食道	C15	94	90.4	8.5	1.1
胃	C16	1,144	91.3	7.3	1.5
大腸（結腸・直腸）	C18-C20	1,287	87.0	12.3	0.7
結腸	C18	814	86.2	13.0	0.7
直腸	C19-C20	473	88.4	11.0	0.6
肝および肝内胆管	C22	142	95.8	4.2	0.0
胆のう・胆管	C23-C24	115	80.9	19.1	0.0
膵臓	C25	110	81.8	18.2	0.0
喉頭	C32	17	82.4	5.9	11.8
肺	C33-C34	637	95.4	4.4	0.2
皮膚	C43-C44	290	92.8	6.6	0.7
乳房	C50	870	93.9	5.1	1.0
乳房（女性のみ）	C50	860	94.2	4.8	1.0
子宮	C53-C55	230	92.6	7.4	0.0
子宮頸部	C53	71	90.1	9.9	0.0
子宮体部	C54	159	93.7	6.3	0.0
卵巣	C56	94	78.7	21.3	0.0
前立腺	C61	375	79.7	19.2	1.1
膀胱	C67	216	47.2	52.8	0.0
腎・尿路（膀胱除く）	C64-C66 C68	240	89.6	10.0	0.4
脳・中枢神経系	C70-C72	36	47.2	50.0	2.8
甲状腺	C73	187	88.2	8.6	3.2
悪性リンパ腫	C81-C85 C96	42	57.1	38.1	4.8
多発性骨髄腫	C88-C90	2	50.0	50.0	0.0
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

愛媛県

2016年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	7,493	88.4	10.6	1.0
食道	C15 D001	112	92.0	7.1	0.9
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,601	88.4	10.7	0.9
結腸 *2	C18 D010	1,034	87.7	11.2	1.1
直腸 *2	C19-C20 D011-D012	567	89.6	9.7	0.7
肺	C33-C34 D021-D022	638	95.5	4.4	0.2
皮膚	C43-C44 D030-D049	360	93.9	5.3	0.8
乳房	C50 D05	985	93.7	5.1	1.2
乳房（女性のみ）	C50 D05	975	93.9	4.8	1.2
子宮	C53-C55 D06	447	94.6	4.9	0.4
子宮頸部	C53 D06	288	95.1	4.2	0.7
膀胱	C67 D090	460	69.6	30.4	0.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

愛媛県

2016年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.36	0.34	0.35	3.2	5.3	4.1	1.8	3.3	2.4	83.8	83.1	83.5	81.1	80.3	80.8
口腔・咽頭	C00-C14	0.37	0.33	0.36	1.6	5.8	2.9	1.6	3.5	2.2	90.5	86.0	89.1	90.5	86.0	89.1
食道	C15	0.41	0.35	0.40	2.8	0.0	2.3	1.4	0.0	1.1	95.8	93.9	95.4	95.8	93.9	95.4
胃	C16	0.32	0.37	0.33	2.4	4.7	3.1	1.4	2.7	1.8	95.7	93.0	94.8	95.4	92.8	94.6
大腸（結腸・直腸）	C18-C20	0.30	0.34	0.31	2.1	6.3	3.9	1.2	3.8	2.3	93.5	88.3	91.2	93.3	88.0	91.0
結腸	C18	0.31	0.40	0.35	2.0	7.5	4.6	0.8	4.7	2.6	93.2	86.2	89.9	93.0	86.0	89.7
直腸	C19-C20	0.29	0.21	0.25	2.2	3.6	2.7	1.7	2.0	1.8	93.9	92.7	93.4	93.6	92.3	93.1
肝および肝内胆管	C22	0.58	0.57	0.58	3.4	10.0	5.6	1.3	7.5	3.3	38.6	22.9	33.3	38.4	22.9	33.1
胆のう・胆管	C23-C24	0.73	0.84	0.78	4.8	16.3	10.5	2.8	11.3	7.0	75.2	51.1	63.3	62.1	43.3	52.8
膵臓	C25	0.96	0.84	0.90	7.5	6.8	7.2	2.9	2.6	2.7	57.5	46.2	51.9	50.8	41.0	46.0
喉頭	C32	0.07	-	0.07	0.0	0.0	0.0	0.0	0.0	0.0	98.2	0.0	96.6	98.2	0.0	96.6
肺	C33-C34	0.54	0.46	0.51	5.3	7.7	6.1	2.8	4.6	3.4	74.9	76.0	75.3	66.4	68.3	67.0
皮膚	C43-C44	0.07	0.05	0.06	0.7	0.6	0.6	0.0	0.6	0.3	99.3	97.6	98.4	98.7	97.6	98.1
乳房	C50	0.08	0.15	0.15	0.0	1.8	1.8	0.0	1.5	1.5	100.0	95.0	95.1	100.0	93.9	94.0
子宮	C53-C55	-	0.23	0.23	-	2.3	2.3	-	1.8	1.8	-	92.2	92.2	-	90.4	90.4
子宮頸部	C53	-	0.19	0.19	-	0.6	0.6	-	0.6	0.6	-	93.1	93.1	-	89.3	89.3
子宮体部	C54	-	0.20	0.20	-	2.3	2.3	-	1.9	1.9	-	93.5	93.5	-	93.1	93.1
卵巣	C56	-	0.38	0.38	-	2.2	2.2	-	0.7	0.7	-	87.5	87.5	-	83.1	83.1
前立腺	C61	0.11	-	0.11	2.5	-	2.5	1.9	-	1.9	87.0	-	87.0	86.9	-	86.9
膀胱	C67	0.27	0.31	0.28	1.8	9.9	3.9	1.3	9.9	3.6	91.7	84.0	89.6	87.7	79.0	85.4
腎・尿路（膀胱除く）	C64-C66 C68	0.23	0.21	0.22	2.6	4.1	3.1	1.5	3.3	2.0	83.3	76.4	81.1	81.0	72.4	78.3
脳・中枢神経系	C70-C72	0.44	0.33	0.39	4.4	7.5	5.9	4.4	2.5	3.5	60.0	80.0	69.4	60.0	80.0	69.4
甲状腺	C73	0.06	0.05	0.05	2.9	2.1	2.3	2.9	1.1	1.5	92.9	95.3	94.6	88.6	89.5	89.2
悪性リンパ腫	C81-C85 C96	0.42	0.26	0.34	4.0	5.0	4.5	1.3	2.8	2.0	91.2	86.2	88.7	88.5	84.9	86.7
多発性骨髄腫	C88-C90	0.48	0.57	0.52	7.7	19.6	13.6	3.8	9.8	6.8	75.0	68.6	71.8	59.6	51.0	55.3
白血病	C91-C95	0.55	0.92	0.68	5.6	11.1	7.6	0.9	6.3	2.9	97.2	88.9	94.2	81.5	65.1	75.4

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

愛媛県

2016年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.34	0.30	0.32	3.0	4.6	3.7	1.6	2.9	2.2	85.0	85.2	85.1	82.5	82.6	82.5
食道	C15 D001	0.38	0.32	0.37	2.6	0.0	2.1	1.3	0.0	1.0	96.2	94.3	95.8	96.2	94.3	95.8
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.25	0.29	0.27	1.7	5.5	3.3	1.0	3.3	2.0	94.6	89.7	92.5	94.4	89.5	92.4
結腸 *2	C18 D010	0.25	0.34	0.29	1.6	6.5	3.8	0.7	4.0	2.2	94.5	88.0	91.6	94.4	87.9	91.4
直腸 *2	C19-C20 D011-D012	0.25	0.18	0.22	1.9	3.2	2.4	1.5	1.8	1.6	94.7	93.5	94.3	94.5	93.2	94.0
肺	C33-C34 D021-D022	0.54	0.46	0.51	5.3	7.7	6.1	2.8	4.6	3.4	74.9	76.0	75.3	66.4	68.3	67.0
皮膚	C43-C44 D030-D049	0.05	0.04	0.05	0.5	0.5	0.5	0.0	0.5	0.3	99.5	98.1	98.7	98.9	98.1	98.5
乳房	C50 D05	0.08	0.13	0.13	0.0	1.7	1.6	0.0	1.3	1.3	100.0	95.4	95.5	100.0	94.3	94.4
子宮	C53-C55 D06	-	0.11	0.11	-	1.1	1.1	-	0.9	0.9	-	96.2	96.2	-	95.0	95.0
子宮頸部	C53 D06	-	0.05	0.05	-	0.2	0.2	-	0.2	0.2	-	98.1	98.1	-	96.5	96.5
膀胱	C67 D090	0.13	0.20	0.15	0.9	6.4	2.0	0.7	6.4	1.9	95.9	89.6	94.5	93.3	86.4	91.8

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

愛媛県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	2,653	1,885	4,538	100.0	100.0	100.0	411.3	261.4	332.2	166.6	84.5	119.6	115.5	59.8	83.9	12.8	6.2	9.3
口腔・咽頭	C00-C14	70	28	98	2.6	1.5	2.2	10.9	3.9	7.2	4.9	1.0	2.7	3.6	0.7	2.0	0.4	0.1	0.2
食道	C15	88	17	105	3.3	0.9	2.3	13.6	2.4	7.7	6.4	0.7	3.3	4.6	0.5	2.4	0.6	0.1	0.3
胃	C16	379	206	585	14.3	10.9	12.9	58.8	28.6	42.8	22.7	7.4	14.0	15.1	5.0	9.4	1.6	0.5	1.0
大腸（結腸・直腸）	C18-C20	301	263	564	11.3	14.0	12.4	46.7	36.5	41.3	19.5	10.7	14.6	13.6	7.4	10.2	1.5	0.7	1.1
結腸	C18	185	212	397	7.0	11.2	8.7	28.7	29.4	29.1	11.5	7.8	9.5	7.9	5.4	6.5	0.8	0.5	0.6
直腸	C19-C20	116	51	167	4.4	2.7	3.7	18.0	7.1	12.2	8.0	2.9	5.1	5.7	2.0	3.7	0.7	0.2	0.5
肝および肝内胆管	C22	276	137	413	10.4	7.3	9.1	42.8	19.0	30.2	18.5	5.8	11.4	13.0	3.9	8.0	1.6	0.4	1.0
胆のう・胆管	C23-C24	106	118	224	4.0	6.3	4.9	16.4	16.4	16.4	5.7	3.5	4.5	3.7	2.2	2.9	0.4	0.2	0.3
膵臓	C25	231	197	428	8.7	10.5	9.4	35.8	27.3	31.3	15.5	8.1	11.4	10.7	5.4	7.8	1.3	0.5	0.9
喉頭	C32	4	・	4	0.2	・	0.1	0.6	・	0.3	0.2	・	0.1	0.1	・	0.1	0.0	・	0.0
肺	C33-C34	624	282	906	23.5	15.0	20.0	96.7	39.1	66.3	39.4	12.1	24.0	27.1	8.6	16.7	3.2	0.9	1.9
皮膚	C43-C44	10	9	19	0.4	0.5	0.4	1.6	1.2	1.4	0.6	0.5	0.5	0.4	0.5	0.4	0.0	0.0	0.0
乳房	C50	1	171	172	0.0	9.1	3.8	0.2	23.7	12.6	0.0	12.5	6.6	0.0	9.4	5.0	0.0	1.1	0.6
子宮	C53-C55	・	89	89	・	4.7	2.0	・	12.3	・	・	5.8	・	・	4.3	・	・	0.5	・
子宮頸部	C53	・	31	31	・	1.6	0.7	・	4.3	・	・	2.6	・	・	2.0	・	・	0.2	・
子宮体部	C54	・	43	43	・	2.3	0.9	・	6.0	・	・	2.5	・	・	1.8	・	・	0.2	・
卵巣	C56	・	51	51	・	2.7	1.1	・	7.1	・	・	3.2	・	・	2.4	・	・	0.3	・
前立腺	C61	134	・	134	5.1	・	3.0	20.8	・	・	6.2	・	・	4.0	・	・	0.3	・	・
膀胱	C67	62	25	87	2.3	1.3	1.9	9.6	3.5	6.4	3.1	0.5	1.6	2.1	0.3	1.0	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	61	26	87	2.3	1.4	1.9	9.5	3.6	6.4	3.6	1.2	2.2	2.4	0.9	1.5	0.3	0.1	0.2
脳・中枢神経系	C70-C72	20	13	33	0.8	0.7	0.7	3.1	1.8	2.4	2.6	1.0	1.8	2.6	0.8	1.7	0.2	0.1	0.1
甲状腺	C73	4	9	13	0.2	0.5	0.3	0.6	1.2	1.0	0.2	0.2	0.2	0.1	0.2	0.1	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	96	57	153	3.6	3.0	3.4	14.9	7.9	11.2	5.4	1.8	3.3	3.6	1.1	2.2	0.4	0.1	0.2
多発性骨髄腫	C88-C90	25	29	54	0.9	1.5	1.2	3.9	4.0	4.0	1.4	0.9	1.1	0.9	0.6	0.7	0.1	0.1	0.1
白血病	C91-C95	59	58	117	2.2	3.1	2.6	9.1	8.0	8.6	4.6	3.2	3.9	3.7	2.5	3.1	0.4	0.2	0.3

*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C97	2,653	3	0	1	2	1	2	2	5	7	29	29	104	209	370	396	431	452	390	173	42	5	0	
	口腔・咽頭	C00-C14	70	0	0	0	0	0	0	0	0	0	3	1	5	8	6	15	8	6	14	1	3	0	0	
	食道	C15	88	0	0	0	0	0	1	0	0	0	3	0	4	10	18	16	14	15	4	2	1	0	0	
	胃	C16	379	0	0	0	0	0	0	0	0	3	3	3	10	24	53	53	67	81	58	14	7	3	0	
	大腸（結腸・直腸）	C18-C20	301	0	0	0	0	0	0	0	0	0	4	7	12	34	47	37	47	54	39	14	6	0	0	
	結腸	C18	185	0	0	0	0	0	0	0	0	0	3	5	5	18	25	20	28	40	27	9	5	0	0	
	直腸	C19-C20	116	0	0	0	0	0	0	0	0	0	1	2	7	16	22	17	19	14	12	5	1	0	0	
	肝および肝内胆管	C22	276	0	0	0	0	0	0	0	1	0	3	4	15	31	44	49	36	45	35	11	2	0	0	
	胆のう・胆管	C23-C24	106	0	0	0	0	0	0	0	0	1	0	0	3	3	11	16	16	23	25	7	1	0	0	
	膵臓	C25	231	0	0	0	0	0	0	0	1	0	3	4	13	19	36	41	40	35	21	17	1	0	0	
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	
	肺	C33-C34	624	0	0	0	0	0	0	0	1	2	5	7	32	47	87	104	108	82	92	51	5	1	0	
	皮膚	C43-C44	10	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0	1	2	2	1	0	0	
	乳房	C50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
	前立腺	C61	134	0	0	0	0	0	0	0	0	0	0	0	0	4	12	11	19	31	29	22	6	0	0	
	膀胱	C67	62	0	0	0	0	0	0	0	0	0	0	0	1	1	7	9	11	9	13	9	2	0	0	
	腎・尿路（膀胱除く）	C64-C66 C68	61	0	0	0	0	0	0	0	0	0	1	1	0	5	6	10	12	7	14	3	1	1	0	
	脳・中枢神経系	C70-C72	20	1	0	1	2	0	0	2	1	0	1	0	0	3	2	3	2	0	2	0	0	0	0	0
	甲状腺	C73	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	1	0	0	
	悪性リンパ腫	C81-C85 C96	96	0	0	0	0	0	0	0	0	0	2	0	3	5	13	11	10	25	18	6	3	0	0	
	多発性骨髄腫	C88-C90	25	0	0	0	0	0	0	0	0	0	0	1	1	0	1	3	5	5	7	2	0	0	0	
	白血病	C91-C95	59	1	0	0	0	1	1	0	0	0	1	1	2	7	13	7	9	12	1	3	0	0	0	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,885	0	0	0	2	1	2	2	7	21	35	31	66	113	176	166	249	330	336	263	76	9	0
	口腔・咽頭	C00-C14	28	0	0	0	0	0	0	0	0	0	1	0	0	1	1	4	3	3	7	4	2	2	0
	食道	C15	17	0	0	0	0	0	0	0	0	0	0	0	0	1	4	4	0	4	2	2	0	0	0
	胃	C16	206	0	0	0	0	0	0	1	0	1	0	0	8	7	20	16	27	32	41	42	11	0	0
	大腸（結腸・直腸）	C18-C20	263	0	0	0	0	0	0	0	0	5	4	5	7	12	17	22	32	51	50	40	15	3	0
	結腸	C18	212	0	0	0	0	0	0	0	0	3	4	2	5	9	11	14	25	41	43	38	14	3	0
	直腸	C19-C20	51	0	0	0	0	0	0	0	0	2	0	3	2	3	6	8	7	10	7	2	1	0	0
	肝および肝内胆管	C22	137	0	0	0	0	0	0	0	0	3	0	0	4	11	11	14	23	24	29	15	3	0	0
	胆のう・胆管	C23-C24	118	0	0	0	0	0	0	0	0	0	1	1	3	0	7	4	16	27	33	22	4	0	0
	膵臓	C25	197	0	0	0	0	0	0	0	0	1	1	2	8	10	21	14	32	46	32	24	6	0	0
	喉頭	C32
	肺	C33-C34	282	0	0	0	0	0	1	0	0	1	5	7	4	20	27	23	42	51	50	40	11	0	0
	皮膚	C43-C44	9	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	2	1	3	0	0	0
	乳房	C50	171	0	0	0	0	0	0	1	3	4	12	8	17	16	21	27	15	12	12	15	7	1	0
	子宮	C53-C55	89	0	0	0	0	0	0	0	2	3	4	2	5	9	19	7	13	8	9	7	1	0	0
	子宮頸部	C53	31	0	0	0	0	0	0	0	2	2	2	1	2	3	8	3	4	0	4	0	0	0	0
	子宮体部	C54	43	0	0	0	0	0	0	0	0	1	1	1	3	4	9	3	7	5	5	4	0	0	0
	卵巣	C56	51	0	0	0	0	0	0	0	0	1	3	3	3	6	4	5	7	5	7	6	0	1	0
	膀胱	C67	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	6	9	5	2	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	26	0	0	0	0	0	0	0	1	0	0	0	0	4	3	2	3	2	3	6	2	0	0
	脳・中枢神経系	C70-C72	13	0	0	0	1	0	0	0	0	0	2	0	0	1	1	1	4	2	1	0	0	0	0
	甲状腺	C73	9	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1	2	2	0	0
	悪性リンパ腫	C81-C85 C96	57	0	0	0	0	0	0	0	0	0	0	0	0	4	4	2	6	17	11	11	2	0	0
	多発性骨髄腫	C88-C90	29	0	0	0	0	0	0	0	0	0	0	0	1	0	3	2	1	9	10	3	0	0	0
	白血病	C91-C95	58	0	0	0	1	1	0	0	0	2	1	1	1	3	4	8	9	10	10	4	3	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	4,538	3	0	1	4	2	4	4	12	28	64	60	170	322	546	562	680	782	726	436	118	14	0
	口腔・咽頭	C00-C14	98	0	0	0	0	0	0	0	0	0	4	1	5	9	7	19	11	9	21	5	5	2	0
	食道	C15	105	0	0	0	0	0	1	0	0	0	3	0	4	11	22	20	14	19	6	4	1	0	0
	胃	C16	585	0	0	0	0	0	0	1	0	4	3	3	18	31	73	69	94	113	99	56	18	3	0
	大腸（結腸・直腸）	C18-C20	564	0	0	0	0	0	0	0	0	5	8	12	19	46	64	59	79	105	89	54	21	3	0
	結腸	C18	397	0	0	0	0	0	0	0	0	3	7	7	10	27	36	34	53	81	70	47	19	3	0
	直腸	C19-C20	167	0	0	0	0	0	0	0	0	2	1	5	9	19	28	25	26	24	19	7	2	0	0
	肝および肝内胆管	C22	413	0	0	0	0	0	0	0	1	3	3	4	19	42	55	63	59	69	64	26	5	0	0
	胆のう・胆管	C23-C24	224	0	0	0	0	0	0	0	0	1	1	1	6	3	18	20	32	50	58	29	5	0	0
	膵臓	C25	428	0	0	0	0	0	0	0	1	1	4	6	21	29	57	55	72	81	53	41	7	0	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0
	肺	C33-C34	906	0	0	0	0	0	1	0	1	3	10	14	36	67	114	127	150	133	142	91	16	1	0
	皮膚	C43-C44	19	0	0	0	0	0	1	0	0	1	0	0	0	1	2	2	0	3	3	5	1	0	0
	乳房	C50	172	0	0	0	0	0	0	1	3	4	12	8	17	16	21	27	15	12	13	15	7	1	0
	子宮	C53-C55	89	0	0	0	0	0	0	0	2	3	4	2	5	9	19	7	13	8	9	7	1	0	0
	子宮頸部	C53	31	0	0	0	0	0	0	0	2	2	2	1	2	3	8	3	4	0	4	0	0	0	0
	子宮体部	C54	43	0	0	0	0	0	0	0	0	1	1	1	3	4	9	3	7	5	5	4	0	0	0
	卵巣	C56	51	0	0	0	0	0	0	0	0	1	3	3	3	6	4	5	7	5	7	6	0	1	0
	前立腺	C61	134	0	0	0	0	0	0	0	0	0	0	0	0	4	12	11	19	31	29	22	6	0	0
	膀胱	C67	87	0	0	0	0	0	0	0	0	0	0	0	1	1	7	10	12	15	22	14	4	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	87	0	0	0	0	0	0	0	1	0	1	1	0	9	9	12	15	9	17	9	3	1	0
	脳・中枢神経系	C70-C72	33	1	0	1	3	0	0	2	1	0	3	0	0	4	3	4	6	2	3	0	0	0	0
	甲状腺	C73	13	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	4	1	2	3	0	0
	悪性リンパ腫	C81-C85 C96	153	0	0	0	0	0	0	0	0	0	2	0	3	9	17	13	16	42	29	17	5	0	0
	多発性骨髄腫	C88-C90	54	0	0	0	0	0	0	0	0	0	0	1	2	0	4	5	6	14	17	5	0	0	0
	白血病	C91-C95	117	1	0	0	1	2	1	0	0	2	2	2	3	10	17	15	18	22	11	7	3	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	411.3	11.5	0.0	3.2	6.1	3.8	7.1	5.9	12.8	14.6	67.4	74.4	247.6	444.7	616.7	1,042.1	1,306.1	1,738.5	2,772.7	.
	口腔・咽頭	C00-C14	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	2.6	11.9	17.0	10.0	39.5	24.2	23.1	81.8	.
	食道	C15	13.6	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	7.0	0.0	9.5	21.3	30.0	42.1	42.4	57.7	31.8	.
	胃	C16	58.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	7.0	7.7	23.8	51.1	88.3	139.5	203.0	311.5	372.7	.
	大腸（結腸・直腸）	C18-C20	46.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	17.9	28.6	72.3	78.3	97.4	142.4	207.7	268.2	.
	結腸	C18	28.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	12.8	11.9	38.3	41.7	52.6	84.8	153.8	186.4	.
	直腸	C19-C20	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.1	16.7	34.0	36.7	44.7	57.6	53.8	81.8	.
	肝および肝内胆管	C22	42.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	7.0	10.3	35.7	66.0	73.3	128.9	109.1	173.1	218.2	.
	胆のう・胆管	C23-C24	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	7.1	6.4	18.3	42.1	48.5	88.5	150.0	.
	膵臓	C25	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	7.0	10.3	31.0	40.4	60.0	107.9	121.2	134.6	177.3	.
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.0	7.7	0.0	.
	肺	C33-C34	96.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.2	11.6	17.9	76.2	100.0	145.0	273.7	327.3	315.4	677.3	.
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	1.7	5.3	0.0	3.8	22.7	.
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	.
	前立腺	C61	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	20.0	28.9	57.6	119.2	259.1	.
	膀胱	C67	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	11.7	23.7	33.3	34.6	109.1	.
	腎・尿路（膀胱除く）	C64-C66 C68	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.6	0.0	10.6	10.0	26.3	36.4	26.9	86.4	.
	脳・中枢神経系	C70-C72	3.1	3.8	0.0	3.2	6.1	0.0	0.0	5.9	2.6	0.0	2.3	0.0	0.0	6.4	3.3	7.9	6.1	0.0	9.1	.
	甲状腺	C73	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	7.7	4.5	.
	悪性リンパ腫	C81-C85 C96	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	7.1	10.6	21.7	28.9	30.3	96.2	122.7	.
	多発性骨髄腫	C88-C90	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.4	0.0	1.7	7.9	15.2	19.2	40.9	.
	白血病	C91-C95	9.1	3.8	0.0	0.0	0.0	3.8	3.6	0.0	0.0	0.0	2.3	2.6	4.8	14.9	21.7	18.4	27.3	46.2	18.2	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	261.4	0.0	0.0	0.0	6.5	4.2	6.9	5.9	17.9	43.8	77.8	73.8	146.7	221.6	270.8	360.9	553.3	804.9	1,266.7	.
	口腔・咽頭	C00-C14	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	2.0	1.5	8.7	6.7	7.3	27.8	.
	食道	C15	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	6.2	8.7	0.0	9.8	7.4	.
	胃	C16	28.6	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.1	0.0	0.0	17.8	13.7	30.8	34.8	60.0	78.0	174.1	.
	大腸（結腸・直腸）	C18-C20	36.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.4	8.9	11.9	15.6	23.5	26.2	47.8	71.1	124.4	200.0	.
	結腸	C18	29.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	8.9	4.8	11.1	17.6	16.9	30.4	55.6	100.0	181.5	.
	直腸	C19-C20	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	7.1	4.4	5.9	9.2	17.4	15.6	24.4	18.5	.
	肝および肝内胆管	C22	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	8.9	21.6	16.9	30.4	51.1	58.5	87.0	.
	胆のう・胆管	C23-C24	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.4	6.7	0.0	10.8	8.7	35.6	65.9	109.3	.
	膵臓	C25	27.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.2	4.8	17.8	19.6	32.3	30.4	71.1	112.2	114.8	.
	喉頭	C32
	肺	C33-C34	39.1	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	2.1	11.1	16.7	8.9	39.2	41.5	50.0	93.3	124.4	187.0	.
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.5	0.0	0.0	4.9	7.4	.
	乳房	C50	23.7	0.0	0.0	0.0	0.0	0.0	0.0	2.9	7.7	8.3	26.7	19.0	37.8	31.4	32.3	58.7	33.3	29.3	64.8	.
	子宮	C53-C55	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	6.3	8.9	4.8	11.1	17.6	29.2	15.2	28.9	19.5	31.5	.
	子宮頸部	C53	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	4.2	4.4	2.4	4.4	5.9	12.3	6.5	8.9	0.0	7.4	.
	子宮体部	C54	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.2	2.4	6.7	7.8	13.8	6.5	15.6	12.2	16.7	.
	卵巣	C56	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.7	7.1	6.7	11.8	6.2	10.9	15.6	12.2	25.9	.
	膀胱	C67	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2	14.6	31.5	.
	腎・尿路（膀胱除く）	C64-C66 C68	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	7.8	4.6	4.3	6.7	4.9	20.4	.
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	2.0	1.5	2.2	8.9	4.9	1.9	.
	甲状腺	C73	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.2	0.0	4.9	9.3	.
	悪性リンパ腫	C81-C85 C96	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	6.2	4.3	13.3	41.5	44.4	.
	多発性骨髄腫	C88-C90	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.6	4.3	2.2	22.0	24.1	.
	白血病	C91-C95	8.0	0.0	0.0	0.0	3.2	4.2	0.0	0.0	0.0	4.2	2.2	2.4	2.2	5.9	6.2	17.4	20.0	24.4	31.5	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	332.2	5.9	0.0	1.7	6.3	4.0	7.0	5.9	15.4	29.2	72.7	74.1	195.4	328.6	436.8	669.0	871.8	1,167.2	1,702.6	.
	口腔・咽頭	C00-C14	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	1.2	5.7	9.2	5.6	22.6	14.1	13.4	43.4	.
	食道	C15	7.7	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	3.4	0.0	4.6	11.2	17.6	23.8	17.9	28.4	14.5	.
	胃	C16	42.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	4.2	3.4	3.7	20.7	31.6	58.4	82.1	120.5	168.7	231.6	.
	大腸（結腸・直腸）	C18-C20	41.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	9.1	14.8	21.8	46.9	51.2	70.2	101.3	156.7	219.7	.
	結腸	C18	29.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	8.0	8.6	11.5	27.6	28.8	40.5	67.9	120.9	182.9	.
	直腸	C19-C20	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.1	6.2	10.3	19.4	22.4	29.8	33.3	35.8	36.8	.
	肝および肝内胆管	C22	30.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.1	3.4	4.9	21.8	42.9	44.0	75.0	75.6	103.0	125.0	.
	胆のう・胆管	C23-C24	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.1	1.2	6.9	3.1	14.4	23.8	41.0	74.6	121.1	.
	膵臓	C25	31.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.0	4.5	7.4	24.1	29.6	45.6	65.5	92.3	120.9	132.9	.
	喉頭	C32	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	3.0	0.0	.
	肺	C33-C34	66.3	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.3	3.1	11.4	17.3	41.4	68.4	91.2	151.2	192.3	198.5	328.9	.
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.0	0.0	0.0	0.0	1.0	1.6	2.4	0.0	4.5	11.8	.
	乳房	C50	12.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.8	4.2	13.6	9.9	19.5	16.3	16.8	32.1	19.2	17.9	47.4	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.0	5.6	11.9	15.4	22.4	53.9	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.1	1.2	0.0	9.2	7.2	14.3	19.2	13.4	39.5	.
	脳・中枢神経系	C70-C72	2.4	2.0	0.0	1.7	4.7	0.0	0.0	2.9	1.3	0.0	3.4	0.0	0.0	4.1	2.4	4.8	7.7	3.0	3.9	.
	甲状腺	C73	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.2	0.0	6.0	7.9	.
	悪性リンパ腫	C81-C85 C96	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	3.4	9.2	13.6	15.5	20.5	62.7	67.1	.
	多発性骨髄腫	C88-C90	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.3	0.0	3.2	6.0	7.7	20.9	28.9	.
	白血病	C91-C95	8.6	2.0	0.0	0.0	1.6	4.0	1.8	0.0	0.0	2.1	2.3	2.5	3.4	10.2	13.6	17.9	23.1	32.8	27.6	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計