

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	6,894	5,226	12,121	100.0	100.0	100.0	1,087.4	741.3	905.2	465.8	356.4	400.4	330.5	269.2	293.3	39.5	29.3	34.0
口腔・咽頭	C00-C14	172	86	258	2.5	1.6	2.1	27.1	12.2	19.3	14.8	5.3	9.8	11.3	4.1	7.5	1.4	0.4	0.9
食道	C15	194	31	225	2.8	0.6	1.9	30.6	4.4	16.8	14.2	1.8	7.5	10.0	1.3	5.3	1.3	0.2	0.7
胃	C16	1,095	529	1,624	15.9	10.1	13.4	172.7	75.0	121.3	71.2	25.4	46.0	49.4	17.7	32.1	6.0	1.9	3.9
大腸（結腸・直腸）	C18-C20	924	719	1,643	13.4	13.8	13.6	145.7	102.0	122.7	68.1	41.1	53.4	49.0	29.9	38.7	6.0	3.4	4.7
結腸	C18	555	496	1,051	8.1	9.5	8.7	87.5	70.4	78.5	39.1	25.8	31.9	28.1	18.6	23.0	3.4	2.1	2.8
直腸	C19-C20	369	223	592	5.4	4.3	4.9	58.2	31.6	44.2	29.0	15.3	21.6	20.9	11.3	15.8	2.6	1.3	1.9
肝および肝内胆管	C22	363	176	539	5.3	3.4	4.4	57.3	25.0	40.3	23.6	6.3	14.2	17.0	4.1	10.0	2.1	0.4	1.2
胆のう・胆管	C23-C24	139	154	293	2.0	2.9	2.4	21.9	21.8	21.9	7.9	5.3	6.4	5.3	3.6	4.4	0.6	0.3	0.4
膵臓	C25	269	282	551	3.9	5.4	4.5	42.4	40.0	41.2	18.1	13.8	15.8	12.9	9.8	11.2	1.6	1.2	1.4
喉頭	C32	40	8	48	0.6	0.2	0.4	6.3	1.1	3.6	2.5	0.4	1.4	1.7	0.3	0.9	0.2	0.0	0.1
肺	C33-C34	1,075	527	1,602	15.6	10.1	13.2	169.6	74.8	119.6	67.1	27.3	44.9	46.0	19.2	31.2	5.6	2.4	3.9
皮膚	C43-C44	160	153	313	2.3	2.9	2.6	25.2	21.7	23.4	9.1	6.0	7.3	6.2	4.4	5.1	0.6	0.4	0.5
乳房	C50	9	1,170	1,179	0.1	22.4	9.7	1.4	166.0	88.1	0.8	106.3	55.7	0.6	81.4	42.5	0.0	9.0	4.7
子宮	C53-C55	-	368	368	-	7.0	3.0	-	52.2	-	-	39.6	-	-	31.0	-	-	3.3	-
子宮頸部	C53	-	150	150	-	2.9	1.2	-	21.3	-	-	17.0	-	-	13.5	-	-	1.4	-
子宮体部	C54	-	213	213	-	4.1	1.8	-	30.2	-	-	22.5	-	-	17.5	-	-	2.0	-
卵巣	C56	-	137	137	-	2.6	1.1	-	19.4	-	-	15.0	-	-	12.4	-	-	1.2	-
前立腺	C61	1,216	-	1,216	17.6	-	10.0	191.8	-	-	73.4	-	-	50.1	-	-	6.4	-	-
膀胱	C67	240	74	314	3.5	1.4	2.6	37.9	10.5	23.5	14.2	3.1	8.0	9.6	2.2	5.5	1.1	0.2	0.7
腎・尿路（膀胱除く）	C64-C66 C68	246	103	349	3.6	2.0	2.9	38.8	14.6	26.1	17.6	5.8	11.1	12.6	4.5	8.2	1.5	0.4	1.0
脳・中枢神経系	C70-C72	42	38	80	0.6	0.7	0.7	6.6	5.4	6.0	4.1	3.5	3.8	3.5	3.1	3.3	0.3	0.2	0.3
甲状腺	C73	66	154	220	1.0	2.9	1.8	10.4	21.8	16.4	6.9	17.1	12.1	5.2	13.7	9.5	0.6	1.4	1.0
悪性リンパ腫	C81-C85 C96	239	219	458	3.5	4.2	3.8	37.7	31.1	34.2	18.3	13.2	15.5	13.4	9.9	11.5	1.3	1.0	1.2
多発性骨髄腫	C88-C90	58	49	107	0.8	0.9	0.9	9.1	7.0	8.0	4.0	2.4	3.1	2.8	1.8	2.2	0.3	0.2	0.3
白血病	C91-C95	115	76	191	1.7	1.5	1.6	18.1	10.8	14.3	10.8	6.2	8.4	9.0	5.6	7.2	0.9	0.5	0.7

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

愛媛県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	7,550	6,040	13,591	100.0	100.0	100.0	1,190.9	856.7	1,015.0	513.2	464.4	477.0	364.3	357.4	353.5	43.9	37.3	40.1
食道	C15 D001	217	36	253	2.9	0.6	1.9	34.2	5.1	18.9	15.8	2.4	8.5	11.1	1.7	6.1	1.4	0.2	0.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,219	869	2,088	16.1	14.4	15.4	192.3	123.3	155.9	92.4	51.9	70.6	67.0	38.1	51.5	8.4	4.4	6.3
結腸 *2	C18 D010	760	612	1,372	10.1	10.1	10.1	119.9	86.8	102.5	56.3	34.2	44.4	40.9	24.9	32.3	5.1	2.9	3.9
直腸 *2	C19-C20 D011-D012	459	257	716	6.1	4.3	5.3	72.4	36.5	53.5	36.1	17.7	26.2	26.1	13.2	19.2	3.3	1.5	2.4
肺	C33-C34 D021-D022	1,097	571	1,668	14.5	9.5	12.3	173.0	81.0	124.6	68.8	31.2	47.7	47.3	22.2	33.3	5.8	2.8	4.2
皮膚	C43-C44 D030-D049	198	201	399	2.6	3.3	2.9	31.2	28.5	29.8	11.2	8.0	9.3	7.6	5.7	6.5	0.8	0.5	0.6
乳房	C50 D05	10	1,285	1,295	0.1	21.3	9.5	1.6	182.3	96.7	1.0	119.8	62.8	0.8	92.2	48.1	0.1	10.2	5.3
子宮	C53-C55 D06	-	719	719	-	11.9	5.3	-	102.0	-	-	110.2	-	-	90.6	-	-	8.1	-
子宮頸部	C53 D06	-	501	501	-	8.3	3.7	-	71.1	-	-	87.6	-	-	73.0	-	-	6.2	-
膀胱	C67 D090	454	125	579	6.0	2.1	4.3	71.6	17.7	43.2	27.2	6.4	15.5	18.4	4.6	10.7	2.2	0.5	1.3

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	6,894	4	3	2	7	4	9	21	31	61	91	168	281	522	1,110	1,371	1,200	960	682	313	51	3	0
	口腔・咽頭	C00-C14	172	0	0	0	0	0	2	0	2	1	6	14	10	23	38	31	22	10	11	2	0	0	0
	食道	C15	194	0	0	0	0	0	0	0	0	2	1	8	10	23	35	39	43	22	7	3	1	0	0
	胃	C16	1,095	0	0	0	0	0	0	1	1	9	15	22	44	83	163	231	202	158	117	42	7	0	0
	大腸（結腸・直腸）	C18-C20	924	0	0	0	1	0	1	3	7	11	16	45	53	69	169	182	141	115	75	31	5	0	0
	結腸	C18	555	0	0	0	1	0	1	3	4	6	7	27	19	42	88	120	78	75	55	24	5	0	0
	直腸	C19-C20	369	0	0	0	0	0	0	0	3	5	9	18	34	27	81	62	63	40	20	7	0	0	0
	肝および肝内胆管	C22	363	1	0	0	0	1	0	0	0	1	1	7	16	38	51	76	53	56	38	21	3	0	0
	胆のう・胆管	C23-C24	139	0	0	0	0	0	0	0	0	0	2	2	5	8	15	21	19	28	19	15	5	0	0
	膵臓	C25	269	0	0	0	0	0	0	0	1	1	3	7	13	27	46	51	45	33	26	15	0	1	0
	喉頭	C32	40	0	0	0	0	0	0	0	1	0	0	0	0	3	8	8	10	4	5	1	0	0	0
	肺	C33-C34	1,075	0	0	0	0	0	0	3	0	6	10	16	33	67	178	220	212	154	111	59	5	1	0
	皮膚	C43-C44	160	0	0	0	0	0	0	2	1	3	1	1	3	5	22	19	20	32	32	12	7	0	0
	乳房	C50	9	0	0	0	1	0	0	0	1	0	0	0	0	0	1	0	3	1	1	1	0	0	0
	前立腺	C61	1,216	0	0	0	0	0	0	0	0	0	4	9	39	80	210	270	231	179	130	56	8	0	0
	膀胱	C67	240	0	0	0	0	0	0	0	1	2	1	2	6	13	35	48	48	34	32	15	2	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	246	0	0	0	0	0	0	0	0	3	4	11	12	28	39	44	41	30	23	10	1	0	0
	脳・中枢神経系	C70-C72	42	0	1	0	2	0	0	1	4	0	2	0	1	3	8	7	4	6	3	0	0	0	0
	甲状腺	C73	66	0	0	0	0	0	0	1	3	5	7	4	7	5	7	12	6	6	1	1	1	0	0
	悪性リンパ腫	C81-C85 C96	239	0	0	1	0	1	3	3	5	5	5	5	7	23	31	28	40	50	20	11	1	0	0
	多発性骨髄腫	C88-C90	58	0	0	0	0	0	0	0	0	2	0	2	7	3	2	13	6	10	8	4	1	0	0
	白血病	C91-C95	115	1	2	0	2	2	1	2	1	5	3	7	4	6	17	23	20	10	6	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	5,226	7	4	1	4	6	15	35	79	156	245	273	306	406	591	694	726	593	617	353	104	11	0
	口腔・咽頭	C00-C14	86	0	0	0	0	0	2	1	1	2	4	1	7	8	2	6	7	13	18	11	2	1	0
	食道	C15	31	0	0	0	0	0	0	0	0	2	0	1	1	2	3	7	5	5	3	1	1	0	0
	胃	C16	529	1	0	0	0	0	0	2	0	7	10	8	16	28	46	76	111	87	78	41	16	2	0
	大腸（結腸・直腸）	C18-C20	719	0	0	0	0	0	0	3	7	10	18	30	44	51	81	97	92	94	96	75	18	3	0
	結腸	C18	496	0	0	0	0	0	0	2	4	5	7	15	27	36	49	69	65	69	71	58	16	3	0
	直腸	C19-C20	223	0	0	0	0	0	0	1	3	5	11	15	17	15	32	28	27	25	25	17	2	0	0
	肝および肝内胆管	C22	176	0	0	0	0	0	0	0	0	1	0	1	4	4	13	23	29	32	40	26	3	0	0
	胆のう・胆管	C23-C24	154	0	0	0	0	0	0	0	0	1	1	2	3	5	9	13	21	29	41	19	8	2	0
	膵臓	C25	282	0	0	0	0	0	0	0	3	3	3	7	9	17	35	43	39	39	48	26	10	0	0
	喉頭	C32	8	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4	1	0	0	0	0	0
	肺	C33-C34	527	0	0	0	0	0	0	0	1	3	5	17	19	36	68	102	101	68	61	36	8	2	0
	皮膚	C43-C44	153	0	0	0	1	0	0	2	0	1	3	4	2	4	7	13	20	19	40	26	11	0	0
	乳房	C50	1,170	0	0	0	0	0	1	9	30	71	116	96	101	128	160	150	125	88	57	30	8	0	0
	子宮	C53-C55	368	0	0	0	0	2	3	5	15	26	32	55	44	33	46	46	26	13	19	3	0	0	0
	子宮頸部	C53	150	0	0	0	0	1	3	4	8	18	12	19	12	7	20	20	8	5	11	2	0	0	0
	子宮体部	C54	213	0	0	0	0	1	0	1	7	8	20	36	32	26	26	25	18	8	4	1	0	0	0
	卵巣	C56	137	1	1	0	0	1	3	5	6	6	10	21	10	13	13	15	12	7	10	2	1	0	0
	膀胱	C67	74	0	0	0	0	0	0	0	1	1	0	1	1	2	12	8	6	16	9	11	5	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	103	1	0	0	0	0	0	0	1	0	4	2	4	10	13	9	21	12	13	11	2	0	0
	脳・中枢神経系	C70-C72	38	2	0	0	0	0	0	1	0	3	2	3	4	2	0	3	5	7	6	0	0	0	0
	甲状腺	C73	154	0	0	0	1	1	2	5	5	13	19	12	12	19	25	17	12	8	3	0	0	0	0
	悪性リンパ腫	C81-C85 C96	219	0	0	1	0	1	3	1	3	2	5	4	13	12	20	34	41	31	31	13	4	0	0
	多発性骨髄腫	C88-C90	49	0	0	0	0	0	0	0	1	0	0	0	1	5	9	7	8	4	10	3	1	0	0
	白血病	C91-C95	76	1	2	0	2	1	0	1	2	0	4	2	5	4	10	8	13	6	9	4	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	12,121	11	7	3	11	10	24	56	110	217	336	441	587	928	1,701	2,065	1,927	1,553	1,299	666	155	14	0
	口腔・咽頭	C00-C14	258	0	0	0	0	0	4	1	3	3	10	15	17	31	40	37	29	23	29	13	2	1	0
	食道	C15	225	0	0	0	0	0	0	0	0	4	1	9	11	25	38	46	48	27	10	4	2	0	0
	胃	C16	1,624	1	0	0	0	0	0	3	1	16	25	30	60	111	209	307	313	245	195	83	23	2	0
	大腸（結腸・直腸）	C18-C20	1,643	0	0	0	1	0	1	6	14	21	34	75	97	120	250	279	233	209	171	106	23	3	0
	結腸	C18	1,051	0	0	0	1	0	1	5	8	11	14	42	46	78	137	189	143	144	126	82	21	3	0
	直腸	C19-C20	592	0	0	0	0	0	0	1	6	10	20	33	51	42	113	90	90	65	45	24	2	0	0
	肝および肝内胆管	C22	539	1	0	0	0	1	0	0	0	2	1	8	20	42	64	99	82	88	78	47	6	0	0
	胆のう・胆管	C23-C24	293	0	0	0	0	0	0	0	0	1	3	4	8	13	24	34	40	57	60	34	13	2	0
	膵臓	C25	551	0	0	0	0	0	0	0	4	4	6	14	22	44	81	94	84	72	74	41	10	1	0
	喉頭	C32	48	0	0	0	0	0	0	0	1	0	0	0	0	4	9	9	14	5	5	1	0	0	0
	肺	C33-C34	1,602	0	0	0	0	0	0	3	1	9	15	33	52	103	246	322	313	222	172	95	13	3	0
	皮膚	C43-C44	313	0	0	0	1	0	0	4	1	4	4	5	5	9	29	32	40	51	72	38	18	0	0
	乳房	C50	1,179	0	0	0	1	0	1	9	31	71	116	96	101	128	161	150	128	89	58	31	8	0	0
	子宮	C53-C55	368	0	0	0	0	2	3	5	15	26	32	55	44	33	46	46	26	13	19	3	0	0	0
	子宮頸部	C53	150	0	0	0	0	1	3	4	8	18	12	19	12	7	20	20	8	5	11	2	0	0	0
	子宮体部	C54	213	0	0	0	0	1	0	1	7	8	20	36	32	26	26	25	18	8	4	1	0	0	0
	卵巣	C56	137	1	1	0	0	1	3	5	6	6	10	21	10	13	13	15	12	7	10	2	1	0	0
	前立腺	C61	1,216	0	0	0	0	0	0	0	0	0	4	9	39	80	210	270	231	179	130	56	8	0	0
	膀胱	C67	314	0	0	0	0	0	0	0	2	3	1	3	7	15	47	56	54	50	41	26	7	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	349	1	0	0	0	0	0	0	1	3	8	13	16	38	52	53	62	42	36	21	3	0	0
	脳・中枢神経系	C70-C72	80	2	1	0	2	0	0	2	4	3	4	3	5	5	8	10	9	13	9	0	0	0	0
	甲状腺	C73	220	0	0	0	1	1	2	6	8	18	26	16	19	24	32	29	18	14	4	1	1	0	0
	悪性リンパ腫	C81-C85 C96	458	0	0	2	0	2	6	4	8	7	10	9	20	35	51	62	81	81	51	24	5	0	0
	多発性骨髄腫	C88-C90	107	0	0	0	0	0	0	0	1	2	0	2	8	8	11	20	14	14	18	7	2	0	0
	白血病	C91-C95	191	2	4	0	4	3	1	3	3	5	7	9	9	10	27	31	33	16	15	7	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	7,550	4	3	2	7	4	10	22	35	68	104	184	315	591	1,214	1,528	1,298	1,051	732	322	53	3	0	
	食道	C15 D001	217	0	0	0	0	0	0	0	0	2	2	8	11	24	40	45	48	26	7	3	1	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,219	0	0	0	1	0	1	3	9	17	27	56	75	115	221	249	176	143	87	33	6	0	0	
	結腸 *2	C18 D010	760	0	0	0	1	0	1	3	6	11	15	36	37	72	120	167	99	95	65	26	6	0	0	
	直腸 *2	C19-C20 D011-D012	459	0	0	0	0	0	0	0	3	6	12	20	38	43	101	82	77	48	22	7	0	0	0	
	肺	C33-C34 D021-D022	1,097	0	0	0	0	0	0	0	3	1	6	10	16	35	69	182	228	215	155	112	59	5	1	0
	皮膚	C43-C44 D030-D049	198	0	0	0	0	0	0	0	2	1	3	2	1	3	6	24	34	25	37	39	14	7	0	0
	乳房	C50 D05	10	0	0	0	1	0	0	0	1	1	0	0	0	0	0	1	0	3	1	1	1	0	0	0
	膀胱	C67 D090	454	0	0	0	0	0	0	1	0	1	2	1	3	14	27	64	98	85	77	58	19	3	1	0
	女	全部位	C00-C96 D00-D09	6,040	7	4	1	5	14	56	105	171	245	313	316	339	476	657	767	783	638	654	369	109	11	0
食道		C15 D001	36	0	0	0	0	0	0	0	0	2	0	2	4	2	3	7	5	6	3	1	1	0	0	
大腸（結腸・直腸）*2		C18-C20 D010-D012	869	0	0	0	0	0	0	4	8	11	27	37	54	72	109	116	115	111	107	76	19	3	0	
結腸 *2		C18 D010	612	0	0	0	0	0	0	3	5	6	14	19	37	53	66	84	83	82	81	59	17	3	0	
直腸 *2		C19-C20 D011-D012	257	0	0	0	0	0	0	1	3	5	13	18	17	19	43	32	32	29	26	17	2	0	0	
肺		C33-C34 D021-D022	571	0	0	0	0	0	1	0	3	6	6	20	19	43	75	111	106	72	63	36	8	2	0	
皮膚		C43-C44 D030-D049	201	0	0	0	1	0	0	0	2	0	3	3	4	5	6	9	16	27	25	51	36	13	0	0
乳房		C50 D05	1,285	0	0	0	0	0	2	13	37	80	132	112	108	145	169	167	129	93	60	30	8	0	0	
子宮		C53-C55 D06	719	0	0	0	1	10	42	69	97	95	70	68	52	42	55	51	31	14	19	3	0	0	0	
子宮頸部		C53 D06	501	0	0	0	1	9	42	68	90	87	50	32	20	16	29	25	13	6	11	2	0	0	0	
膀胱	C67 D090	125	0	0	0	0	0	0	0	1	1	4	1	2	2	7	19	18	14	22	12	15	6	1	0	
総数 *3	全部位	C00-C96 D00-D09	13,591	11	7	3	12	18	66	127	206	313	417	500	654	1,067	1,871	2,295	2,082	1,689	1,386	691	162	14	0	
	食道	C15 D001	253	0	0	0	0	0	0	0	0	4	2	10	15	26	43	52	53	32	10	4	2	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	2,088	0	0	0	1	0	1	7	17	28	54	93	129	187	330	365	291	254	194	109	25	3	0	
	結腸 *2	C18 D010	1,372	0	0	0	1	0	1	6	11	17	29	55	74	125	186	251	182	177	146	85	23	3	0	
	直腸 *2	C19-C20 D011-D012	716	0	0	0	0	0	0	1	6	11	25	38	55	62	144	114	109	77	48	24	2	0	0	
	肺	C33-C34 D021-D022	1,668	0	0	0	0	0	1	3	4	12	16	36	54	112	257	339	321	227	175	95	13	3	0	
	皮膚	C43-C44 D030-D049	399	0	0	0	1	0	0	4	1	6	5	5	8	12	33	50	52	62	90	50	20	0	0	
	乳房	C50 D05	1,295	0	0	0	1	0	2	14	38	80	132	112	108	145	170	167	132	94	61	31	8	0	0	
	子宮	C53-C55 D06	719	0	0	0	1	10	42	69	97	95	70	68	52	42	55	51	31	14	19	3	0	0	0	
	子宮頸部	C53 D06	501	0	0	0	1	9	42	68	90	87	50	32	20	16	29	25	13	6	11	2	0	0	0	
	膀胱	C67 D090	579	0	0	0	0	0	1	1	2	6	2	5	16	34	83	116	99	99	70	34	9	2	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	1,087.4	16.7	10.7	6.9	21.9	14.3	34.6	65.6	86.1	141.9	193.6	420.0	702.5	1,214.0	2,176.5	2,798.0	3,333.3	3,692.3	2,728.0
	口腔・咽頭	C00-C14	27.1	0.0	0.0	0.0	0.0	0.0	7.7	0.0	5.6	2.3	12.8	35.0	25.0	53.5	74.5	63.3	61.1	38.5	44.0
	食道	C15	30.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.1	20.0	25.0	53.5	68.6	79.6	119.4	84.6	28.0
	胃	C16	172.7	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.8	20.9	31.9	55.0	110.0	193.0	319.6	471.4	561.1	607.7	468.0
	大腸（結腸・直腸）	C18-C20	145.7	0.0	0.0	0.0	3.1	0.0	3.8	9.4	19.4	25.6	34.0	112.5	132.5	160.5	331.4	371.4	391.7	442.3	300.0
	結腸	C18	87.5	0.0	0.0	0.0	3.1	0.0	3.8	9.4	11.1	14.0	14.9	67.5	47.5	97.7	172.5	244.9	216.7	288.5	220.0
	直腸	C19-C20	58.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	11.6	19.1	45.0	85.0	62.8	158.8	126.5	175.0	153.8	80.0
	肝および肝内胆管	C22	57.3	4.2	0.0	0.0	0.0	3.6	0.0	0.0	0.0	2.3	2.1	17.5	40.0	88.4	100.0	155.1	147.2	215.4	152.0
	胆のう・胆管	C23-C24	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.0	12.5	18.6	29.4	42.9	52.8	107.7	76.0
	膵臓	C25	42.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	6.4	17.5	32.5	62.8	90.2	104.1	125.0	126.9	104.0
	喉頭	C32	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	7.0	15.7	16.3	27.8	15.4	20.0
	肺	C33-C34	169.6	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	14.0	21.3	40.0	82.5	155.8	349.0	449.0	588.9	592.3	444.0
	皮膚	C43-C44	25.2	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.8	7.0	2.1	2.5	7.5	11.6	43.1	38.8	55.6	123.1	128.0
	乳房	C50	1.4	0.0	0.0	0.0	3.1	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	2.0	0.0	8.3	3.8	4.0
	前立腺	C61	191.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	22.5	97.5	186.0	411.8	551.0	641.7	688.5	520.0
	膀胱	C67	37.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4.7	2.1	5.0	15.0	30.2	68.6	98.0	133.3	130.8	128.0
	腎・尿路（膀胱除く）	C64-C66 C68	38.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	8.5	27.5	30.0	65.1	76.5	89.8	113.9	115.4	92.0
	脳・中枢神経系	C70-C72	6.6	0.0	3.6	0.0	6.3	0.0	0.0	3.1	11.1	0.0	4.3	0.0	2.5	7.0	15.7	14.3	11.1	23.1	12.0
	甲状腺	C73	10.4	0.0	0.0	0.0	0.0	0.0	0.0	3.1	8.3	11.6	14.9	10.0	17.5	11.6	13.7	24.5	16.7	23.1	4.0
	悪性リンパ腫	C81-C85 C96	37.7	0.0	0.0	3.4	0.0	3.6	11.5	9.4	13.9	11.6	10.6	12.5	17.5	53.5	60.8	57.1	111.1	192.3	80.0
	多発性骨髄腫	C88-C90	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	5.0	17.5	7.0	3.9	26.5	16.7	38.5	32.0
	白血病	C91-C95	18.1	4.2	7.1	0.0	6.3	7.1	3.8	6.3	2.8	11.6	6.4	17.5	10.0	14.0	33.3	46.9	55.6	38.5	24.0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	741.3	30.4	15.4	3.6	13.3	24.0	60.0	112.9	219.4	362.8	510.4	634.9	711.6	863.8	1,055.4	1,239.3	1,544.7	1,482.5	1,063.8
	口腔・咽頭	C00-C14	12.2	0.0	0.0	0.0	0.0	0.0	8.0	3.2	2.8	4.7	8.3	2.3	16.3	17.0	3.6	10.7	14.9	32.5	31.0
	食道	C15	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	2.3	2.3	4.3	5.4	12.5	10.6	12.5	5.2
	胃	C16	75.0	4.3	0.0	0.0	0.0	0.0	0.0	6.5	0.0	16.3	20.8	18.6	37.2	59.6	82.1	135.7	236.2	217.5	134.5
	大腸（結腸・直腸）	C18-C20	102.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	19.4	23.3	37.5	69.8	102.3	108.5	144.6	173.2	195.7	235.0	165.5
	結腸	C18	70.4	0.0	0.0	0.0	0.0	0.0	0.0	6.5	11.1	11.6	14.6	34.9	62.8	76.6	87.5	123.2	138.3	172.5	122.4
	直腸	C19-C20	31.6	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.3	11.6	22.9	34.9	39.5	31.9	57.1	50.0	57.4	62.5	43.1
	肝および肝内胆管	C22	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.3	9.3	8.5	23.2	41.1	61.7	80.0	69.0
	胆のう・胆管	C23-C24	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	4.7	7.0	10.6	16.1	23.2	44.7	72.5	70.7
	膵臓	C25	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	7.0	6.3	16.3	20.9	36.2	62.5	76.8	83.0	97.5	82.8
	喉頭	C32	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.8	1.8	8.5	2.5	0.0
	肺	C33-C34	74.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	7.0	10.4	39.5	44.2	76.6	121.4	182.1	214.9	170.0	105.2
	皮膚	C43-C44	21.7	0.0	0.0	0.0	3.3	0.0	0.0	6.5	0.0	2.3	6.3	9.3	4.7	8.5	12.5	23.2	42.6	47.5	69.0
	乳房	C50	166.0	0.0	0.0	0.0	0.0	0.0	4.0	29.0	83.3	165.1	241.7	223.3	234.9	272.3	285.7	267.9	266.0	220.0	98.3
	子宮	C53-C55	52.2	0.0	0.0	0.0	0.0	8.0	12.0	16.1	41.7	60.5	66.7	127.9	102.3	70.2	82.1	82.1	55.3	32.5	32.8
	子宮頸部	C53	21.3	0.0	0.0	0.0	0.0	4.0	12.0	12.9	22.2	41.9	25.0	44.2	27.9	14.9	35.7	35.7	17.0	12.5	19.0
	子宮体部	C54	30.2	0.0	0.0	0.0	0.0	4.0	0.0	3.2	19.4	18.6	41.7	83.7	74.4	55.3	46.4	44.6	38.3	20.0	6.9
	卵巣	C56	19.4	4.3	3.8	0.0	0.0	4.0	12.0	16.1	16.7	14.0	20.8	48.8	23.3	27.7	23.2	26.8	25.5	17.5	17.2
	膀胱	C67	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	0.0	2.3	2.3	4.3	21.4	14.3	12.8	40.0	15.5
	腎・尿路（膀胱除く）	C64-C66 C68	14.6	4.3	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	8.3	4.7	9.3	21.3	23.2	16.1	44.7	30.0	22.4
	脳・中枢神経系	C70-C72	5.4	8.7	0.0	0.0	0.0	0.0	0.0	3.2	0.0	7.0	4.2	7.0	9.3	4.3	0.0	5.4	10.6	17.5	10.3
	甲状腺	C73	21.8	0.0	0.0	0.0	3.3	4.0	8.0	16.1	13.9	30.2	39.6	27.9	27.9	40.4	44.6	30.4	25.5	20.0	5.2
	悪性リンパ腫	C81-C85 C96	31.1	0.0	0.0	3.6	0.0	4.0	12.0	3.2	8.3	4.7	10.4	9.3	30.2	25.5	35.7	60.7	87.2	77.5	53.4
	多発性骨髄腫	C88-C90	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	2.3	10.6	16.1	12.5	17.0	10.0	17.2
	白血病	C91-C95	10.8	4.3	7.7	0.0	6.7	4.0	0.0	3.2	5.6	0.0	8.3	4.7	11.6	8.5	17.9	14.3	27.7	15.0	15.5

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	905.2	23.4	13.0	5.3	17.7	18.9	47.1	88.9	152.8	252.3	353.7	531.3	707.2	1,031.1	1,589.7	1,966.7	2,321.7	2,353.0	1,565.1
	口腔・咽頭	C00-C14	19.3	0.0	0.0	0.0	0.0	0.0	7.8	1.6	4.2	3.5	10.5	18.1	20.5	34.4	37.4	35.2	34.9	34.8	34.9
	食道	C15	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	1.1	10.8	13.3	27.8	35.5	43.8	57.8	40.9	12.0
	胃	C16	121.3	2.1	0.0	0.0	0.0	0.0	0.0	4.8	1.4	18.6	26.3	36.1	72.3	123.3	195.3	292.4	377.1	371.2	234.9
	大腸（結腸・直腸）	C18-C20	122.7	0.0	0.0	0.0	1.6	0.0	2.0	9.5	19.4	24.4	35.8	90.4	116.9	133.3	233.6	265.7	280.7	316.7	206.0
	結腸	C18	78.5	0.0	0.0	0.0	1.6	0.0	2.0	7.9	11.1	12.8	14.7	50.6	55.4	86.7	128.0	180.0	172.3	218.2	151.8
	直腸	C19-C20	44.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	8.3	11.6	21.1	39.8	61.4	46.7	105.6	85.7	108.4	98.5	54.2
	肝および肝内胆管	C22	40.3	2.1	0.0	0.0	0.0	1.9	0.0	0.0	0.0	2.3	1.1	9.6	24.1	46.7	59.8	94.3	98.8	133.3	94.0
	胆のう・胆管	C23-C24	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.2	4.8	9.6	14.4	22.4	32.4	48.2	86.4	72.3
	膵臓	C25	41.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	4.7	6.3	16.9	26.5	48.9	75.7	89.5	101.2	109.1	89.2
	喉頭	C32	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	4.4	8.4	8.6	16.9	7.6	6.0
	肺	C33-C34	119.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	1.4	10.5	15.8	39.8	62.7	114.4	229.9	306.7	377.1	336.4	207.2
	皮膚	C43-C44	23.4	0.0	0.0	0.0	1.6	0.0	0.0	6.3	1.4	4.7	4.2	6.0	6.0	10.0	27.1	30.5	48.2	77.3	86.7
	乳房	C50	88.1	0.0	0.0	0.0	1.6	0.0	2.0	14.3	43.1	82.6	122.1	115.7	121.7	142.2	150.5	142.9	154.2	134.8	69.9
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	23.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	3.5	1.1	3.6	8.4	16.7	43.9	53.3	65.1	75.8	49.4
	腎・尿路（膀胱除く）	C64-C66 C68	26.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.5	8.4	15.7	19.3	42.2	48.6	50.5	74.7	63.6	43.4
	脳・中枢神経系	C70-C72	6.0	4.3	1.9	0.0	3.2	0.0	0.0	3.2	5.6	3.5	4.2	3.6	6.0	5.6	7.5	9.5	10.8	19.7	10.8
	甲状腺	C73	16.4	0.0	0.0	0.0	1.6	1.9	3.9	9.5	11.1	20.9	27.4	19.3	22.9	26.7	29.9	27.6	21.7	21.2	4.8
	悪性リンパ腫	C81-C85 C96	34.2	0.0	0.0	3.5	0.0	3.8	11.8	6.3	11.1	8.1	10.5	10.8	24.1	38.9	47.7	59.0	97.6	122.7	61.4
	多発性骨髄腫	C88-C90	8.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.3	0.0	2.4	9.6	8.9	10.3	19.0	16.9	21.2	21.7
	白血病	C91-C95	14.3	4.3	7.4	0.0	6.5	5.7	2.0	4.8	4.2	5.8	7.4	10.8	10.8	11.1	25.2	29.5	39.8	24.2	18.1

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	1,190.9	16.7	10.7	6.9	21.9	14.3	38.5	68.8	97.2	158.1	221.3	460.0	787.5	1,374.4	2,380.4	3,118.4	3,605.6	4,042.3	2,928.0	-	-	-	-
	食道	C15 D001	34.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	4.3	20.0	27.5	55.8	78.4	91.8	133.3	100.0	28.0	-	-	-	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	192.3	0.0	0.0	0.0	3.1	0.0	3.8	9.4	25.0	39.5	57.4	140.0	187.5	267.4	433.3	508.2	488.9	550.0	348.0	-	-	-	-
	結腸 *2	C18 D010	119.9	0.0	0.0	0.0	3.1	0.0	3.8	9.4	16.7	25.6	31.9	90.0	92.5	167.4	235.3	340.8	275.0	365.4	260.0	-	-	-	-
	直腸 *2	C19-C20 D011-D012	72.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	14.0	25.5	50.0	95.0	100.0	198.0	167.3	213.9	184.6	88.0	-	-	-	-
	肺	C33-C34 D021-D022	173.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	2.8	14.0	21.3	40.0	87.5	160.5	356.9	465.3	597.2	596.2	448.0	-	-	-	-
	皮膚	C43-C44 D030-D049	31.2	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.8	7.0	4.3	2.5	7.5	14.0	47.1	69.4	69.4	142.3	156.0	-	-	-	-
	乳房	C50 D05	1.6	0.0	0.0	0.0	3.1	0.0	0.0	3.1	2.8	0.0	0.0	0.0	0.0	0.0	2.0	0.0	8.3	3.8	4.0	-	-	-	-
	膀胱	C67 D090	71.6	0.0	0.0	0.0	0.0	0.0	3.8	0.0	2.8	4.7	2.1	7.5	35.0	62.8	125.5	200.0	236.1	296.2	232.0	-	-	-	-
女	全部位	C00-C96 D00-D09	856.7	30.4	15.4	3.6	16.7	56.0	224.0	338.7	475.0	569.8	652.1	734.9	788.4	1,012.8	1,173.2	1,369.6	1,666.0	1,595.0	1,127.6	-	-	-	-
	食道	C15 D001	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	4.7	9.3	4.3	5.4	12.5	10.6	15.0	5.2	-	-	-	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	123.3	0.0	0.0	0.0	0.0	0.0	12.9	22.2	25.6	56.3	86.0	125.6	153.2	194.6	207.1	244.7	277.5	184.5	-	-	-	-	-
	結腸 *2	C18 D010	86.8	0.0	0.0	0.0	0.0	0.0	9.7	13.9	14.0	29.2	44.2	86.0	112.8	117.9	150.0	176.6	205.0	139.7	-	-	-	-	-
	直腸 *2	C19-C20 D011-D012	36.5	0.0	0.0	0.0	0.0	0.0	3.2	8.3	11.6	27.1	41.9	39.5	40.4	76.8	57.1	68.1	72.5	44.8	-	-	-	-	-
	肺	C33-C34 D021-D022	81.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	8.3	14.0	12.5	46.5	44.2	91.5	133.9	198.2	225.5	180.0	108.6	-	-	-	-
	皮膚	C43-C44 D030-D049	28.5	0.0	0.0	0.0	3.3	0.0	0.0	6.5	0.0	7.0	6.3	9.3	11.6	12.8	16.1	28.6	57.4	62.5	87.9	-	-	-	-
	乳房	C50 D05	182.3	0.0	0.0	0.0	0.0	0.0	8.0	41.9	102.8	186.0	275.0	260.5	251.2	308.5	301.8	298.2	274.5	232.5	103.4	-	-	-	-
	子宮	C53-C55 D06	102.0	0.0	0.0	0.0	3.3	40.0	168.0	222.6	269.4	220.9	145.8	158.1	120.9	89.4	98.2	91.1	66.0	35.0	32.8	-	-	-	-
子宮頸部	C53 D06	71.1	0.0	0.0	0.0	3.3	36.0	168.0	219.4	250.0	202.3	104.2	74.4	46.5	34.0	51.8	44.6	27.7	15.0	19.0	-	-	-	-	
膀胱	C67 D090	17.7	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.8	9.3	2.1	4.7	4.7	14.9	33.9	32.1	29.8	55.0	20.7	-	-	-	-	
総数 *3	全部位	C00-C96 D00-D09	1,015.0	23.4	13.0	5.3	19.4	34.0	129.4	201.6	286.1	364.0	438.9	602.4	788.0	1,185.6	1,748.6	2,185.7	2,508.4	2,559.1	1,669.9	-	-	-	-
	食道	C15 D001	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.1	12.0	18.1	28.9	40.2	49.5	63.9	48.5	12.0	-	-	-	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	155.9	0.0	0.0	0.0	1.6	0.0	2.0	11.1	23.6	32.6	56.8	112.0	155.4	207.8	308.4	347.6	350.6	384.8	233.7	-	-	-	-
	結腸 *2	C18 D010	102.5	0.0	0.0	0.0	1.6	0.0	2.0	9.5	15.3	19.8	30.5	66.3	89.2	138.9	173.8	239.0	219.3	268.2	175.9	-	-	-	-
	直腸 *2	C19-C20 D011-D012	53.5	0.0	0.0	0.0	0.0	0.0	0.0	1.6	8.3	12.8	26.3	45.8	66.3	68.9	134.6	108.6	131.3	116.7	57.8	-	-	-	-
	肺	C33-C34 D021-D022	124.6	0.0	0.0	0.0	0.0	0.0	2.0	4.8	5.6	14.0	16.8	43.4	65.1	124.4	240.2	322.9	386.7	343.9	210.8	-	-	-	-
	皮膚	C43-C44 D030-D049	29.8	0.0	0.0	0.0	1.6	0.0	0.0	6.3	1.4	7.0	5.3	6.0	9.6	13.3	30.8	47.6	62.7	93.9	108.4	-	-	-	-
	乳房	C50 D05	96.7	0.0	0.0	0.0	1.6	0.0	3.9	22.2	52.8	93.0	138.9	134.9	130.1	161.1	158.9	159.0	159.0	142.4	73.5	-	-	-	-
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	43.2	0.0	0.0	0.0	0.0	0.0	2.0	1.6	2.8	7.0	2.1	6.0	19.3	37.8	77.6	110.5	119.3	150.0	84.3	-	-	-	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,087.4	16.7	10.7	6.9	21.9	14.3	34.6	65.6	86.1	141.9	193.6	420.0	702.5	1,214.0	2,176.5	2,798.0	3,333.3	3,692.3	4,196.0	-
	口腔・咽頭	C00-C14	27.1	0.0	0.0	0.0	0.0	0.0	7.7	0.0	5.6	2.3	12.8	35.0	25.0	53.5	74.5	63.3	61.1	38.5	52.0	-
	食道	C15	30.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.1	20.0	25.0	53.5	68.6	79.6	119.4	84.6	44.0	-
	胃	C16	172.7	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.8	20.9	31.9	55.0	110.0	193.0	319.6	471.4	561.1	607.7	664.0	-
	大腸（結腸・直腸）	C18-C20	145.7	0.0	0.0	0.0	3.1	0.0	3.8	9.4	19.4	25.6	34.0	112.5	132.5	160.5	331.4	371.4	391.7	442.3	444.0	-
	結腸	C18	87.5	0.0	0.0	0.0	3.1	0.0	3.8	9.4	11.1	14.0	14.9	67.5	47.5	97.7	172.5	244.9	216.7	288.5	336.0	-
	直腸	C19-C20	58.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	11.6	19.1	45.0	85.0	62.8	158.8	126.5	175.0	153.8	108.0	-
	肝および肝内胆管	C22	57.3	4.2	0.0	0.0	0.0	3.6	0.0	0.0	0.0	2.3	2.1	17.5	40.0	88.4	100.0	155.1	147.2	215.4	248.0	-
	胆のう・胆管	C23-C24	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.0	12.5	18.6	29.4	42.9	52.8	107.7	156.0	-
	膵臓	C25	42.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	6.4	17.5	32.5	62.8	90.2	104.1	125.0	126.9	168.0	-
	喉頭	C32	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	7.0	15.7	16.3	27.8	15.4	24.0	-
	肺	C33-C34	169.6	0.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	14.0	21.3	40.0	82.5	155.8	349.0	449.0	588.9	592.3	704.0	-
	皮膚	C43-C44	25.2	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.8	7.0	2.1	2.5	7.5	11.6	43.1	38.8	55.6	123.1	204.0	-
	乳房	C50	1.4	0.0	0.0	0.0	3.1	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	2.0	0.0	8.3	3.8	8.0	-
	前立腺	C61	191.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	22.5	97.5	186.0	411.8	551.0	641.7	688.5	776.0	-
	膀胱	C67	37.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4.7	2.1	5.0	15.0	30.2	68.6	98.0	133.3	130.8	200.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	38.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	8.5	27.5	30.0	65.1	76.5	89.8	113.9	115.4	136.0	-
	脳・中枢神経系	C70-C72	6.6	0.0	3.6	0.0	6.3	0.0	0.0	3.1	11.1	0.0	4.3	0.0	2.5	7.0	15.7	14.3	11.1	23.1	12.0	-
	甲状腺	C73	10.4	0.0	0.0	0.0	0.0	0.0	0.0	3.1	8.3	11.6	14.9	10.0	17.5	11.6	13.7	24.5	16.7	23.1	12.0	-
	悪性リンパ腫	C81-C85 C96	37.7	0.0	0.0	3.4	0.0	3.6	11.5	9.4	13.9	11.6	10.6	12.5	17.5	53.5	60.8	57.1	111.1	192.3	128.0	-
	多発性骨髄腫	C88-C90	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	5.0	17.5	7.0	3.9	26.5	16.7	38.5	52.0	-
	白血病	C91-C95	18.1	4.2	7.1	0.0	6.3	7.1	3.8	6.3	2.8	11.6	6.4	17.5	10.0	14.0	33.3	46.9	55.6	38.5	36.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	741.3	30.4	15.4	3.6	13.3	24.0	60.0	112.9	219.4	362.8	510.4	634.9	711.6	863.8	1,055.4	1,239.3	1,544.7	1,482.5	1,870.7	-
	口腔・咽頭	C00-C14	12.2	0.0	0.0	0.0	0.0	0.0	8.0	3.2	2.8	4.7	8.3	2.3	16.3	17.0	3.6	10.7	14.9	32.5	55.2	-
	食道	C15	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	2.3	2.3	4.3	5.4	12.5	10.6	12.5	8.6	-
	胃	C16	75.0	4.3	0.0	0.0	0.0	0.0	0.0	6.5	0.0	16.3	20.8	18.6	37.2	59.6	82.1	135.7	236.2	217.5	236.2	-
	大腸（結腸・直腸）	C18-C20	102.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	19.4	23.3	37.5	69.8	102.3	108.5	144.6	173.2	195.7	235.0	331.0	-
	結腸	C18	70.4	0.0	0.0	0.0	0.0	0.0	0.0	6.5	11.1	11.6	14.6	34.9	62.8	76.6	87.5	123.2	138.3	172.5	255.2	-
	直腸	C19-C20	31.6	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.3	11.6	22.9	34.9	39.5	31.9	57.1	50.0	57.4	62.5	75.9	-
	肝および肝内胆管	C22	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.3	9.3	8.5	23.2	41.1	61.7	80.0	119.0	-
	胆のう・胆管	C23-C24	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	4.7	7.0	10.6	16.1	23.2	44.7	72.5	120.7	-
	膵臓	C25	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	7.0	6.3	16.3	20.9	36.2	62.5	76.8	83.0	97.5	144.8	-
	喉頭	C32	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.8	1.8	8.5	2.5	0.0	-
	肺	C33-C34	74.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	7.0	10.4	39.5	44.2	76.6	121.4	182.1	214.9	170.0	184.5	-
	皮膚	C43-C44	21.7	0.0	0.0	0.0	3.3	0.0	0.0	6.5	0.0	2.3	6.3	9.3	4.7	8.5	12.5	23.2	42.6	47.5	132.8	-
	乳房	C50	166.0	0.0	0.0	0.0	0.0	0.0	4.0	29.0	83.3	165.1	241.7	223.3	234.9	272.3	285.7	267.9	266.0	220.0	163.8	-
	子宮	C53-C55	52.2	0.0	0.0	0.0	0.0	8.0	12.0	16.1	41.7	60.5	66.7	127.9	102.3	70.2	82.1	82.1	55.3	32.5	37.9	-
	子宮頸部	C53	21.3	0.0	0.0	0.0	0.0	4.0	12.0	12.9	22.2	41.9	25.0	44.2	27.9	14.9	35.7	35.7	17.0	12.5	22.4	-
	子宮体部	C54	30.2	0.0	0.0	0.0	0.0	4.0	0.0	3.2	19.4	18.6	41.7	83.7	74.4	55.3	46.4	44.6	38.3	20.0	8.6	-
	卵巣	C56	19.4	4.3	3.8	0.0	0.0	4.0	12.0	16.1	16.7	14.0	20.8	48.8	23.3	27.7	23.2	26.8	25.5	17.5	22.4	-
	膀胱	C67	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	0.0	2.3	2.3	4.3	21.4	14.3	12.8	40.0	44.8	-
	腎・尿路（膀胱除く）	C64-C66 C68	14.6	4.3	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	8.3	4.7	9.3	21.3	23.2	16.1	44.7	30.0	44.8	-
	脳・中枢神経系	C70-C72	5.4	8.7	0.0	0.0	0.0	0.0	0.0	3.2	0.0	7.0	4.2	7.0	9.3	4.3	0.0	5.4	10.6	17.5	10.3	-
	甲状腺	C73	21.8	0.0	0.0	0.0	3.3	4.0	8.0	16.1	13.9	30.2	39.6	27.9	27.9	40.4	44.6	30.4	25.5	20.0	5.2	-
	悪性リンパ腫	C81-C85 C96	31.1	0.0	0.0	3.6	0.0	4.0	12.0	3.2	8.3	4.7	10.4	9.3	30.2	25.5	35.7	60.7	87.2	77.5	82.8	-
	多発性骨髄腫	C88-C90	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	2.3	10.6	16.1	12.5	17.0	10.0	24.1	-
	白血病	C91-C95	10.8	4.3	7.7	0.0	6.7	4.0	0.0	3.2	5.6	0.0	8.3	4.7	11.6	8.5	17.9	14.3	27.7	15.0	25.9	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	905.2	23.4	13.0	5.3	17.7	18.9	47.1	88.9	152.8	252.3	353.7	531.3	707.2	1,031.1	1,589.7	1,966.7	2,321.7	2,353.0	2,571.1	-
	口腔・咽頭	C00-C14	19.3	0.0	0.0	0.0	0.0	0.0	7.8	1.6	4.2	3.5	10.5	18.1	20.5	34.4	37.4	35.2	34.9	34.8	54.2	-
	食道	C15	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	1.1	10.8	13.3	27.8	35.5	43.8	57.8	40.9	19.3	-
	胃	C16	121.3	2.1	0.0	0.0	0.0	0.0	0.0	4.8	1.4	18.6	26.3	36.1	72.3	123.3	195.3	292.4	377.1	371.2	365.1	-
	大腸（結腸・直腸）	C18-C20	122.7	0.0	0.0	0.0	1.6	0.0	2.0	9.5	19.4	24.4	35.8	90.4	116.9	133.3	233.6	265.7	280.7	316.7	365.1	-
	結腸	C18	78.5	0.0	0.0	0.0	1.6	0.0	2.0	7.9	11.1	12.8	14.7	50.6	55.4	86.7	128.0	180.0	172.3	218.2	279.5	-
	直腸	C19-C20	44.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	8.3	11.6	21.1	39.8	61.4	46.7	105.6	85.7	108.4	98.5	85.5	-
	肝および肝内胆管	C22	40.3	2.1	0.0	0.0	0.0	1.9	0.0	0.0	0.0	2.3	1.1	9.6	24.1	46.7	59.8	94.3	98.8	133.3	157.8	-
	胆のう・胆管	C23-C24	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.2	4.8	9.6	14.4	22.4	32.4	48.2	86.4	131.3	-
	膵臓	C25	41.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	4.7	6.3	16.9	26.5	48.9	75.7	89.5	101.2	109.1	151.8	-
	喉頭	C32	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	4.4	8.4	8.6	16.9	7.6	7.2	-
	肺	C33-C34	119.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	1.4	10.5	15.8	39.8	62.7	114.4	229.9	306.7	377.1	336.4	341.0	-
	皮膚	C43-C44	23.4	0.0	0.0	0.0	1.6	0.0	0.0	6.3	1.4	4.7	4.2	6.0	6.0	10.0	27.1	30.5	48.2	77.3	154.2	-
	乳房	C50	88.1	0.0	0.0	0.0	1.6	0.0	2.0	14.3	43.1	82.6	122.1	115.7	121.7	142.2	150.5	142.9	154.2	134.8	116.9	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	23.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	3.5	1.1	3.6	8.4	16.7	43.9	53.3	65.1	75.8	91.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	26.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.5	8.4	15.7	19.3	42.2	48.6	50.5	74.7	63.6	72.3	-
	脳・中枢神経系	C70-C72	6.0	4.3	1.9	0.0	3.2	0.0	0.0	3.2	5.6	3.5	4.2	3.6	6.0	5.6	7.5	9.5	10.8	19.7	10.8	-
	甲状腺	C73	16.4	0.0	0.0	0.0	1.6	1.9	3.9	9.5	11.1	20.9	27.4	19.3	22.9	26.7	29.9	27.6	21.7	21.2	7.2	-
	悪性リンパ腫	C81-C85 C96	34.2	0.0	0.0	3.5	0.0	3.8	11.8	6.3	11.1	8.1	10.5	10.8	24.1	38.9	47.7	59.0	97.6	122.7	96.4	-
	多発性骨髄腫	C88-C90	8.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.3	0.0	2.4	9.6	8.9	10.3	19.0	16.9	21.2	32.5	-	-
	白血病	C91-C95	14.3	4.3	7.4	0.0	6.5	5.7	2.0	4.8	4.2	5.8	7.4	10.8	10.8	11.1	25.2	29.5	39.8	24.2	28.9	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,190.9	16.7	10.7	6.9	21.9	14.3	38.5	68.8	97.2	158.1	221.3	460.0	787.5	1,374.4	2,380.4	3,118.4	3,605.6	4,042.3	4,440.0	-	
	食道	C15 D001	34.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	4.3	20.0	27.5	55.8	78.4	91.8	133.3	100.0	44.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	192.3	0.0	0.0	0.0	3.1	0.0	3.8	9.4	25.0	39.5	57.4	140.0	187.5	267.4	433.3	508.2	488.9	550.0	504.0	-	
	結腸 *2	C18 D010	119.9	0.0	0.0	0.0	3.1	0.0	3.8	9.4	16.7	25.6	31.9	90.0	92.5	167.4	235.3	340.8	275.0	365.4	388.0	-	
	直腸 *2	C19-C20 D011-D012	72.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	14.0	25.5	50.0	95.0	100.0	198.0	167.3	213.9	184.6	116.0	-	
	肺	C33-C34 D021-D022	173.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	2.8	14.0	21.3	40.0	87.5	160.5	356.9	465.3	597.2	596.2	708.0	-
	皮膚	C43-C44 D030-D049	31.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.8	7.0	4.3	2.5	7.5	14.0	47.1	69.4	69.4	142.3	240.0	-
	乳房	C50 D05	1.6	0.0	0.0	0.0	3.1	0.0	0.0	0.0	3.1	2.8	0.0	0.0	0.0	0.0	0.0	2.0	0.0	8.3	3.8	8.0	-
	膀胱	C67 D090	71.6	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	2.8	4.7	2.1	7.5	35.0	62.8	125.5	200.0	236.1	296.2	324.0	-
	女	全部位	C00-C96 D00-D09	856.7	30.4	15.4	3.6	16.7	56.0	224.0	338.7	475.0	569.8	652.1	734.9	788.4	1,012.8	1,173.2	1,369.6	1,666.0	1,595.0	1,970.7	-
食道		C15 D001	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	4.7	9.3	4.3	5.4	12.5	10.6	15.0	8.6	-	
大腸（結腸・直腸）*2		C18-C20 D010-D012	123.3	0.0	0.0	0.0	0.0	0.0	0.0	12.9	22.2	25.6	56.3	86.0	125.6	153.2	194.6	207.1	244.7	277.5	353.4	-	
結腸 *2		C18 D010	86.8	0.0	0.0	0.0	0.0	0.0	0.0	9.7	13.9	14.0	29.2	44.2	86.0	112.8	117.9	150.0	176.6	205.0	275.9	-	
直腸 *2		C19-C20 D011-D012	36.5	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.3	11.6	27.1	41.9	39.5	40.4	76.8	57.1	68.1	72.5	77.6	-	
肺		C33-C34 D021-D022	81.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	8.3	14.0	12.5	46.5	44.2	91.5	133.9	198.2	225.5	180.0	187.9	-	
皮膚		C43-C44 D030-D049	28.5	0.0	0.0	0.0	3.3	0.0	0.0	0.0	6.5	0.0	7.0	6.3	9.3	11.6	12.8	16.1	28.6	57.4	62.5	172.4	-
乳房		C50 D05	182.3	0.0	0.0	0.0	0.0	0.0	8.0	41.9	102.8	186.0	275.0	260.5	251.2	308.5	301.8	298.2	274.5	232.5	169.0	-	
子宮		C53-C55 D06	102.0	0.0	0.0	0.0	3.3	40.0	168.0	222.6	269.4	220.9	145.8	158.1	120.9	89.4	98.2	91.1	66.0	35.0	37.9	-	
子宮頸部		C53 D06	71.1	0.0	0.0	0.0	3.3	36.0	168.0	219.4	250.0	202.3	104.2	74.4	46.5	34.0	51.8	44.6	27.7	15.0	22.4	-	
膀胱	C67 D090	17.7	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.8	9.3	2.1	4.7	4.7	14.9	33.9	32.1	29.8	55.0	58.6	-		
総数 *3	全部位	C00-C96 D00-D09	1,015.0	23.4	13.0	5.3	19.4	34.0	129.4	201.6	286.1	364.0	438.9	602.4	788.0	1,185.6	1,748.6	2,185.7	2,508.4	2,559.1	2,714.5	-	
	食道	C15 D001	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.1	12.0	18.1	28.9	40.2	49.5	63.9	48.5	19.3	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	155.9	0.0	0.0	0.0	1.6	0.0	2.0	11.1	23.6	32.6	56.8	112.0	155.4	207.8	308.4	347.6	350.6	384.8	398.8	-	
	結腸 *2	C18 D010	102.5	0.0	0.0	0.0	1.6	0.0	2.0	9.5	15.3	19.8	30.5	66.3	89.2	138.9	173.8	239.0	219.3	268.2	309.6	-	
	直腸 *2	C19-C20 D011-D012	53.5	0.0	0.0	0.0	0.0	0.0	0.0	1.6	8.3	12.8	26.3	45.8	66.3	68.9	134.6	108.6	131.3	116.7	89.2	-	
	肺	C33-C34 D021-D022	124.6	0.0	0.0	0.0	0.0	0.0	2.0	4.8	5.6	14.0	16.8	43.4	65.1	124.4	240.2	322.9	386.7	343.9	344.6	-	
	皮膚	C43-C44 D030-D049	29.8	0.0	0.0	0.0	1.6	0.0	0.0	0.0	6.3	1.4	7.0	5.3	6.0	9.6	13.3	30.8	47.6	62.7	93.9	192.8	-
	乳房	C50 D05	96.7	0.0	0.0	0.0	1.6	0.0	3.9	22.2	52.8	93.0	138.9	134.9	130.1	161.1	158.9	159.0	159.0	142.4	120.5	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	43.2	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.6	2.8	7.0	2.1	6.0	19.3	37.8	77.6	110.5	119.3	150.0	138.6	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	11,914	11.2	37.1	0.1	47.3	4.3
口腔・咽頭	C00-C14	254	0.8	33.5	0.0	59.8	5.9
食道	C15	225	10.2	31.6	0.0	54.2	4.0
胃	C16	1,595	14.0	39.4	0.0	43.3	3.3
大腸（結腸・直腸）	C18-C20	1,615	13.0	29.5	0.1	54.7	2.7
結腸	C18	1,032	11.8	33.0	0.1	52.3	2.7
直腸	C19-C20	583	15.1	23.2	0.0	59.0	2.7
肝および肝内胆管	C22	519	3.1	64.9	0.2	27.6	4.2
胆のう・胆管	C23-C24	280	1.1	42.1	0.0	55.4	1.4
膵臓	C25	536	3.9	37.5	0.0	56.7	1.9
喉頭	C32	48	0.0	14.6	0.0	81.3	4.2
肺	C33-C34	1,562	12.9	52.6	0.0	31.2	3.3
皮膚	C43-C44	312	0.0	16.7	0.0	82.4	1.0
乳房	C50	1,170	18.9	17.9	0.1	55.3	7.9
乳房（女性のみ）	C50	1,161	19.0	17.8	0.1	55.1	7.9
子宮	C53-C55	366	10.4	21.9	0.0	62.8	4.9
子宮頸部	C53	149	14.8	21.5	0.0	57.0	6.7
子宮体部	C54	212	7.5	22.2	0.0	67.9	2.4
卵巣	C56	135	6.7	30.4	0.0	60.0	3.0
前立腺	C61	1,203	19.7	48.3	0.2	24.8	7.1
膀胱	C67	307	2.6	24.4	0.0	66.1	6.8
腎・尿路（膀胱除く）	C64-C66 C68	342	10.2	46.5	0.0	36.5	6.7
脳・中枢神経系	C70-C72	80	0.0	6.3	0.0	90.0	3.8
甲状腺	C73	219	10.0	56.2	0.5	29.2	4.1
悪性リンパ腫	C81-C85 C96	450	4.7	23.3	0.0	68.4	3.6
多発性骨髄腫	C88-C90	106	4.7	45.3	0.0	45.3	4.7
白血病	C91-C95	189	9.5	38.1	0.5	46.0	5.8

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	13,384	12.5	37.9	0.1	45.5	4.0
食道	C15 D001	253	9.9	38.3	0.0	48.2	3.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,060	15.3	34.4	0.0	47.9	2.4
結腸 *2	C18 D010	1,353	14.7	38.2	0.1	44.7	2.3
直腸 *2	C19-C20 D011-D012	707	16.5	27.0	0.0	53.9	2.5
肺	C33-C34 D021-D022	1,628	12.9	53.9	0.1	30.0	3.1
皮膚	C43-C44 D030-D049	398	0.3	15.6	0.0	83.2	1.0
乳房	C50 D05	1,286	21.1	18.2	0.1	53.5	7.2
乳房（女性のみ）	C50 D05	1,276	21.2	18.2	0.1	53.3	7.2
子宮	C53-C55 D06	717	25.9	30.3	0.0	40.0	3.8
子宮頸部	C53 D06	500	34.0	33.8	0.0	28.4	3.8
膀胱	C67 D090	572	3.0	31.3	0.0	61.5	4.2

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2019年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	11,619	48.8	9.7	12.8	18.8	9.8	22.5
口腔・咽頭	C00-C14	254	41.7	13.8	31.9	3.9	8.7	45.7
食道	C15	225	40.0	7.1	24.0	18.2	10.7	31.1
胃	C16	1,595	56.2	10.9	7.3	18.6	7.0	18.2
大腸（結腸・直腸）	C18-C20	1,615	46.4	16.3	10.0	20.4	6.8	26.3
結腸	C18	1,032	45.3	14.2	11.3	21.9	7.3	25.6
直腸	C19-C20	583	48.5	20.1	7.5	17.8	6.0	27.6
肝および肝内胆管	C22	519	64.2	1.5	7.7	12.3	14.3	9.2
胆のう・胆管	C23-C24	280	12.9	1.1	47.1	26.1	12.9	48.2
膵臓	C25	536	21.3	9.9	18.8	39.9	10.1	28.7
喉頭	C32	48	70.8	16.7	6.3	0.0	6.3	22.9
肺	C33-C34	1,562	40.3	9.7	8.7	33.2	8.2	18.4
皮膚	C43-C44	312	84.9	0.3	8.0	0.6	6.1	8.3
乳房	C50	1,170	54.4	24.5	2.6	8.2	10.3	27.1
乳房（女性のみ）	C50	1,161	54.4	24.5	2.5	8.3	10.2	27.0
子宮	C53-C55	366	52.7	3.8	23.8	11.5	8.2	27.6
子宮頸部	C53	149	36.2	4.7	40.9	8.1	10.1	45.6
子宮体部	C54	212	65.6	3.3	12.3	14.2	4.7	15.6
卵巣	C56	135	30.4	0.7	43.7	13.3	11.9	44.4
前立腺	C61	1,203	58.9	0.8	17.4	12.5	10.4	18.2
膀胱	C67	307	70.0	1.6	8.8	4.6	15.0	10.4
腎・尿路（膀胱除く）	C64-C66 C68	342	59.4	1.2	15.5	12.6	11.4	16.7
脳・中枢神経系	C70-C72	80	70.0	0.0	11.3	5.0	13.8	11.3
甲状腺	C73	219	44.7	37.0	6.8	3.7	7.8	43.8
悪性リンパ腫	C81-C85 C96	441	30.8	0.0	13.2	43.3	12.7	13.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,089	10.7	43.6	8.6	11.4	16.7	8.9	20.0
食道	C15 D001	253	11.1	35.6	6.3	21.3	16.2	9.5	27.7
大腸 (結腸・直腸) *3	C18-C20 D010-D012	2,060	21.6	36.4	12.8	7.8	16.0	5.4	20.6
結腸 *3	C18 D010	1,353	23.7	34.5	10.9	8.6	16.7	5.5	19.5
直腸 *3	C19-C20 D011-D012	707	17.4	40.0	16.5	6.2	14.7	5.1	22.8
肺	C33-C34 D021-D022	1,628	4.1	38.6	9.3	8.4	31.8	7.9	17.6
皮膚	C43-C44 D030-D049	398	21.1	66.6	0.3	6.3	0.5	5.3	6.5
乳房	C50 D05	1,286	8.9	49.6	22.3	2.3	7.5	9.4	24.7
乳房 (女性のみ)	C50 D05	1,276	8.9	49.7	22.3	2.3	7.5	9.3	24.6
子宮	C53-C55 D06	717	48.0	26.9	2.0	12.1	5.9	5.2	14.1
子宮頸部	C53 D06	500	68.8	10.8	1.4	12.2	2.4	4.4	13.6
膀胱	C67 D090	572	45.5	37.6	0.9	4.7	2.4	8.9	5.6

*1 DC0、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	11,620	0.7	50.0	6.9	11.9	18.1	12.4	18.8
口腔・咽頭	C00-C14	254	1.2	37.4	13.4	32.7	3.5	11.8	46.1
食道	C15	225	3.1	36.4	7.1	23.1	18.2	12.0	30.2
胃	C16	1,595	0.0	60.1	7.5	7.9	15.7	8.8	15.4
大腸（結腸・直腸）	C18-C20	1,615	0.7	41.4	13.1	12.5	19.7	12.5	25.6
結腸	C18	1,032	0.4	39.4	12.4	13.0	21.2	13.6	25.4
直腸	C19-C20	583	1.4	44.9	14.4	11.7	17.0	10.6	26.1
肝および肝内胆管	C22	519	0.2	63.8	1.7	6.9	12.1	15.2	8.7
胆のう・胆管	C23-C24	280	0.0	15.0	1.1	40.0	23.9	20.0	41.1
膵臓	C25	536	0.0	27.1	4.3	20.0	38.2	10.4	24.3
喉頭	C32	48	2.1	68.8	10.4	8.3	0.0	10.4	18.8
肺	C33-C34	1,562	0.7	42.1	7.7	8.1	32.4	9.0	15.9
皮膚	C43-C44	312	1.0	80.4	0.3	6.1	0.6	11.5	6.4
乳房	C50	1,170	3.2	59.7	15.8	2.4	8.0	10.9	18.2
乳房（女性のみ）	C50	1,161	3.3	59.9	15.8	2.3	8.1	10.7	18.1
子宮	C53-C55	366	1.1	53.0	3.0	20.8	10.7	11.5	23.8
子宮頸部	C53	149	2.7	37.6	2.7	38.3	8.1	10.7	40.9
子宮体部	C54	212	0.0	65.1	3.3	9.0	12.7	9.9	12.3
卵巣	C56	135	0.7	25.9	0.7	31.9	13.3	27.4	32.6
前立腺	C61	1,203	0.0	63.0	0.7	11.4	12.6	12.3	12.1
膀胱	C67	307	1.3	67.4	1.3	8.1	4.9	16.9	9.4
腎・尿路（膀胱除く）	C64-C66 C68	342	0.6	62.3	0.9	10.2	12.6	13.5	11.1
脳・中枢神経系	C70-C72	80	0.0	70.0	0.0	11.3	5.0	13.8	11.3
甲状腺	C73	219	0.0	55.7	14.6	7.3	3.7	18.7	21.9
悪性リンパ腫	C81-C85 C96	441	0.0	30.4	0.0	13.2	43.3	13.2	13.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,090	8.3	45.8	6.1	10.5	16.0	13.2	16.7
食道	C15 D001	253	13.0	32.8	6.3	20.6	16.2	11.1	26.9
大腸 (結腸・直腸) *3	C18-C20 D010-D012	2,060	11.8	34.0	10.3	9.8	15.4	18.7	20.1
結腸 *3	C18 D010	1,353	12.3	31.7	9.5	9.9	16.2	20.4	19.4
直腸 *3	C19-C20 D011-D012	707	10.7	38.3	11.9	9.6	14.0	15.4	21.5
肺	C33-C34 D021-D022	1,628	1.8	43.2	7.4	7.8	31.1	8.7	15.2
皮膚	C43-C44 D030-D049	398	19.3	63.8	0.3	4.8	0.5	11.3	5.0
乳房	C50 D05	1,286	10.5	55.7	14.4	2.2	7.3	10.0	16.6
乳房 (女性のみ)	C50 D05	1,276	10.5	55.9	14.3	2.1	7.4	9.8	16.5
子宮	C53-C55 D06	717	46.9	27.1	1.5	10.6	5.4	8.5	12.1
子宮頸部	C53 D06	500	67.2	11.2	0.8	11.4	2.4	7.0	12.2
膀胱	C67 D090	572	34.6	42.3	0.7	4.4	2.6	15.4	5.1

*1 DC0、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2019年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	7,532	55.5	10.9	9.6	4.5	19.5	20.5
口腔・咽頭	C00-C14	177	48.0	9.6	24.3	0.6	17.5	33.9
食道	C15	83	59.0	0.0	3.6	0.0	37.3	3.6
胃	C16	1,243	63.2	11.3	6.0	5.6	13.9	17.4
大腸（結腸・直腸）	C18-C20	1,350	50.8	17.4	9.8	12.1	9.9	27.2
結腸	C18	864	49.3	15.5	11.3	13.1	10.8	26.9
直腸	C19-C20	486	53.5	20.8	7.0	10.5	8.2	27.8
肝および肝内胆管	C22	200	50.5	1.0	2.5	1.0	45.0	3.5
胆のう・胆管	C23-C24	150	13.3	2.0	48.7	5.3	30.7	50.7
膵臓	C25	216	29.6	15.7	7.9	5.1	41.7	23.6
喉頭	C32	26	50.0	26.9	3.8	0.0	19.2	30.8
肺	C33-C34	775	61.3	7.9	5.4	2.7	22.7	13.3
皮膚	C43-C44	295	85.8	0.3	6.8	0.3	6.8	7.1
乳房	C50	962	60.4	21.9	1.6	1.0	15.1	23.5
乳房（女性のみ）	C50	955	60.5	22.0	1.5	1.0	15.0	23.5
子宮	C53-C55	261	64.8	4.2	10.3	4.2	16.5	14.6
子宮頸部	C53	70	58.6	5.7	10.0	0.0	25.7	15.7
子宮体部	C54	186	68.8	3.8	10.8	5.9	10.8	14.5
卵巣	C56	108	37.0	0.9	41.7	3.7	16.7	42.6
前立腺	C61	561	52.8	0.2	17.8	0.2	29.1	18.0
膀胱	C67	275	57.8	1.8	4.4	3.3	32.7	6.2
腎・尿路（膀胱除く）	C64-C66 C68	278	61.9	0.7	15.8	2.2	19.4	16.5
脳・中枢神経系	C70-C72	51	49.0	0.0	9.8	2.0	39.2	9.8
甲状腺	C73	209	43.1	37.8	7.2	1.9	10.0	45.0
悪性リンパ腫	C81-C85 C96	81	22.2	0.0	6.2	4.9	66.7	6.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	8,849	13.7	47.7	9.3	8.2	3.8	17.3	17.5
食道	C15 D001	98	14.3	50.0	0.0	3.1	0.0	32.7	3.1
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,793	24.5	38.3	13.1	7.4	9.1	7.6	20.5
結腸 *3	C18 D010	1,183	26.9	36.0	11.3	8.3	9.6	7.9	19.6
直腸 *3	C19-C20 D011-D012	610	20.0	42.6	16.6	5.6	8.4	6.9	22.1
肺	C33-C34 D021-D022	841	7.8	56.5	7.3	5.0	2.5	20.9	12.2
皮膚	C43-C44 D030-D049	380	21.8	66.6	0.3	5.3	0.3	5.8	5.5
乳房	C50 D05	1,076	10.2	54.2	19.6	1.4	0.9	13.7	21.0
乳房 (女性のみ)	C50 D05	1,068	10.2	54.3	19.7	1.3	0.9	13.6	21.0
子宮	C53-C55 D06	502	41.6	33.7	2.2	5.4	2.2	14.9	7.6
子宮頸部	C53 D06	311	67.2	13.2	1.3	2.3	0.0	16.1	3.5
膀胱	C67 D090	528	46.0	30.1	0.9	2.3	1.7	18.9	3.2

*1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

愛媛県

2019年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	11,914	25.2	22.0	8.3	11.3	28.3	10.0	2.2	24.2
口腔・咽頭	C00-C14	254	53.9	0.0	5.5	30.3	26.0	0.4	0.4	19.3
食道	C15	225	3.6	11.6	18.7	31.6	48.9	0.0	0.4	27.1
胃	C16	1,595	20.6	19.6	31.5	0.4	20.3	0.1	0.3	22.6
大腸（結腸・直腸）	C18-C20	1,615	18.0	52.0	11.0	1.4	28.9	0.0	0.0	18.2
結腸	C18	1,032	21.7	49.1	8.7	0.4	28.0	0.0	0.0	19.8
直腸	C19-C20	583	11.5	56.9	14.9	3.3	30.4	0.0	0.0	15.4
肝および肝内胆管	C22	519	15.0	8.7	0.0	3.1	35.6	0.0	32.8	36.0
胆のう・胆管	C23-C24	280	30.7	7.9	0.0	1.4	23.6	0.0	0.0	50.0
膵臓	C25	536	24.1	3.9	0.0	1.3	48.5	0.0	0.0	40.7
喉頭	C32	48	37.5	0.0	8.3	56.3	18.8	0.0	0.0	12.5
肺	C33-C34	1,562	4.0	35.3	0.0	19.2	33.2	0.0	0.2	28.0
皮膚	C43-C44	312	88.5	0.0	0.0	2.6	1.6	0.0	0.3	10.3
乳房	C50	1,170	78.0	0.0	0.0	34.1	34.5	56.8	0.1	14.3
乳房（女性のみ）	C50	1,161	78.0	0.0	0.0	34.2	34.7	56.8	0.1	14.2
子宮	C53-C55	366	46.2	15.8	0.0	26.0	42.1	0.3	0.5	14.8
子宮頸部	C53	149	34.2	2.7	0.0	55.7	46.3	0.0	1.3	16.1
子宮体部	C54	212	55.7	25.5	0.0	5.7	40.1	0.5	0.0	11.8
卵巣	C56	135	66.7	9.6	0.0	1.5	47.4	0.0	0.0	17.8
前立腺	C61	1,203	1.2	34.0	0.8	10.1	2.1	41.3	0.1	22.4
膀胱	C67	307	2.9	16.9	76.2	0.7	30.9	1.3	17.9	16.3
腎・尿路（膀胱除く）	C64-C66 C68	342	4.1	62.6	0.6	1.2	11.4	0.0	0.3	25.7
脳・中枢神経系	C70-C72	80	38.8	1.3	0.0	40.0	36.3	0.0	1.3	47.5
甲状腺	C73	219	84.5	0.9	0.0	10.0	0.9	5.5	0.0	13.2
悪性リンパ腫	C81-C85 C96	450	5.1	2.7	0.0	10.2	58.9	1.1	0.4	30.7
多発性骨髄腫	C88-C90	106	0.9	0.0	0.0	15.1	60.4	0.9	0.9	34.9
白血病	C91-C95	189	0.0	0.5	0.0	2.6	65.1	0.5	5.3	34.4

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

愛媛県

2019年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	治療なし・不明
全部位	C00-C96 D00-D09	13,384	25.5	20.8	12.5	10.3	25.6	9.0	3.2	22.2
食道	C15 D001	253	3.2	10.3	22.1	28.9	44.3	0.0	1.2	28.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,060	14.4	42.4	28.2	1.2	22.7	0.0	0.0	14.5
結腸 *2	C18 D010	1,353	16.9	39.5	28.0	0.4	21.4	0.1	0.1	15.3
直腸 *2	C19-C20 D011-D012	707	9.6	47.9	28.4	2.7	25.0	0.0	0.0	13.0
肺	C33-C34 D021-D022	1,628	3.9	37.8	0.0	18.4	31.8	0.0	0.2	26.9
皮膚	C43-C44 D030-D049	398	90.2	0.0	0.0	2.5	1.3	0.0	0.3	8.8
乳房	C50 D05	1,286	79.7	0.0	0.0	33.8	31.6	52.9	0.1	13.3
乳房（女性のみ）	C50 D05	1,276	79.7	0.0	0.0	33.9	31.7	52.9	0.1	13.2
子宮	C53-C55 D06	717	47.8	13.1	0.1	13.2	21.5	0.1	18.5	12.8
子宮頸部	C53 D06	500	45.0	8.0	0.2	16.6	13.8	0.0	26.6	12.4
膀胱	C67 D090	572	1.7	9.3	83.9	0.3	25.5	0.9	15.6	10.7

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

愛媛県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	6,458	89.1	10.0	0.8
口腔・咽頭	C00-C14	151	84.8	13.2	2.0
食道	C15	74	94.6	5.4	0.0
胃	C16	1,097	93.1	6.4	0.5
大腸（結腸・直腸）	C18-C20	1,253	87.6	11.4	1.0
結腸	C18	785	86.6	12.4	1.0
直腸	C19-C20	468	89.3	9.8	0.9
肝および肝内胆管	C22	123	91.9	7.3	0.8
胆のう・胆管	C23-C24	105	81.0	16.2	2.9
膵臓	C25	150	86.7	13.3	0.0
喉頭	C32	21	95.2	4.8	0.0
肺	C33-C34	613	95.1	4.6	0.3
皮膚	C43-C44	276	96.7	2.5	0.7
乳房	C50	913	94.0	5.1	0.9
乳房（女性のみ）	C50	906	94.0	5.1	0.9
子宮	C53-C55	227	91.6	7.5	0.9
子宮頸部	C53	55	98.2	0.0	1.8
子宮体部	C54	172	89.5	9.9	0.6
卵巣	C56	100	82.0	18.0	0.0
前立腺	C61	433	90.5	9.0	0.5
膀胱	C67	254	52.4	46.1	1.6
腎・尿路（膀胱除く）	C64-C66 C68	230	94.8	3.9	1.3
脳・中枢神経系	C70-C72	32	37.5	62.5	0.0
甲状腺	C73	187	93.6	5.9	0.5
悪性リンパ腫	C81-C85 C96	35	51.4	45.7	2.9
多発性骨髄腫	C88-C90	1	0.0	100.0	0.0
白血病	C91-C95	1	0.0	100.0	0.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

愛媛県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	7,719	90.2	8.9	0.8
食道	C15 D001	88	94.3	5.7	0.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,693	90.6	8.6	0.8
結腸 *2	C18 D010	1,103	90.1	9.0	0.9
直腸 *2	C19-C20 D011-D012	590	91.5	7.8	0.7
肺	C33-C34 D021-D022	678	95.6	4.1	0.3
皮膚	C43-C44 D030-D049	359	97.2	2.2	0.6
乳房	C50 D05	1,025	94.0	5.1	0.9
乳房（女性のみ）	C50 D05	1,017	94.1	5.0	0.9
子宮	C53-C55 D06	437	93.6	4.6	1.8
子宮頸部	C53 D06	265	96.2	1.1	2.6
膀胱	C67 D090	502	70.7	28.1	1.2

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

愛媛県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.38	0.37	0.38	2.3	3.5	2.8	1.3	2.3	1.7	85.0	85.6	85.3	82.4	83.0	82.7
口腔・咽頭	C00-C14	0.27	0.42	0.32	1.2	8.1	3.5	0.0	4.7	1.6	94.8	80.2	89.9	93.6	79.1	88.8
食道	C15	0.52	0.61	0.53	1.0	0.0	0.9	0.0	0.0	0.0	96.4	93.5	96.0	95.4	93.5	95.1
胃	C16	0.34	0.41	0.37	2.6	3.8	3.0	1.6	2.3	1.8	95.8	92.6	94.8	95.5	92.1	94.4
大腸（結腸・直腸）	C18-C20	0.30	0.36	0.33	1.4	3.8	2.4	1.0	2.6	1.7	93.8	87.9	91.2	93.8	87.8	91.2
結腸	C18	0.33	0.40	0.37	1.4	3.8	2.6	1.1	2.6	1.8	92.4	85.3	89.1	92.4	85.1	89.0
直腸	C19-C20	0.25	0.27	0.26	1.4	3.6	2.2	0.8	2.7	1.5	95.9	93.7	95.1	95.9	93.7	95.1
肝および肝内胆管	C22	0.70	0.72	0.71	3.9	8.0	5.2	2.2	6.8	3.7	40.2	30.1	36.9	38.8	29.5	35.8
胆のう・胆管	C23-C24	0.76	0.76	0.76	5.8	10.4	8.2	2.9	5.8	4.4	69.8	55.8	62.5	59.7	50.0	54.6
膵臓	C25	0.90	0.76	0.83	4.1	4.6	4.4	2.2	3.2	2.7	64.7	59.2	61.9	58.4	53.2	55.7
喉頭	C32	0.18	0.13	0.17	0.0	0.0	0.0	0.0	0.0	0.0	92.5	100.0	93.8	92.5	100.0	93.8
肺	C33-C34	0.57	0.44	0.53	3.2	5.5	3.9	2.1	3.2	2.5	77.2	79.3	77.9	69.9	72.3	70.7
皮膚	C43-C44	0.06	0.07	0.06	0.0	0.7	0.3	0.0	0.7	0.3	98.1	94.1	96.2	98.1	94.1	96.2
乳房	C50	0.33	0.17	0.17	0.0	1.0	1.0	0.0	0.8	0.8	88.9	96.2	96.2	88.9	95.6	95.6
子宮	C53-C55	-	0.24	0.24	-	1.1	1.1	-	0.5	0.5	-	97.6	97.6	-	95.1	95.1
子宮頸部	C53	-	0.35	0.35	-	1.3	1.3	-	0.7	0.7	-	98.0	98.0	-	94.0	94.0
子宮体部	C54	-	0.14	0.14	-	0.9	0.9	-	0.5	0.5	-	98.1	98.1	-	96.7	96.7
卵巣	C56	-	0.38	0.38	-	1.5	1.5	-	1.5	1.5	-	90.5	90.5	-	86.1	86.1
前立腺	C61	0.12	-	0.12	1.3	-	1.3	1.1	-	1.1	86.2	-	86.2	85.9	-	85.9
膀胱	C67	0.23	0.35	0.26	0.4	10.8	2.9	0.0	9.5	2.2	95.4	81.1	92.0	91.7	79.7	88.9
腎・尿路（膀胱除く）	C64-C66 C68	0.27	0.41	0.31	2.4	6.8	3.7	1.2	3.9	2.0	82.5	78.6	81.4	78.9	74.8	77.7
脳・中枢神経系	C70-C72	0.48	0.34	0.41	2.4	0.0	1.3	0.0	0.0	0.0	59.5	55.3	57.5	59.5	55.3	57.5
甲状腺	C73	0.08	0.08	0.08	1.5	0.6	0.9	1.5	0.0	0.5	93.9	98.1	96.8	90.9	94.8	93.6
悪性リンパ腫	C81-C85 C96	0.37	0.36	0.36	1.7	2.7	2.2	1.3	2.3	1.7	94.6	90.9	92.8	92.9	88.1	90.6
多発性骨髄腫	C88-C90	0.66	0.53	0.60	1.7	6.1	3.7	0.0	2.0	0.9	89.7	87.8	88.8	82.8	77.6	80.4
白血病	C91-C95	0.59	0.71	0.64	1.7	3.9	2.6	0.0	2.6	1.0	96.5	96.1	96.3	82.6	77.6	80.6

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

愛媛県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.35	0.32	0.33	2.1	3.0	2.5	1.2	2.0	1.5	86.3	87.6	86.9	83.9	85.2	84.5
食道	C15 D001	0.46	0.53	0.47	0.9	0.0	0.8	0.0	0.0	0.0	96.8	94.4	96.4	95.9	94.4	95.7
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.23	0.30	0.26	1.1	3.1	1.9	0.7	2.2	1.3	95.3	90.0	93.1	95.3	89.9	93.1
結腸 *2	C18 D010	0.24	0.33	0.28	1.1	3.1	2.0	0.8	2.1	1.4	94.5	88.1	91.6	94.5	87.9	91.5
直腸 *2	C19-C20 D011-D012	0.20	0.24	0.22	1.1	3.1	1.8	0.7	2.3	1.3	96.7	94.6	95.9	96.7	94.6	95.9
肺	C33-C34 D021-D022	0.56	0.41	0.51	3.1	5.1	3.8	2.1	3.0	2.4	77.7	80.9	78.8	70.5	74.4	71.8
皮膚	C43-C44 D030-D049	0.05	0.05	0.05	0.0	0.5	0.3	0.0	0.5	0.3	98.5	95.5	97.0	98.5	95.5	97.0
乳房	C50 D05	0.30	0.16	0.16	0.0	0.9	0.9	0.0	0.7	0.7	90.0	96.6	96.5	90.0	96.0	96.0
子宮	C53-C55 D06	-	0.13	0.13	-	0.6	0.6	-	0.3	0.3	-	98.7	98.7	-	97.4	97.4
子宮頸部	C53 D06	-	0.10	0.10	-	0.4	0.4	-	0.2	0.2	-	99.4	99.4	-	98.0	98.0
膀胱	C67 D090	0.12	0.21	0.14	0.4	6.4	1.7	0.0	5.6	1.2	97.6	88.8	95.7	95.6	88.0	94.0

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

愛媛県

2019年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	2,624	1,925	4,549	100.0	100.0	100.0	417.8	275.0	342.5	149.8	83.8	111.7	102.4	60.3	78.2	11.0	6.3	8.5
口腔・咽頭	C00-C14	47	36	83	1.8	1.9	1.8	7.5	5.1	6.3	3.3	1.1	2.1	2.5	0.8	1.6	0.3	0.1	0.2
食道	C15	100	19	119	3.8	1.0	2.6	15.9	2.7	9.0	6.4	1.2	3.5	4.3	0.8	2.4	0.6	0.1	0.3
胃	C16	375	218	593	14.3	11.3	13.0	59.7	31.1	44.7	21.2	8.3	14.0	14.4	5.9	9.6	1.6	0.5	1.0
大腸（結腸・直腸）	C18-C20	278	261	539	10.6	13.6	11.8	44.3	37.3	40.6	17.1	9.6	13.0	11.8	6.7	9.0	1.3	0.7	1.0
結腸	C18	185	200	385	7.1	10.4	8.5	29.5	28.6	29.0	10.7	6.9	8.6	7.2	4.8	5.9	0.8	0.5	0.6
直腸	C19-C20	93	61	154	3.5	3.2	3.4	14.8	8.7	11.6	6.4	2.6	4.4	4.7	1.9	3.2	0.6	0.2	0.4
肝および肝内胆管	C22	254	127	381	9.7	6.6	8.4	40.4	18.1	28.7	14.6	4.6	9.0	10.1	3.1	6.2	1.2	0.3	0.7
胆のう・胆管	C23-C24	106	117	223	4.0	6.1	4.9	16.9	16.7	16.8	5.1	3.5	4.1	3.4	2.4	2.8	0.3	0.2	0.3
膵臓	C25	242	215	457	9.2	11.2	10.0	38.5	30.7	34.4	15.5	8.4	11.7	10.7	5.8	8.1	1.3	0.7	1.0
喉頭	C32	7	1	8	0.3	0.1	0.2	1.1	0.1	0.6	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
肺	C33-C34	609	234	843	23.2	12.2	18.5	97.0	33.4	63.5	33.5	8.0	19.1	22.4	5.5	12.9	2.5	0.6	1.5
皮膚	C43-C44	9	11	20	0.3	0.6	0.4	1.4	1.6	1.5	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0
乳房	C50	3	200	203	0.1	10.4	4.5	0.5	28.6	15.3	0.1	14.0	7.5	0.1	10.5	5.6	0.0	1.2	0.6
子宮	C53-C55	-	90	90	-	4.7	2.0	-	12.9	-	-	6.7	-	-	5.2	-	-	0.6	-
子宮頸部	C53	-	52	52	-	2.7	1.1	-	7.4	-	-	4.4	-	-	3.5	-	-	0.4	-
子宮体部	C54	-	29	29	-	1.5	0.6	-	4.1	-	-	1.9	-	-	1.4	-	-	0.2	-
卵巣	C56	-	52	52	-	2.7	1.1	-	7.4	-	-	3.7	-	-	2.8	-	-	0.3	-
前立腺	C61	142	-	142	5.4	-	3.1	22.6	-	-	6.0	-	-	3.8	-	-	0.2	-	-
膀胱	C67	56	26	82	2.1	1.4	1.8	8.9	3.7	6.2	2.8	0.8	1.7	1.9	0.6	1.1	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	67	42	109	2.6	2.2	2.4	10.7	6.0	8.2	3.5	1.2	2.2	2.3	0.8	1.5	0.2	0.1	0.1
脳・中枢神経系	C70-C72	20	13	33	0.8	0.7	0.7	3.2	1.9	2.5	1.7	1.5	1.5	1.3	1.4	1.3	0.1	0.1	0.1
甲状腺	C73	5	12	17	0.2	0.6	0.4	0.8	1.7	1.3	0.2	0.6	0.4	0.1	0.4	0.3	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	88	78	166	3.4	4.1	3.6	14.0	11.1	12.5	4.6	2.6	3.4	2.9	1.7	2.2	0.2	0.1	0.2
多発性骨髄腫	C88-C90	38	26	64	1.4	1.4	1.4	6.1	3.7	4.8	1.9	0.9	1.3	1.3	0.6	0.9	0.1	0.1	0.1
白血病	C91-C95	68	54	122	2.6	2.8	2.7	10.8	7.7	9.2	4.4	2.4	3.3	3.1	1.6	2.3	0.3	0.2	0.2

*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	2,624	1	1	0	0	0	2	4	5	9	24	23	77	153	307	426	418	469	422	235	44	4	0
	口腔・咽頭	C00-C14	47	0	0	0	0	0	0	0	1	1	0	1	1	7	8	10	5	2	8	3	0	0	0
	食道	C15	100	0	0	0	0	0	0	0	0	0	1	0	6	6	20	20	18	17	8	3	1	0	0
	胃	C16	375	0	0	0	0	0	0	1	0	2	4	2	7	21	52	62	66	60	70	27	1	0	0
	大腸（結腸・直腸）	C18-C20	278	0	0	0	0	0	0	0	2	1	3	4	15	20	30	49	40	44	38	28	4	0	0
	結腸	C18	185	0	0	0	0	0	0	0	2	0	2	1	10	8	16	31	29	35	25	22	4	0	0
	直腸	C19-C20	93	0	0	0	0	0	0	0	0	1	1	3	5	12	14	18	11	9	13	6	0	0	0
	肝および肝内胆管	C22	254	0	0	0	0	0	0	0	0	0	1	4	6	21	32	45	39	43	41	18	4	0	0
	胆のう・胆管	C23-C24	106	0	0	0	0	0	0	0	0	0	1	0	5	2	8	13	7	26	24	17	3	0	0
	膵臓	C25	242	0	0	0	0	0	0	0	1	0	1	6	10	19	41	41	52	29	26	16	0	0	0
	喉頭	C32	7	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	3	1	0	0	0	0
	肺	C33-C34	609	0	0	0	0	0	0	0	1	0	5	2	18	30	69	111	100	113	96	53	10	1	0
	皮膚	C43-C44	9	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	1	1	1	1	0	0
	乳房	C50	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0
	前立腺	C61	142	0	0	0	0	0	0	0	0	0	0	1	0	3	7	10	19	34	37	24	7	0	0
	膀胱	C67	56	0	0	0	0	0	0	0	0	0	1	1	0	2	6	8	7	11	12	3	5	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	67	0	0	0	0	0	0	0	0	2	1	0	1	2	5	8	11	13	12	11	0	1	0
	脳・中枢神経系	C70-C72	20	0	0	0	0	0	0	1	0	0	2	1	0	3	2	2	3	3	3	0	0	0	0
	甲状腺	C73	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	1	0	0
	悪性リンパ腫	C81-C85 C96	88	0	0	0	0	0	0	0	0	0	1	0	3	5	7	7	10	28	17	9	0	1	0
	多発性骨髄腫	C88-C90	38	0	0	0	0	0	0	0	0	0	0	0	1	3	3	4	5	8	8	4	2	0	0
	白血病	C91-C95	68	0	0	0	0	0	1	1	0	1	1	0	2	3	5	15	16	9	7	7	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,925	1	0	2	0	0	4	2	7	16	34	40	63	98	149	211	246	274	384	279	101	14	0
	口腔・咽頭	C00-C14	36	0	0	0	0	0	0	0	0	0	1	0	0	2	0	5	4	5	9	6	3	1	0
	食道	C15	19	0	0	0	0	0	0	0	0	1	0	0	3	1	1	4	2	3	1	2	1	0	0
	胃	C16	218	0	0	0	0	0	1	1	1	2	3	6	3	5	14	11	31	33	45	41	18	3	0
	大腸（結腸・直腸）	C18-C20	261	0	0	0	0	0	0	0	1	0	2	4	9	12	20	18	32	37	49	52	22	3	0
	結腸	C18	200	0	0	0	0	0	0	0	0	0	1	4	7	7	15	13	22	29	39	43	17	3	0
	直腸	C19-C20	61	0	0	0	0	0	0	0	1	0	1	0	2	5	5	5	10	8	10	9	5	0	0
	肝および肝内胆管	C22	127	0	0	0	0	0	1	0	0	0	1	0	4	3	9	11	17	28	29	20	4	0	0
	胆のう・胆管	C23-C24	117	0	0	0	0	0	0	0	0	1	1	0	1	4	9	8	9	17	29	25	11	2	0
	膵臓	C25	215	0	0	0	0	0	0	0	0	0	0	3	4	16	16	31	31	33	48	24	9	0	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	肺	C33-C34	234	0	0	0	0	0	0	0	0	0	2	2	1	6	23	35	26	39	54	37	7	2	0
	皮膚	C43-C44	11	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	4	3	0	0	0
	乳房	C50	200	0	0	0	0	0	1	0	3	3	9	9	21	22	22	28	26	20	18	14	3	1	0
	子宮	C53-C55	90	0	0	0	0	0	1	0	0	5	5	7	6	7	12	12	10	7	11	6	1	0	0
	子宮頸部	C53	52	0	0	0	0	0	1	0	0	5	2	5	5	6	5	6	2	2	7	6	0	0	0
	子宮体部	C54	29	0	0	0	0	0	0	0	0	0	3	1	1	1	6	6	6	2	2	0	1	0	0
	卵巣	C56	52	0	0	0	0	0	0	1	0	1	4	1	4	7	6	9	5	5	7	1	1	0	0
	膀胱	C67	26	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	2	4	5	8	1	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	42	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	8	4	16	5	3	0	0
	脳・中枢神経系	C70-C72	13	0	0	2	0	0	0	0	0	1	2	1	1	0	1	2	0	0	3	0	0	0	0
	甲状腺	C73	12	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3	1	1	2	2	0	0
	悪性リンパ腫	C81-C85 C96	78	0	0	0	0	0	0	0	0	0	2	0	1	2	3	7	13	15	20	9	6	0	0
	多発性骨髄腫	C88-C90	26	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	4	4	6	4	2	1	0
	白血病	C91-C95	54	0	0	0	0	0	0	0	0	1	1	1	0	3	4	9	10	8	11	4	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	4,549	2	1	2	0	0	6	6	12	25	58	63	140	251	456	637	664	743	806	514	145	18	0
	口腔・咽頭	C00-C14	83	0	0	0	0	0	0	0	1	1	1	1	1	9	8	15	9	7	17	9	3	1	0
	食道	C15	119	0	0	0	0	0	0	0	0	1	1	0	9	7	21	24	20	20	9	5	2	0	0
	胃	C16	593	0	0	0	0	0	1	2	1	4	7	8	10	26	66	73	97	93	115	68	19	3	0
	大腸（結腸・直腸）	C18-C20	539	0	0	0	0	0	0	0	3	1	5	8	24	32	50	67	72	81	87	80	26	3	0
	結腸	C18	385	0	0	0	0	0	0	0	2	0	3	5	17	15	31	44	51	64	64	65	21	3	0
	直腸	C19-C20	154	0	0	0	0	0	0	0	1	1	2	3	7	17	19	23	21	17	23	15	5	0	0
	肝および肝内胆管	C22	381	0	0	0	0	0	1	0	0	0	2	4	10	24	41	56	56	71	70	38	8	0	0
	胆のう・胆管	C23-C24	223	0	0	0	0	0	0	0	0	1	2	0	6	6	17	21	16	43	53	42	14	2	0
	膵臓	C25	457	0	0	0	0	0	0	0	1	0	1	9	14	35	57	72	83	62	74	40	9	0	0
	喉頭	C32	8	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	3	1	0	1	0	0
	肺	C33-C34	843	0	0	0	0	0	0	0	1	0	7	4	19	36	92	146	126	152	150	90	17	3	0
	皮膚	C43-C44	20	0	0	0	0	0	0	0	0	0	0	2	0	0	0	3	3	2	5	4	1	0	0
	乳房	C50	203	0	0	0	0	0	1	0	3	3	9	9	21	22	22	28	28	20	19	14	3	1	0
	子宮	C53-C55	90	0	0	0	0	0	1	0	0	5	5	7	6	7	12	12	10	7	11	6	1	0	0
	子宮頸部	C53	52	0	0	0	0	0	1	0	0	5	2	5	5	6	5	6	2	2	7	6	0	0	0
	子宮体部	C54	29	0	0	0	0	0	0	0	0	0	3	1	1	1	6	6	6	2	2	0	1	0	0
	卵巣	C56	52	0	0	0	0	0	0	1	0	1	4	1	4	7	6	9	5	5	7	1	1	0	0
	前立腺	C61	142	0	0	0	0	0	0	0	0	0	0	1	0	3	7	10	19	34	37	24	7	0	0
	膀胱	C67	82	0	0	0	0	0	0	0	0	0	1	2	0	3	8	9	9	15	17	11	6	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	109	0	0	0	0	0	0	0	0	2	1	0	2	3	7	10	19	17	28	16	3	1	0
	脳・中枢神経系	C70-C72	33	0	0	2	0	0	0	1	0	1	4	2	1	3	3	4	3	3	6	0	0	0	0
	甲状腺	C73	17	0	0	0	0	0	0	0	1	0	0	0	1	0	1	1	3	3	1	3	3	0	0
	悪性リンパ腫	C81-C85 C96	166	0	0	0	0	0	0	0	0	0	3	0	4	7	10	14	23	43	37	18	6	1	0
	多発性骨髄腫	C88-C90	64	0	0	0	0	0	0	0	0	0	0	0	2	5	3	6	9	12	14	8	4	1	0
	白血病	C91-C95	122	0	0	0	0	0	1	1	0	2	2	1	2	6	9	24	26	17	18	11	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
男	全部位	C00-C97	417.8	4.2	3.6	0.0	0.0	0.0	8.0	13.3	13.9	20.9	51.1	57.5	192.5	355.8	602.0	869.4	1,161.1	1,803.8	1,688.0
	口腔・咽頭	C00-C14	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	0.0	2.5	2.5	16.3	15.7	20.4	13.9	7.7	32.0
	食道	C15	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	15.0	14.0	39.2	40.8	50.0	65.4	32.0
	胃	C16	59.7	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	4.7	8.5	5.0	17.5	48.8	102.0	126.5	183.3	230.8	280.0
	大腸（結腸・直腸）	C18-C20	44.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	2.3	6.4	10.0	37.5	46.5	58.8	100.0	111.1	169.2	152.0
	結腸	C18	29.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	4.3	2.5	25.0	18.6	31.4	63.3	80.6	134.6	100.0
	直腸	C19-C20	14.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	7.5	12.5	27.9	27.5	36.7	30.6	34.6	52.0
	肝および肝内胆管	C22	40.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	10.0	15.0	48.8	62.7	91.8	108.3	165.4	164.0
	胆のう・胆管	C23-C24	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	12.5	4.7	15.7	26.5	19.4	100.0	96.0
	膵臓	C25	38.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.1	15.0	25.0	44.2	80.4	83.7	144.4	111.5	104.0
	喉頭	C32	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	4.1	0.0	11.5	4.0
	肺	C33-C34	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	10.6	5.0	45.0	69.8	135.3	226.5	277.8	434.6	384.0
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	4.1	5.6	3.8	4.0
	乳房	C50	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	4.0
	前立腺	C61	22.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	7.0	13.7	20.4	52.8	130.8	148.0
	膀胱	C67	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.5	0.0	4.7	11.8	16.3	19.4	42.3	48.0
	腎・尿路（膀胱除く）	C64-C66 C68	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.1	0.0	2.5	4.7	9.8	16.3	30.6	50.0	48.0
	脳・中枢神経系	C70-C72	3.2	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	4.3	2.5	0.0	7.0	3.9	4.1	8.3	11.5	12.0
	甲状腺	C73	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	7.7	0.0
	悪性リンパ腫	C81-C85 C96	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	7.5	11.6	13.7	14.3	27.8	107.7	68.0
	多発性骨髄腫	C88-C90	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	7.0	5.9	8.2	13.9	30.8	32.0
	白血病	C91-C95	10.8	0.0	0.0	0.0	0.0	0.0	4.0	3.3	0.0	2.3	2.1	0.0	5.0	7.0	9.8	30.6	44.4	34.6	28.0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	C00-C97	275.0	4.3	0.0	7.1	0.0	0.0	16.7	6.5	19.4	37.2	70.8	93.0	146.5	208.5	266.1	376.8	523.4	685.0	662.1
	口腔・咽頭	C00-C14	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	4.3	0.0	8.9	8.5	12.5	15.5
	食道	C15	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	7.0	2.1	1.8	7.1	4.3	7.5	1.7
	胃	C16	31.1	0.0	0.0	0.0	0.0	0.0	4.2	3.2	2.8	4.7	6.3	14.0	7.0	10.6	25.0	19.6	66.0	82.5	77.6
	大腸（結腸・直腸）	C18-C20	37.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	4.2	9.3	20.9	25.5	35.7	32.1	68.1	92.5	84.5
	結腸	C18	28.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9.3	16.3	14.9	26.8	23.2	46.8	72.5	67.2
	直腸	C19-C20	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.1	0.0	4.7	10.6	8.9	8.9	21.3	20.0	17.2
	肝および肝内胆管	C22	18.1	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	2.1	0.0	9.3	6.4	16.1	19.6	36.2	70.0	50.0
	胆のう・胆管	C23-C24	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	0.0	2.3	8.5	16.1	14.3	19.1	42.5	50.0
	膵臓	C25	30.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	9.3	34.0	28.6	55.4	66.0	82.5	82.8
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	肺	C33-C34	33.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	4.7	2.3	12.8	41.1	62.5	55.3	97.5	93.1
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	1.8	2.1	2.5	6.9
	乳房	C50	28.6	0.0	0.0	0.0	0.0	0.0	4.2	0.0	8.3	7.0	18.8	20.9	48.8	46.8	39.3	50.0	55.3	50.0	31.0
	子宮	C53-C55	12.9	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	11.6	10.4	16.3	14.0	14.9	21.4	21.4	21.3	17.5	19.0
	子宮頸部	C53	7.4	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	11.6	4.2	11.6	11.6	12.8	8.9	10.7	4.3	5.0	12.1
	子宮体部	C54	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.3	2.3	2.1	10.7	10.7	12.8	5.0	3.4
	卵巣	C56	7.4	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.3	8.3	2.3	9.3	14.9	10.7	16.1	10.6	12.5	12.1
	膀胱	C67	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.1	3.6	1.8	4.3	10.0	8.6
	腎・尿路（膀胱除く）	C64-C66 C68	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	3.6	3.6	17.0	10.0	27.6
	脳・中枢神経系	C70-C72	1.9	0.0	0.0	7.1	0.0	0.0	0.0	0.0	0.0	2.3	4.2	2.3	2.3	0.0	1.8	3.6	0.0	0.0	5.2
	甲状腺	C73	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	2.3	0.0	1.8	0.0	6.4	2.5	1.7
	悪性リンパ腫	C81-C85 C96	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	2.3	4.3	5.4	12.5	27.7	37.5	34.5
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.3	0.0	3.6	8.5	10.0	10.3
	白血病	C91-C95	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	2.3	0.0	6.4	7.1	16.1	21.3	20.0	19.0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
総数 *2	全部位	C00-C97	342.5	4.3	1.9	3.5	0.0	0.0	12.2	9.8	16.7	29.1	61.1	75.9	168.7	278.9	426.2	606.7	800.0	1,125.8	971.1
	口腔・咽頭	C00-C14	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	1.1	1.2	1.2	10.0	7.5	14.3	10.8	10.6	20.5
	食道	C15	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	0.0	10.8	7.8	19.6	22.9	24.1	30.3	10.8
	胃	C16	44.7	0.0	0.0	0.0	0.0	0.0	2.0	3.3	1.4	4.7	7.4	9.6	12.0	28.9	61.7	69.5	116.9	140.9	138.6
	大腸（結腸・直腸）	C18-C20	40.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	1.2	5.3	9.6	28.9	35.6	46.7	63.8	86.7	122.7	104.8
	結腸	C18	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	3.2	6.0	20.5	16.7	29.0	41.9	61.4	97.0	77.1
	直腸	C19-C20	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	2.1	3.6	8.4	18.9	17.8	21.9	25.3	25.8	27.7
	肝および肝内胆管	C22	28.7	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	2.1	4.8	12.0	26.7	38.3	53.3	67.5	107.6	84.3
	胆のう・胆管	C23-C24	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.1	0.0	7.2	6.7	15.9	20.0	19.3	65.2	63.9
	膵臓	C25	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.1	10.8	16.9	38.9	53.3	68.6	100.0	93.9	89.2
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	1.9	0.0	4.5	1.2
	肺	C33-C34	63.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	7.4	4.8	22.9	40.0	86.0	139.0	151.8	230.3	180.7
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	2.9	3.6	3.0	6.0
	乳房	C50	15.3	0.0	0.0	0.0	0.0	0.0	2.0	0.0	4.2	3.5	9.5	10.8	25.3	24.4	20.6	26.7	33.7	30.3	22.9
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	0.0	3.3	7.5	8.6	10.8	22.7	20.5
	腎・尿路（膀胱除く）	C64-C66 C68	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.1	0.0	2.4	3.3	6.5	9.5	22.9	25.8	33.7
	脳・中枢神経系	C70-C72	2.5	0.0	0.0	3.5	0.0	0.0	0.0	1.6	0.0	1.2	4.2	2.4	1.2	3.3	2.8	3.8	3.6	4.5	7.2
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	1.2	0.0	0.9	1.0	3.6	4.5	1.2
	悪性リンパ腫	C81-C85 C96	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	4.8	7.8	9.3	13.3	27.7	65.2	44.6
	多発性骨髄腫	C88-C90	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	5.6	2.8	5.7	10.8	18.2	16.9
	白血病	C91-C95	9.2	0.0	0.0	0.0	0.0	0.0	2.0	1.6	0.0	2.3	2.1	1.2	2.4	6.7	8.4	22.9	31.3	25.8	21.7

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	417.8	4.2	3.6	0.0	0.0	0.0	8.0	13.3	13.9	20.9	51.1	57.5	192.5	355.8	602.0	869.4	1,161.1	1,803.8	2,820.0	.
	口腔・咽頭	C00-C14	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	0.0	2.5	2.5	16.3	15.7	20.4	13.9	7.7	44.0	.
	食道	C15	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	15.0	14.0	39.2	40.8	50.0	65.4	48.0	.
	胃	C16	59.7	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	4.7	8.5	5.0	17.5	48.8	102.0	126.5	183.3	230.8	392.0	.
	大腸（結腸・直腸）	C18-C20	44.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	2.3	6.4	10.0	37.5	46.5	58.8	100.0	111.1	169.2	280.0	.
	結腸	C18	29.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	4.3	2.5	25.0	18.6	31.4	63.3	80.6	134.6	204.0	.
	直腸	C19-C20	14.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	7.5	12.5	27.9	27.5	36.7	30.6	34.6	76.0	.
	肝および肝内胆管	C22	40.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	10.0	15.0	48.8	62.7	91.8	108.3	165.4	252.0	.
	胆のう・胆管	C23-C24	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	12.5	4.7	15.7	26.5	19.4	100.0	176.0	.
	膵臓	C25	38.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.1	15.0	25.0	44.2	80.4	83.7	144.4	111.5	168.0	.
	喉頭	C32	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	4.1	0.0	11.5	4.0	.
	肺	C33-C34	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	10.6	5.0	45.0	69.8	135.3	226.5	277.8	434.6	640.0	.
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	4.1	5.6	3.8	12.0	.
	乳房	C50	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	4.0	.
	前立腺	C61	22.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	7.0	13.7	20.4	52.8	130.8	272.0	.
	膀胱	C67	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.5	0.0	4.7	11.8	16.3	19.4	42.3	80.0	.
	腎・尿路（膀胱除く）	C64-C66 C68	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.1	0.0	2.5	4.7	9.8	16.3	30.6	50.0	96.0	.
	脳・中枢神経系	C70-C72	3.2	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	4.3	2.5	0.0	7.0	3.9	4.1	8.3	11.5	12.0	.
	甲状腺	C73	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	7.7	8.0	.
	悪性リンパ腫	C81-C85 C96	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	7.5	11.6	13.7	14.3	27.8	107.7	108.0	.
	多発性骨髄腫	C88-C90	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	7.0	5.9	8.2	13.9	30.8	56.0	.
	白血病	C91-C95	10.8	0.0	0.0	0.0	0.0	0.0	4.0	3.3	0.0	2.3	2.1	0.0	5.0	7.0	9.8	30.6	44.4	34.6	56.0	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	275.0	4.3	0.0	7.1	0.0	0.0	16.7	6.5	19.4	37.2	70.8	93.0	146.5	208.5	266.1	376.8	523.4	685.0	1,341.4	.
	口腔・咽頭	C00-C14	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	4.3	0.0	8.9	8.5	12.5	32.8	.
	食道	C15	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	7.0	2.1	1.8	7.1	4.3	7.5	6.9	.
	胃	C16	31.1	0.0	0.0	0.0	0.0	0.0	4.2	3.2	2.8	4.7	6.3	14.0	7.0	10.6	25.0	19.6	66.0	82.5	184.5	.
	大腸（結腸・直腸）	C18-C20	37.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	4.2	9.3	20.9	25.5	35.7	32.1	68.1	92.5	217.2	.
	結腸	C18	28.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9.3	16.3	14.9	26.8	23.2	46.8	72.5	175.9	.
	直腸	C19-C20	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.1	0.0	4.7	10.6	8.9	8.9	21.3	20.0	41.4	.
	肝および肝内胆管	C22	18.1	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	2.1	0.0	9.3	6.4	16.1	19.6	36.2	70.0	91.4	.
	胆のう・胆管	C23-C24	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	0.0	2.3	8.5	16.1	14.3	19.1	42.5	115.5	.
	膵臓	C25	30.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	9.3	34.0	28.6	55.4	66.0	82.5	139.7	.
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	.
	肺	C33-C34	33.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	4.7	2.3	12.8	41.1	62.5	55.3	97.5	172.4	.
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	1.8	2.1	2.5	12.1	.
	乳房	C50	28.6	0.0	0.0	0.0	0.0	0.0	4.2	0.0	8.3	7.0	18.8	20.9	48.8	46.8	39.3	50.0	55.3	50.0	62.1	.
	子宮	C53-C55	12.9	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	11.6	10.4	16.3	14.0	14.9	21.4	21.4	21.3	17.5	31.0	.
	子宮頸部	C53	7.4	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	11.6	4.2	11.6	11.6	12.8	8.9	10.7	4.3	5.0	22.4	.
	子宮体部	C54	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.3	2.3	2.1	10.7	10.7	12.8	5.0	5.2	.
	卵巣	C56	7.4	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.3	8.3	2.3	9.3	14.9	10.7	16.1	10.6	12.5	15.5	.
	膀胱	C67	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.1	3.6	1.8	4.3	10.0	25.9	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	3.6	3.6	17.0	10.0	41.4	.
	脳・中枢神経系	C70-C72	1.9	0.0	0.0	7.1	0.0	0.0	0.0	0.0	0.0	2.3	4.2	2.3	2.3	0.0	1.8	3.6	0.0	0.0	5.2	.
	甲状腺	C73	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	2.3	0.0	1.8	0.0	6.4	2.5	8.6	.
	悪性リンパ腫	C81-C85 C96	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	2.3	4.3	5.4	12.5	27.7	37.5	60.3	.
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.3	0.0	3.6	8.5	10.0	22.4	.
	白血病	C91-C95	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	2.3	0.0	6.4	7.1	16.1	21.3	20.0	29.3	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	342.5	4.3	1.9	3.5	0.0	0.0	12.2	9.8	16.7	29.1	61.1	75.9	168.7	278.9	426.2	606.7	800.0	1,125.8	1,786.7	.
	口腔・咽頭	C00-C14	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	1.1	1.2	1.2	10.0	7.5	14.3	10.8	10.6	36.1	.
	食道	C15	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.1	0.0	10.8	7.8	19.6	22.9	24.1	30.3	19.3	.
	胃	C16	44.7	0.0	0.0	0.0	0.0	0.0	2.0	3.3	1.4	4.7	7.4	9.6	12.0	28.9	61.7	69.5	116.9	140.9	247.0	.
	大腸（結腸・直腸）	C18-C20	40.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	1.2	5.3	9.6	28.9	35.6	46.7	63.8	86.7	122.7	236.1	.
	結腸	C18	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	3.2	6.0	20.5	16.7	29.0	41.9	61.4	97.0	184.3	.
	直腸	C19-C20	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	2.1	3.6	8.4	18.9	17.8	21.9	25.3	25.8	51.8	.
	肝および肝内胆管	C22	28.7	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	2.1	4.8	12.0	26.7	38.3	53.3	67.5	107.6	139.8	.
	胆のう・胆管	C23-C24	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.1	0.0	7.2	6.7	15.9	20.0	19.3	65.2	133.7	.
	膵臓	C25	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.1	10.8	16.9	38.9	53.3	68.6	100.0	93.9	148.2	.
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	1.9	0.0	4.5	2.4	.
	肺	C33-C34	63.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	7.4	4.8	22.9	40.0	86.0	139.0	151.8	230.3	313.3	.
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	2.9	3.6	3.0	12.0	.
	乳房	C50	15.3	0.0	0.0	0.0	0.0	0.0	2.0	0.0	4.2	3.5	9.5	10.8	25.3	24.4	20.6	26.7	33.7	30.3	44.6	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	0.0	3.3	7.5	8.6	10.8	22.7	42.2	.
	腎・尿路（膀胱除く）	C64-C66 C68	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.1	0.0	2.4	3.3	6.5	9.5	22.9	25.8	57.8	.
	脳・中枢神経系	C70-C72	2.5	0.0	0.0	3.5	0.0	0.0	0.0	1.6	0.0	1.2	4.2	2.4	1.2	3.3	2.8	3.8	3.6	4.5	7.2	.
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	1.2	0.0	0.9	1.0	3.6	4.5	8.4	.
	悪性リンパ腫	C81-C85 C96	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	4.8	7.8	9.3	13.3	27.7	65.2	74.7	.
	多発性骨髄腫	C88-C90	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	5.6	2.8	5.7	10.8	18.2	32.5	.
	白血病	C91-C95	9.2	0.0	0.0	0.0	0.0	0.0	2.0	1.6	0.0	2.3	2.1	1.2	2.4	6.7	8.4	22.9	31.3	25.8	37.3	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計