

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

愛媛県2018年

		罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
											日本人口			世界人口					
部位	ICD-10	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	6,960	5,314	12,274	100.0	100.0	100.0	1,089.2	745.3	907.8	479.5	351.2	404.0	340.1	263.5	294.9	40.6	28.8	34.3
口腔・咽頭	C00-C14	196	83	279	2.8	1.6	2.3	30.7	11.6	20.6	15.3	5.5	10.0	11.1	4.1	7.4	1.5	0.5	0.9
食道	C15	221	42	263	3.2	0.8	2.1	34.6	5.9	19.5	16.3	3.0	9.1	11.7	2.2	6.6	1.6	0.3	0.9
胃	C16	1,095	517	1,612	15.7	9.7	13.1	171.4	72.5	119.2	72.1	25.3	46.3	49.6	17.7	32.1	6.1	2.0	3.9
大腸（結腸・直腸）	C18-C20	987	719	1,706	14.2	13.5	13.9	154.5	100.8	126.2	72.0	37.3	53.1	51.2	26.7	38.0	6.2	3.0	4.5
結腸	C18	625	505	1,130	9.0	9.5	9.2	97.8	70.8	83.6	42.5	24.0	32.3	29.6	17.0	22.7	3.6	2.0	2.7
直腸	C19-C20	362	214	576	5.2	4.0	4.7	56.7	30.0	42.6	29.5	13.3	20.8	21.6	9.7	15.2	2.6	1.1	1.8
肝および肝内胆管	C22	418	189	607	6.0	3.6	4.9	65.4	26.5	44.9	28.6	8.3	17.5	20.1	6.1	12.5	2.4	0.6	1.5
胆のう・胆管	C23-C24	141	133	274	2.0	2.5	2.2	22.1	18.7	20.3	8.0	4.4	6.0	5.2	2.9	3.9	0.5	0.2	0.4
膵臓	C25	306	318	624	4.4	6.0	5.1	47.9	44.6	46.2	21.0	13.3	16.9	14.7	9.1	11.7	1.8	1.0	1.4
喉頭	C32	51	4	55	0.7	0.1	0.4	8.0	0.6	4.1	3.5	0.3	1.7	2.5	0.2	1.2	0.3	0.0	0.2
肺	C33-C34	1,052	550	1,602	15.1	10.4	13.1	164.6	77.1	118.5	68.2	27.8	45.8	47.6	19.6	32.1	6.0	2.3	4.1
皮膚	C43-C44	172	167	339	2.5	3.1	2.8	26.9	23.4	25.1	10.0	6.7	8.1	6.8	4.7	5.6	0.7	0.5	0.6
乳房	C50	11	1,081	1,092	0.2	20.3	8.9	1.7	151.6	80.8	0.8	93.1	49.1	0.6	71.2	37.3	0.1	8.1	4.2
子宮	C53-C55	-	384	384	-	7.2	3.1	-	53.9	-	-	39.5	-	-	30.8	-	-	3.2	-
子宮頸部	C53	-	147	147	-	2.8	1.2	-	20.6	-	-	17.1	-	-	13.5	-	-	1.3	-
子宮体部	C54	-	214	214	-	4.0	1.7	-	30.0	-	-	21.5	-	-	16.7	-	-	1.8	-
卵巣	C56	-	135	135	-	2.5	1.1	-	18.9	-	-	14.5	-	-	11.2	-	-	1.2	-
前立腺	C61	1,123	-	1,123	16.1	-	9.1	175.7	-	-	68.8	-	-	46.6	-	-	5.8	-	-
膀胱	C67	226	52	278	3.2	1.0	2.3	35.4	7.3	20.6	13.5	2.5	7.2	9.2	1.8	5.0	1.0	0.2	0.6
腎・尿路（膀胱除く）	C64-C66 C68	247	126	373	3.5	2.4	3.0	38.7	17.7	27.6	19.1	7.1	12.6	14.0	5.1	9.3	1.7	0.6	1.1
脳・中枢神経系	C70-C72	41	39	80	0.6	0.7	0.7	6.4	5.5	5.9	4.3	4.0	4.1	4.0	3.4	3.7	0.3	0.3	0.3
甲状腺	C73	60	187	247	0.9	3.5	2.0	9.4	26.2	18.3	7.0	20.2	13.8	5.5	16.3	11.0	0.5	1.7	1.1
悪性リンパ腫	C81-C85 C96	210	244	454	3.0	4.6	3.7	32.9	34.2	33.6	16.5	15.2	15.8	12.2	11.7	11.8	1.4	1.2	1.3
多発性骨髄腫	C88-C90	50	58	108	0.7	1.1	0.9	7.8	8.1	8.0	3.4	2.9	3.1	2.4	2.0	2.2	0.3	0.2	0.3
白血病	C91-C95	110	78	188	1.6	1.5	1.5	17.2	10.9	13.9	9.5	6.1	7.6	8.0	5.3	6.5	0.8	0.5	0.6

\*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

愛媛県

2018年

		罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
											日本人口			世界人口					
部位	ICD-10	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	7,524	6,059	13,583	100.0	100.0	100.0	1,177.5	849.8	1,004.7	522.1	445.7	471.8	370.5	339.9	347.7	44.4	35.8	39.6
食道	C15 D001	245	46	291	3.3	0.8	2.1	38.3	6.5	21.5	17.8	3.2	9.9	12.7	2.4	7.2	1.7	0.3	1.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,236	870	2,106	16.4	14.4	15.5	193.4	122.0	155.8	93.5	48.5	69.2	67.1	35.0	49.9	8.2	4.0	6.0
結腸 *2	C18 D010	801	611	1,412	10.6	10.1	10.4	125.4	85.7	104.4	57.5	31.5	43.3	40.7	22.5	30.9	5.0	2.6	3.7
直腸 *2	C19-C20 D011-D012	435	259	694	5.8	4.3	5.1	68.1	36.3	51.3	36.0	17.1	25.9	26.4	12.5	19.0	3.2	1.4	2.3
肺	C33-C34 D021-D022	1,076	583	1,659	14.3	9.6	12.2	168.4	81.8	122.7	70.3	30.2	48.0	49.1	21.4	33.8	6.2	2.6	4.3
皮膚	C43-C44 D030-D049	197	210	407	2.6	3.5	3.0	30.8	29.5	30.1	11.4	8.4	9.6	7.7	5.9	6.6	0.7	0.6	0.7
乳房	C50 D05	11	1,206	1,217	0.1	19.9	9.0	1.7	169.1	90.0	0.8	107.7	56.6	0.6	82.5	43.1	0.1	9.2	4.8
子宮	C53-C55 D06	-	689	689	-	11.4	5.1	-	96.6	-	-	98.9	-	-	80.9	-	-	7.3	-
子宮頸部	C53 D06	-	452	452	-	7.5	3.3	-	63.4	-	-	76.6	-	-	63.7	-	-	5.4	-
膀胱	C67 D090	422	103	525	5.6	1.7	3.9	66.0	14.4	38.8	26.3	5.2	14.5	18.0	3.7	10.1	2.1	0.4	1.2

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	6,960	6	3	2	4	6	10	12	32	56	103	163	332	553	1,173	1,326	1,183	982	685	268	57	4	0
	口腔・咽頭	C00-C14	196	0	0	0	0	0	0	0	1	4	2	9	16	18	49	38	27	19	7	3	3	0	0
	食道	C15	221	0	0	0	0	0	0	0	0	3	2	1	20	24	55	42	39	20	11	4	0	0	0
	胃	C16	1,095	0	0	0	0	0	0	0	2	7	11	23	45	78	189	220	210	166	113	26	4	1	0
	大腸（結腸・直腸）	C18-C20	987	0	0	0	0	1	0	0	9	9	22	33	61	90	164	186	159	133	83	31	6	0	0
	結腸	C18	625	0	0	0	0	0	0	0	5	3	7	16	30	54	99	120	110	91	57	27	6	0	0
	直腸	C19-C20	362	0	0	0	0	1	0	0	4	6	15	17	31	36	65	66	49	42	26	4	0	0	0
	肝および肝内胆管	C22	418	0	0	0	0	0	0	0	1	1	4	17	21	39	69	74	64	68	39	19	2	0	0
	胆のう・胆管	C23-C24	141	0	0	0	0	0	0	0	0	0	1	3	7	4	11	23	23	29	28	11	1	0	0
	膵臓	C25	306	0	0	0	0	0	0	0	0	0	4	9	20	26	55	54	56	39	35	6	2	0	0
	喉頭	C32	51	0	0	0	0	0	0	0	0	0	1	2	1	3	12	13	10	5	2	1	1	0	0
	肺	C33-C34	1,052	0	0	0	0	0	0	0	3	3	12	16	42	84	189	217	170	150	105	48	11	2	0
	皮膚	C43-C44	172	0	0	0	0	0	1	0	1	2	1	3	3	9	14	26	32	28	25	22	5	0	0
	乳房	C50	11	0	0	0	0	0	0	0	0	0	0	0	1	2	3	1	2	0	1	1	0	0	0
	前立腺	C61	1,123	0	0	0	0	0	0	0	0	0	3	9	31	83	197	230	223	175	114	50	7	1	0
	膀胱	C67	226	0	0	0	0	0	0	1	0	0	2	4	8	14	26	37	41	35	41	12	5	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	247	1	0	0	0	0	0	0	2	7	7	10	16	20	47	45	31	35	17	8	1	0	0
	脳・中枢神経系	C70-C72	41	1	0	1	1	1	1	1	0	2	2	1	0	8	5	4	5	3	4	0	1	0	0
	甲状腺	C73	60	0	0	0	0	0	2	2	3	2	11	3	5	6	4	8	7	5	2	0	0	0	0
	悪性リンパ腫	C81-C85 C96	210	0	0	0	2	1	0	1	4	5	6	5	15	16	35	34	32	26	20	7	1	0	0
	多発性骨髄腫	C88-C90	50	0	0	0	0	0	0	0	0	0	0	2	5	1	11	11	6	5	5	1	3	0	0
	白血病	C91-C95	110	2	3	0	0	1	1	2	1	0	2	5	3	11	11	22	19	15	8	4	0	0	0

\*1 総数は年齢不詳を含む  
\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	5,314	6	0	8	5	3	18	43	69	132	228	262	320	376	670	669	716	687	615	366	109	12	0
	口腔・咽頭	C00-C14	83	0	0	0	0	0	1	1	1	0	3	4	5	8	10	11	13	12	7	5	1	1	0
	食道	C15	42	0	0	0	0	0	0	0	1	1	0	1	6	6	6	6	5	3	4	3	0	0	0
	胃	C16	517	0	0	0	0	0	1	1	4	5	4	19	15	26	61	63	81	95	78	55	9	0	0
	大腸（結腸・直腸）	C18-C20	719	0	0	1	0	0	0	1	4	9	12	13	27	59	100	85	124	104	109	49	21	1	0
	結腸	C18	505	0	0	1	0	0	0	1	1	3	7	8	17	32	67	66	82	74	87	42	17	0	0
	直腸	C19-C20	214	0	0	0	0	0	0	0	3	6	5	5	10	27	33	19	42	30	22	7	4	1	0
	肝および肝内胆管	C22	189	1	0	0	0	0	1	0	1	1	1	4	5	7	16	23	31	32	37	25	3	1	0
	胆のう・胆管	C23-C24	133	0	0	0	0	0	0	0	0	0	1	2	1	1	14	8	22	30	30	14	10	0	0
	膵臓	C25	318	0	0	0	0	0	0	0	1	0	2	4	7	19	31	43	53	55	56	34	12	1	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	0	0	0	0	0
	肺	C33-C34	550	0	0	0	0	0	0	2	3	3	8	13	30	27	70	84	80	85	71	55	16	3	0
	皮膚	C43-C44	167	0	0	0	0	0	0	1	1	1	3	3	6	5	10	18	14	29	31	32	11	2	0
	乳房	C50	1,081	0	0	0	0	0	3	8	19	54	103	87	86	103	163	158	125	76	63	25	7	1	0
	子宮	C53-C55	384	0	0	0	0	1	3	11	14	23	41	46	44	31	48	34	32	18	21	14	3	0	0
	子宮頸部	C53	147	0	0	0	0	0	3	7	10	15	16	18	11	11	16	13	8	5	8	6	0	0	0
	子宮体部	C54	214	0	0	0	0	1	0	4	4	8	25	28	32	18	32	20	18	10	8	5	1	0	0
	卵巣	C56	135	0	0	0	0	0	1	7	3	9	16	14	21	8	16	12	10	10	3	5	0	0	0
	膀胱	C67	52	0	0	0	0	0	0	0	1	0	0	3	0	4	6	5	9	7	12	4	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	126	0	0	0	0	0	1	0	0	2	2	5	6	8	14	25	20	13	23	5	2	0	0
	脳・中枢神経系	C70-C72	39	0	0	2	2	0	0	0	1	2	2	3	5	3	3	4	4	5	1	2	0	0	0
	甲状腺	C73	187	0	0	0	2	1	4	7	9	11	17	18	16	22	23	20	10	13	9	4	1	0	0
	悪性リンパ腫	C81-C85 C96	244	1	0	2	0	0	2	2	0	4	5	9	13	18	37	27	38	43	25	15	3	0	0
	多発性骨髄腫	C88-C90	58	0	0	0	0	0	0	0	0	1	2	1	3	1	10	3	9	16	8	2	1	1	0
	白血病	C91-C95	78	1	0	3	1	0	0	0	1	3	1	3	8	6	8	12	6	10	11	3	1	0	0

\*1 総数は年齢不詳を含む  
\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	12,274	12	3	10	9	9	28	55	101	188	331	425	652	929	1,843	1,995	1,899	1,669	1,300	634	166	16	0
	口腔・咽頭	C00-C14	279	0	0	0	0	0	1	1	2	4	5	13	21	26	59	49	40	31	14	8	4	1	0
	食道	C15	263	0	0	0	0	0	0	0	1	4	2	2	26	30	61	48	44	23	15	7	0	0	0
	胃	C16	1,612	0	0	0	0	0	1	1	6	12	15	42	60	104	250	283	291	261	191	81	13	1	0
	大腸（結腸・直腸）	C18-C20	1,706	0	0	1	0	1	0	1	13	18	34	46	88	149	264	271	283	237	192	80	27	1	0
	結腸	C18	1,130	0	0	1	0	0	0	1	6	6	14	24	47	86	166	186	192	165	144	69	23	0	0
	直腸	C19-C20	576	0	0	0	0	1	0	0	7	12	20	22	41	63	98	85	91	72	48	11	4	1	0
	肝および肝内胆管	C22	607	1	0	0	0	0	1	0	2	2	5	21	26	46	85	97	95	100	76	44	5	1	0
	胆のう・胆管	C23-C24	274	0	0	0	0	0	0	0	0	0	2	5	8	5	25	31	45	59	58	25	11	0	0
	膵臓	C25	624	0	0	0	0	0	0	0	1	0	6	13	27	45	86	97	109	94	91	40	14	1	0
	喉頭	C32	55	0	0	0	0	0	0	0	0	0	1	2	2	3	13	14	11	5	2	1	1	0	0
	肺	C33-C34	1,602	0	0	0	0	0	0	2	6	6	20	29	72	111	259	301	250	235	176	103	27	5	0
	皮膚	C43-C44	339	0	0	0	0	0	1	1	2	3	4	6	9	14	24	44	46	57	56	54	16	2	0
	乳房	C50	1,092	0	0	0	0	0	3	8	19	54	103	87	87	105	166	159	127	76	64	26	7	1	0
	子宮	C53-C55	384	0	0	0	0	1	3	11	14	23	41	46	44	31	48	34	32	18	21	14	3	0	0
	子宮頸部	C53	147	0	0	0	0	0	3	7	10	15	16	18	11	11	16	13	8	5	8	6	0	0	0
	子宮体部	C54	214	0	0	0	0	1	0	4	4	8	25	28	32	18	32	20	18	10	8	5	1	0	0
	卵巣	C56	135	0	0	0	0	0	1	7	3	9	16	14	21	8	16	12	10	10	3	5	0	0	0
	前立腺	C61	1,123	0	0	0	0	0	0	0	0	0	3	9	31	83	197	230	223	175	114	50	7	1	0
	膀胱	C67	278	0	0	0	0	0	0	1	1	0	2	7	8	18	32	42	50	42	53	16	6	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	373	1	0	0	0	0	1	0	2	9	9	15	22	28	61	70	51	48	40	13	3	0	0
	脳・中枢神経系	C70-C72	80	1	0	3	3	1	1	1	1	4	4	4	5	11	8	8	9	8	5	2	1	0	0
	甲状腺	C73	247	0	0	0	2	1	6	9	12	13	28	21	21	28	27	28	17	18	11	4	1	0	0
	悪性リンパ腫	C81-C85 C96	454	1	0	2	2	1	2	3	4	9	11	14	28	34	72	61	70	69	45	22	4	0	0
	多発性骨髄腫	C88-C90	108	0	0	0	0	0	0	0	0	1	2	3	8	2	21	14	15	21	13	3	4	1	0
	白血病	C91-C95	188	3	3	3	1	1	1	2	2	3	3	8	11	17	19	34	25	25	19	7	1	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

愛媛県2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	7,524	6	3	2	4	6	10	13	37	64	116	192	364	588	1,297	1,438	1,270	1,058	713	281	58	4	0
	食道	C15 D001	245	0	0	0	0	0	0	0	0	3	2	1	21	25	61	49	42	24	12	5	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,236	0	0	0	0	1	0	1	12	13	33	55	79	111	223	229	192	160	88	33	6	0	0
	結腸 *2	C18 D010	801	0	0	0	0	0	0	0	6	6	12	34	43	68	146	151	133	107	61	28	6	0	0
	直腸 *2	C19-C20 D011-D012	435	0	0	0	0	1	0	1	6	7	21	21	36	43	77	78	59	53	27	5	0	0	0
	肺	C33-C34 D021-D022	1,076	0	0	0	0	0	0	0	4	4	13	16	44	86	196	222	173	152	105	48	11	2	0
	皮膚	C43-C44 D030-D049	197	0	0	0	0	0	1	0	1	2	1	4	4	9	15	30	37	37	26	25	5	0	0
	乳房	C50 D05	11	0	0	0	0	0	0	0	0	0	0	0	1	2	3	1	2	0	1	1	0	0	0
	膀胱	C67 D090	422	0	0	0	0	0	0	1	1	2	3	7	17	22	69	81	73	65	58	17	6	0	0
女	全部位	C00-C96 D00-D09	6,059	6	0	8	5	13	50	106	148	203	293	308	362	417	748	729	784	732	645	378	111	13	0
	食道	C15 D001	46	0	0	0	0	0	0	0	1	1	0	1	7	6	7	6	7	3	4	3	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	870	0	0	1	0	0	0	1	7	13	19	22	42	70	132	102	147	121	119	52	21	1	0
	結腸 *2	C18 D010	611	0	0	1	0	0	0	1	4	4	11	13	27	41	89	76	98	91	93	45	17	0	0
	直腸 *2	C19-C20 D011-D012	259	0	0	0	0	0	0	0	3	9	8	9	15	29	43	26	49	30	26	7	4	1	0
	肺	C33-C34 D021-D022	583	0	0	0	0	0	0	2	4	3	9	14	33	29	79	92	88	85	71	55	16	3	0
	皮膚	C43-C44 D030-D049	210	0	0	0	0	0	0	1	1	1	3	3	7	8	15	24	19	36	39	38	12	3	0
	乳房	C50 D05	1,206	0	0	0	0	0	4	9	29	69	118	103	98	111	182	167	137	81	65	25	7	1	0
	子宮	C53-C55 D06	689	0	0	0	0	11	34	73	79	74	81	61	51	40	52	40	36	19	21	14	3	0	0
	子宮頸部	C53 D06	452	0	0	0	0	10	34	69	75	66	56	33	18	20	20	19	12	6	8	6	0	0	0
	膀胱	C67 D090	103	0	0	0	0	0	0	0	1	0	2	6	2	8	9	11	16	20	19	7	2	0	0
総数 *3	全部位	C00-C96 D00-D09	13,583	12	3	10	9	19	60	119	185	267	409	500	726	1,005	2,045	2,167	2,054	1,790	1,358	659	169	17	0
	食道	C15 D001	291	0	0	0	0	0	0	0	1	4	2	2	28	31	68	55	49	27	16	8	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	2,106	0	0	1	0	1	0	2	19	26	52	77	121	181	355	331	339	281	207	85	27	1	0
	結腸 *2	C18 D010	1,412	0	0	1	0	0	0	1	10	10	23	47	70	109	235	227	231	198	154	73	23	0	0
	直腸 *2	C19-C20 D011-D012	694	0	0	0	0	1	0	1	9	16	29	30	51	72	120	104	108	83	53	12	4	1	0
	肺	C33-C34 D021-D022	1,659	0	0	0	0	0	0	2	8	7	22	30	77	115	275	314	261	237	176	103	27	5	0
	皮膚	C43-C44 D030-D049	407	0	0	0	0	0	1	1	2	3	4	7	11	17	30	54	56	73	65	63	17	3	0
	乳房	C50 D05	1,217	0	0	0	0	0	4	9	29	69	118	103	99	113	185	168	139	81	66	26	7	1	0
	子宮	C53-C55 D06	689	0	0	0	0	11	34	73	79	74	81	61	51	40	52	40	36	19	21	14	3	0	0
	子宮頸部	C53 D06	452	0	0	0	0	10	34	69	75	66	56	33	18	20	20	19	12	6	8	6	0	0	0
	膀胱	C67 D090	525	0	0	0	0	0	0	1	2	2	5	13	19	30	78	92	89	85	77	24	8	0	0

\*1 総数は年齢不詳を含む  
\*2 粘膜がんを含む  
\*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,089.2	24.0	10.7	6.7	12.5	22.2	37.0	36.4	86.5	124.4	223.9	407.5	830.0	1,286.0	2,132.7	2,882.6	3,479.4	3,776.9	4,225.0	.
	口腔・咽頭	C00-C14	30.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	8.9	4.3	22.5	40.0	41.9	89.1	82.6	79.4	73.1	54.2	.
	食道	C15	34.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	4.3	2.5	50.0	55.8	100.0	91.3	114.7	76.9	62.5	.
	胃	C16	171.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	15.6	23.9	57.5	112.5	181.4	343.6	478.3	617.6	638.5	600.0	.
	大腸（結腸・直腸）	C18-C20	154.5	0.0	0.0	0.0	0.0	3.7	0.0	0.0	24.3	20.0	47.8	82.5	152.5	209.3	298.2	404.3	467.6	511.5	500.0	.
	結腸	C18	97.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	6.7	15.2	40.0	75.0	125.6	180.0	260.9	323.5	350.0	375.0	.
	直腸	C19-C20	56.7	0.0	0.0	0.0	0.0	3.7	0.0	0.0	10.8	13.3	32.6	42.5	77.5	83.7	118.2	143.5	144.1	161.5	125.0	.
	肝および肝内胆管	C22	65.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.2	8.7	42.5	52.5	90.7	125.5	160.9	188.2	261.5	250.0	.
	胆のう・胆管	C23-C24	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.5	17.5	9.3	20.0	50.0	67.6	111.5	166.7	.
	膵臓	C25	47.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	22.5	50.0	60.5	100.0	117.4	164.7	150.0	179.2	.
	喉頭	C32	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.0	2.5	7.0	21.8	28.3	29.4	19.2	16.7	.
	肺	C33-C34	164.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	6.7	26.1	40.0	105.0	195.3	343.6	471.7	500.0	576.9	691.7	.
	皮膚	C43-C44	26.9	0.0	0.0	0.0	0.0	0.0	3.7	0.0	2.7	4.4	2.2	7.5	7.5	20.9	25.5	56.5	94.1	107.7	216.7	.
	乳房	C50	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.7	5.5	2.2	5.9	0.0	8.3	.
	前立腺	C61	175.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	22.5	77.5	193.0	358.2	500.0	655.9	673.1	716.7	.
	膀胱	C67	35.4	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	4.3	10.0	20.0	32.6	47.3	80.4	120.6	134.6	241.7	.
	腎・尿路（膀胱除く）	C64-C66 C68	38.7	4.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	15.6	15.2	25.0	40.0	46.5	85.5	97.8	91.2	134.6	108.3	.
	脳・中枢神経系	C70-C72	6.4	4.0	0.0	3.3	3.1	3.7	3.7	3.0	0.0	4.4	4.3	2.5	0.0	18.6	9.1	8.7	14.7	11.5	20.8	.
	甲状腺	C73	9.4	0.0	0.0	0.0	0.0	0.0	7.4	6.1	8.1	4.4	23.9	7.5	12.5	14.0	7.3	17.4	20.6	19.2	8.3	.
	悪性リンパ腫	C81-C85 C96	32.9	0.0	0.0	0.0	6.3	3.7	0.0	3.0	10.8	11.1	13.0	12.5	37.5	37.2	63.6	73.9	94.1	100.0	116.7	.
	多発性骨髄腫	C88-C90	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	12.5	2.3	20.0	23.9	17.6	19.2	37.5	.
	白血病	C91-C95	17.2	8.0	10.7	0.0	0.0	3.7	3.7	6.1	2.7	0.0	4.3	12.5	7.5	25.6	20.0	47.8	55.9	57.7	50.0	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	745.3	25.0	0.0	28.6	16.1	12.0	66.7	134.4	186.5	293.3	485.1	609.3	727.3	800.0	1,116.7	1,262.3	1,591.1	1,675.6	1,933.3	・
	口腔・咽頭	C00-C14	11.6	0.0	0.0	0.0	0.0	0.0	3.7	3.1	2.7	0.0	6.4	9.3	11.4	17.0	16.7	20.8	28.9	29.3	24.6	・
	食道	C15	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.2	0.0	2.3	13.6	12.8	10.0	11.3	11.1	7.3	12.3	・
	胃	C16	72.5	0.0	0.0	0.0	0.0	0.0	3.7	3.1	10.8	11.1	8.5	44.2	34.1	55.3	101.7	118.9	180.0	231.7	249.1	・
	大腸（結腸・直腸）	C18-C20	100.8	0.0	0.0	3.6	0.0	0.0	0.0	3.1	10.8	20.0	25.5	30.2	61.4	125.5	166.7	160.4	275.6	253.7	315.8	・
	結腸	C18	70.8	0.0	0.0	3.6	0.0	0.0	0.0	3.1	2.7	6.7	14.9	18.6	38.6	68.1	111.7	124.5	182.2	180.5	256.1	・
	直腸	C19-C20	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	13.3	10.6	11.6	22.7	57.4	55.0	35.8	93.3	73.2	59.6	・
	肝および肝内胆管	C22	26.5	4.2	0.0	0.0	0.0	0.0	3.7	0.0	2.7	2.2	2.1	9.3	11.4	14.9	26.7	43.4	68.9	78.0	115.8	・
	胆のう・胆管	C23-C24	18.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.7	2.3	2.1	23.3	15.1	48.9	73.2	94.7	・
	膵臓	C25	44.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	4.3	9.3	15.9	40.4	51.7	81.1	117.8	134.1	180.7	・
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.7	1.9	2.2	0.0	0.0	・
	肺	C33-C34	77.1	0.0	0.0	0.0	0.0	0.0	0.0	6.3	8.1	6.7	17.0	30.2	68.2	57.4	116.7	158.5	177.8	207.3	254.4	・
	皮膚	C43-C44	23.4	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.7	2.2	6.4	7.0	13.6	10.6	16.7	34.0	31.1	70.7	133.3	・
	乳房	C50	151.6	0.0	0.0	0.0	0.0	0.0	11.1	25.0	51.4	120.0	219.1	202.3	195.5	219.1	271.7	298.1	277.8	185.4	168.4	・
	子宮	C53-C55	53.9	0.0	0.0	0.0	0.0	4.0	11.1	34.4	37.8	51.1	87.2	107.0	100.0	66.0	80.0	64.2	71.1	43.9	66.7	・
	子宮頸部	C53	20.6	0.0	0.0	0.0	0.0	0.0	11.1	21.9	27.0	33.3	34.0	41.9	25.0	23.4	26.7	24.5	17.8	12.2	24.6	・
	子宮体部	C54	30.0	0.0	0.0	0.0	0.0	4.0	0.0	12.5	10.8	17.8	53.2	65.1	72.7	38.3	53.3	37.7	40.0	24.4	24.6	・
	卵巣	C56	18.9	0.0	0.0	0.0	0.0	0.0	3.7	21.9	8.1	20.0	34.0	32.6	47.7	17.0	26.7	22.6	22.2	24.4	14.0	・
	膀胱	C67	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	7.0	0.0	8.5	10.0	9.4	20.0	17.1	29.8	・
	腎・尿路（膀胱除く）	C64-C66 C68	17.7	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	4.4	4.3	11.6	13.6	17.0	23.3	47.2	44.4	31.7	52.6	・
	脳・中枢神経系	C70-C72	5.5	0.0	0.0	7.1	6.5	0.0	0.0	0.0	2.7	4.4	4.3	7.0	11.4	6.4	5.0	7.5	8.9	12.2	5.3	・
	甲状腺	C73	26.2	0.0	0.0	0.0	6.5	4.0	14.8	21.9	24.3	24.4	36.2	41.9	36.4	46.8	38.3	37.7	22.2	31.7	24.6	・
	悪性リンパ腫	C81-C85 C96	34.2	4.2	0.0	7.1	0.0	0.0	7.4	6.3	0.0	8.9	10.6	20.9	29.5	38.3	61.7	50.9	84.4	104.9	75.4	・
	多発性骨髄腫	C88-C90	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	4.3	2.3	6.8	2.1	16.7	5.7	20.0	39.0	21.1	・
	白血病	C91-C95	10.9	4.2	0.0	10.7	3.2	0.0	0.0	0.0	2.7	6.7	2.1	7.0	18.2	12.8	13.3	22.6	13.3	24.4	26.3	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計



表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
総数 *2 全部位			C00-C96	907.8	24.5	5.5	17.2	14.3	17.3	51.9	84.6	136.5	208.9	355.9	512.0	776.2	1,032.2	1,602.6	2,015.2	2,403.8	2,491.0	2,612.3	・
	口腔・咽頭	C00-C14		20.6	0.0	0.0	0.0	0.0	1.9	1.5	2.7	4.4	5.4	15.7	25.0	28.9	51.3	49.5	50.6	46.3	33.3	・	
	食道	C15		19.5	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.4	2.2	2.4	31.0	33.3	53.0	48.5	55.7	34.3	27.2	・	
	胃	C16		119.2	0.0	0.0	0.0	0.0	1.9	1.5	8.1	13.3	16.1	50.6	71.4	115.6	217.4	285.9	368.4	389.6	353.1	・	
	大腸（結腸・直腸）	C18-C20		126.2	0.0	0.0	1.7	0.0	1.9	0.0	1.5	17.6	20.0	36.6	55.4	104.8	165.6	229.6	273.7	358.2	353.7	370.4	・
	結腸	C18		83.6	0.0	0.0	1.7	0.0	0.0	1.5	8.1	6.7	15.1	28.9	56.0	95.6	144.3	187.9	243.0	246.3	291.4	・	
	直腸	C19-C20		42.6	0.0	0.0	0.0	0.0	1.9	0.0	0.0	9.5	13.3	21.5	26.5	48.8	70.0	85.2	85.9	115.2	107.5	79.0	・
	肝および肝内胆管	C22		44.9	2.0	0.0	0.0	0.0	1.9	0.0	2.7	2.2	5.4	25.3	31.0	51.1	73.9	98.0	120.3	149.3	155.6	・	
	胆のう・胆管	C23-C24		20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	6.0	9.5	5.6	21.7	31.3	57.0	88.1	116.0	・	
	膵臓	C25		46.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	6.5	15.7	32.1	50.0	74.8	98.0	138.0	140.3	180.2	・	
	喉頭	C32		4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	2.4	3.3	11.3	14.1	13.9	7.5	4.9	・	
	肺	C33-C34		118.5	0.0	0.0	0.0	0.0	0.0	3.1	8.1	6.7	21.5	34.9	85.7	123.3	225.2	304.0	316.5	350.7	384.0	・	
	皮膚	C43-C44		25.1	0.0	0.0	0.0	0.0	1.9	1.5	2.7	3.3	4.3	7.2	10.7	15.6	20.9	44.4	58.2	85.1	158.0	・	
	乳房	C50		80.8	0.0	0.0	0.0	0.0	5.6	12.3	25.7	60.0	110.8	104.8	103.6	116.7	144.3	160.6	160.8	113.4	121.0	・	
	子宮	C53-C55		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮体部	C54		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	卵巣	C56		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	前立腺	C61		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	膀胱	C67		20.6	0.0	0.0	0.0	0.0	0.0	1.5	1.4	0.0	2.2	8.4	9.5	20.0	27.8	42.4	63.3	62.7	92.6	・	
	腎・尿路（膀胱除く）	C64-C66 C68		27.6	2.0	0.0	0.0	0.0	1.9	0.0	2.7	10.0	9.7	18.1	26.2	31.1	53.0	70.7	64.6	71.6	69.1	・	
	脳・中枢神経系	C70-C72		5.9	2.0	0.0	5.2	4.8	1.9	1.5	1.4	4.4	4.3	4.8	6.0	12.2	7.0	8.1	11.4	11.9	9.9	・	
	甲状腺	C73		18.3	0.0	0.0	0.0	3.2	1.9	11.1	13.8	16.2	14.4	30.1	25.3	25.0	31.1	23.5	28.3	21.5	26.9	19.8	・
	悪性リンパ腫	C81-C85 C96		33.6	2.0	0.0	3.4	3.2	1.9	3.7	4.6	5.4	10.0	11.8	16.9	33.3	37.8	62.6	61.6	88.6	103.0	87.7	・
	多発性骨髄腫	C88-C90		8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.2	3.6	9.5	2.2	18.3	14.1	19.0	31.3	25.9	・	
	白血病	C91-C95		13.9	6.1	5.5	5.2	1.6	1.9	1.9	3.1	2.7	3.3	3.2	9.6	13.1	18.9	16.5	34.3	31.6	37.3	33.3	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

愛媛県2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96 D00-D09	1,177.5	24.0	10.7	6.7	12.5	22.2	37.0	39.4	100.0	142.2	252.2	480.0	910.0	1,367.4	2,358.2	3,126.1	3,735.3	4,069.2	4,400.0	・
	食道	C15 D001	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	4.3	2.5	52.5	58.1	110.9	106.5	123.5	92.3	70.8	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	193.4	0.0	0.0	0.0	0.0	3.7	0.0	3.0	32.4	28.9	71.7	137.5	197.5	258.1	405.5	497.8	564.7	615.4	529.2	・
	結腸 *2	C18 D010	125.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.2	13.3	26.1	85.0	107.5	158.1	265.5	328.3	391.2	411.5	395.8	・
	直腸 *2	C19-C20 D011-D012	68.1	0.0	0.0	0.0	0.0	3.7	0.0	3.0	16.2	15.6	45.7	52.5	90.0	100.0	140.0	169.6	173.5	203.8	133.3	・
	肺	C33-C34 D021-D022	168.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8	8.9	28.3	40.0	110.0	200.0	356.4	482.6	508.8	584.6	691.7	・
	皮膚	C43-C44 D030-D049	30.8	0.0	0.0	0.0	0.0	0.0	3.7	0.0	2.7	4.4	2.2	10.0	10.0	20.9	27.3	65.2	108.8	142.3	233.3	・
	乳房	C50 D05	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.7	5.5	2.2	5.9	0.0	8.3	・
	膀胱	C67 D090	66.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.7	4.4	6.5	17.5	42.5	51.2	125.5	176.1	214.7	250.0	337.5	・
女	全部位	C00-C96 D00-D09	849.8	25.0	0.0	28.6	16.1	52.0	185.2	331.3	400.0	451.1	623.4	716.3	822.7	887.2	1,246.7	1,375.5	1,742.2	1,785.4	2,012.3	・
	食道	C15 D001	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.2	0.0	2.3	15.9	12.8	11.7	11.3	15.6	7.3	12.3	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	122.0	0.0	0.0	3.6	0.0	0.0	0.0	3.1	18.9	28.9	40.4	51.2	95.5	148.9	220.0	192.5	326.7	295.1	338.6	・
	結腸 *2	C18 D010	85.7	0.0	0.0	3.6	0.0	0.0	0.0	3.1	10.8	8.9	23.4	30.2	61.4	87.2	148.3	143.4	217.8	222.0	271.9	・
	直腸 *2	C19-C20 D011-D012	36.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	20.0	17.0	20.9	34.1	61.7	71.7	49.1	108.9	73.2	66.7	・
	肺	C33-C34 D021-D022	81.8	0.0	0.0	0.0	0.0	0.0	0.0	6.3	10.8	6.7	19.1	32.6	75.0	61.7	131.7	173.6	195.6	207.3	254.4	・
	皮膚	C43-C44 D030-D049	29.5	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.7	2.2	6.4	7.0	15.9	17.0	25.0	45.3	42.2	87.8	161.4	・
	乳房	C50 D05	169.1	0.0	0.0	0.0	0.0	0.0	14.8	28.1	78.4	153.3	251.1	239.5	222.7	236.2	303.3	315.1	304.4	197.6	171.9	・
	子宮	C53-C55 D06	96.6	0.0	0.0	0.0	0.0	44.0	125.9	228.1	213.5	164.4	172.3	141.9	115.9	85.1	86.7	75.5	80.0	46.3	66.7	・
総数 *3	子宮頸部	C53 D06	63.4	0.0	0.0	0.0	0.0	40.0	125.9	215.6	202.7	146.7	119.1	76.7	40.9	42.6	33.3	35.8	26.7	14.6	24.6	・
	膀胱	C67 D090	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	4.3	14.0	4.5	17.0	15.0	20.8	35.6	48.8	49.1	・
	全部位	C00-C96 D00-D09	1,004.7	24.5	5.5	17.2	14.3	36.5	111.1	183.1	250.0	296.7	439.8	602.4	864.3	1,116.7	1,778.3	2,188.9	2,600.0	2,671.6	2,719.8	・
	食道	C15 D001	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.4	2.2	2.4	33.3	34.4	59.1	55.6	62.0	40.3	29.6	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	155.8	0.0	0.0	1.7	0.0	1.9	0.0	3.1	25.7	28.9	55.9	92.8	144.0	201.1	308.7	334.3	429.1	419.4	395.1	・
	結腸 *2	C18 D010	104.4	0.0	0.0	1.7	0.0	0.0	0.0	1.5	13.5	11.1	24.7	56.6	83.3	121.1	204.3	229.3	292.4	295.5	308.6	・
	直腸 *2	C19-C20 D011-D012	51.3	0.0	0.0	0.0	0.0	1.9	0.0	1.5	12.2	17.8	31.2	36.1	60.7	80.0	104.3	105.1	136.7	123.9	86.4	・
	肺	C33-C34 D021-D022	122.7	0.0	0.0	0.0	0.0	0.0	0.0	3.1	10.8	7.8	23.7	36.1	91.7	127.8	239.1	317.2	330.4	353.7	384.0	・
	皮膚	C43-C44 D030-D049	30.1	0.0	0.0	0.0	0.0	0.0	1.9	1.5	2.7	3.3	4.3	8.4	13.1	18.9	26.1	54.5	70.9	109.0	182.7	・
	乳房	C50 D05	90.0	0.0	0.0	0.0	0.0	0.0	7.4	13.8	39.2	76.7	126.9	124.1	117.9	125.6	160.9	169.7	175.9	120.9	123.5	・
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67 D090	38.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.7	2.2	5.4	15.7	22.6	33.3	67.8	92.9	112.7	126.9	134.6	・

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

愛媛県

2018年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	12,084	10.8	36.6	0.1	46.4	6.2
口腔・咽頭	C00-C14	276	1.1	22.1	0.0	72.5	4.3
食道	C15	259	10.0	34.7	0.0	52.9	2.3
胃	C16	1,589	12.6	37.4	0.0	43.2	6.7
大腸（結腸・直腸）	C18-C20	1,691	13.8	25.7	0.1	54.5	6.0
結腸	C18	1,120	12.7	28.0	0.0	52.5	6.8
直腸	C19-C20	571	15.9	21.2	0.2	58.3	4.4
肝および肝内胆管	C22	589	3.2	63.0	0.3	27.0	6.5
胆のう・胆管	C23-C24	270	3.0	38.5	1.1	54.8	2.6
膵臓	C25	609	4.3	36.0	0.0	58.3	1.5
喉頭	C32	55	1.8	20.0	0.0	69.1	9.1
肺	C33-C34	1,559	11.3	52.1	0.1	33.0	3.5
皮膚	C43-C44	338	0.0	13.0	0.0	84.6	2.4
乳房	C50	1,083	19.4	18.7	0.0	52.3	9.7
乳房（女性のみ）	C50	1,073	19.6	18.7	0.0	52.0	9.7
子宮	C53-C55	379	7.4	19.8	0.0	63.6	9.2
子宮頸部	C53	147	12.2	18.4	0.0	59.9	9.5
子宮体部	C54	213	4.7	22.1	0.0	69.5	3.8
卵巣	C56	135	3.0	29.6	0.0	64.4	3.0
前立腺	C61	1,113	21.2	45.4	0.4	23.8	9.2
膀胱	C67	273	2.2	27.1	0.0	60.8	9.9
腎・尿路（膀胱除く）	C64-C66 C68	370	7.3	60.3	0.0	26.8	5.7
脳・中枢神経系	C70-C72	80	1.3	13.8	0.0	82.5	2.5
甲状腺	C73	245	15.9	49.4	0.0	21.2	13.5
悪性リンパ腫	C81-C85 C96	453	3.8	31.1	0.0	59.2	6.0
多発性骨髄腫	C88-C90	105	2.9	51.4	0.0	36.2	9.5
白血病	C91-C95	185	7.0	46.5	0.0	41.1	5.4

\*1 DC0を除く総数

表4. 発見経緯（%）： 部位別

B. 上皮内がんを含む

愛媛県2018年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	13,393	11.8	37.2	0.1	45.2	5.7
食道	C15 D001	287	9.8	38.3	0.0	49.5	2.4
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,091	15.6	29.6	0.0	49.5	5.3
結腸 *2	C18 D010	1,402	14.6	32.2	0.0	47.3	6.0
直腸 *2	C19-C20 D011-D012	689	17.9	24.2	0.1	54.0	3.8
肺	C33-C34 D021-D022	1,616	11.1	53.3	0.1	32.1	3.4
皮膚	C43-C44 D030-D049	406	0.0	11.8	0.0	86.2	2.0
乳房	C50 D05	1,208	21.1	20.8	0.0	49.3	8.8
乳房（女性のみ）	C50 D05	1,198	21.3	20.9	0.0	49.1	8.8
子宮	C53-C55 D06	684	21.2	29.8	0.0	43.0	6.0
子宮頸部	C53 D06	452	29.9	34.5	0.0	31.2	4.4
膀胱	C67 D090	520	4.2	29.6	0.0	60.2	6.0

\*1 DC0を除く総数

\*2 粘膜がんを含む

表5-1. 進展度・総合（％）： 部位別

## A. 上皮内がんを除く

愛媛県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	11,804	47.3	9.0	13.4	18.5	11.7	22.4
口腔・咽頭	C00-C14	276	35.5	16.7	36.2	4.3	7.2	52.9
食道	C15	259	44.0	5.8	25.5	19.7	5.0	31.3
胃	C16	1,589	54.6	10.0	8.1	17.1	10.3	18.1
大腸（結腸・直腸）	C18-C20	1,691	44.4	15.6	11.5	19.0	9.5	27.1
結腸	C18	1,120	43.6	13.9	12.1	19.3	11.1	26.1
直腸	C19-C20	571	46.1	18.9	10.2	18.6	6.3	29.1
肝および肝内胆管	C22	589	62.0	2.4	5.8	11.9	18.0	8.1
胆のう・胆管	C23-C24	270	13.7	1.5	46.3	26.7	11.9	47.8
膵臓	C25	609	18.2	10.0	18.4	45.5	7.9	28.4
喉頭	C32	55	60.0	9.1	12.7	5.5	12.7	21.8
肺	C33-C34	1,559	38.7	8.4	10.6	31.8	10.5	19.0
皮膚	C43-C44	338	84.6	0.9	6.8	1.8	5.9	7.7
乳房	C50	1,083	57.4	20.8	3.0	6.7	12.1	23.7
乳房（女性のみ）	C50	1,073	57.7	20.5	3.0	6.8	12.0	23.5
子宮	C53-C55	379	53.8	2.1	23.2	6.9	14.0	25.3
子宮頸部	C53	147	37.4	4.8	37.4	6.1	14.3	42.2
子宮体部	C54	213	69.5	0.5	14.6	8.0	7.5	15.0
卵巣	C56	135	35.6	0.7	36.3	14.8	12.6	37.0
前立腺	C61	1,113	58.5	1.7	15.9	10.9	13.0	17.6
膀胱	C67	273	66.3	1.5	10.3	2.6	19.4	11.7
腎・尿路（膀胱除く）	C64-C66 C68	370	56.8	1.1	21.4	11.4	9.5	22.4
脳・中枢神経系	C70-C72	80	62.5	0.0	20.0	1.3	16.3	20.0
甲状腺	C73	245	44.9	28.2	6.9	3.7	16.3	35.1
悪性リンパ腫	C81-C85 C96	449	23.4	0.4	12.7	49.2	14.3	13.1
多発性骨髄腫	C88-C90	—	—	—	—	—	—	—
白血病	C91-C95	—	—	—	—	—	—	—

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合（％）： 部位別

B. 上皮内がんを含む

愛媛県2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,113	9.7	42.8	8.1	12.1	16.7	10.7	20.2
食道	C15 D001	287	9.4	39.7	5.2	23.0	17.8	4.9	28.2
大腸（結腸・直腸）*3	C18-C20 D010-D012	2,091	19.0	35.9	12.6	9.3	15.4	7.8	21.9
結腸 *3	C18 D010	1,402	19.9	34.8	11.1	9.7	15.4	9.1	20.8
直腸 *3	C19-C20 D011-D012	689	17.1	38.2	15.7	8.4	15.4	5.2	24.1
肺	C33-C34 D021-D022	1,616	3.5	37.4	8.1	10.2	30.6	10.1	18.3
皮膚	C43-C44 D030-D049	406	16.7	70.4	0.7	5.7	1.5	4.9	6.4
乳房	C50 D05	1,208	10.3	51.5	18.6	2.6	6.0	10.8	21.3
乳房（女性のみ）	C50 D05	1,198	10.4	51.7	18.4	2.7	6.1	10.8	21.0
子宮	C53-C55 D06	684	44.0	29.8	1.2	12.9	3.8	8.3	14.0
子宮頸部	C53 D06	452	66.6	12.2	1.5	12.2	2.0	5.5	13.7
膀胱	C67 D090	520	46.7	34.8	0.8	5.4	1.3	11.0	6.2

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

\*3 粘膜がんを含む

表5-2. 進展度・治療前（%）： 部位別

## A. 上皮内がんを除く

愛媛県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	11,804	0.8	49.0	6.6	12.1	17.9	13.6	18.7
口腔・咽頭	C00-C14	276	2.2	28.6	16.7	37.7	4.3	10.5	54.3
食道	C15	259	3.5	41.7	4.6	25.9	19.3	5.0	30.5
胃	C16	1,589	0.1	58.9	6.9	7.7	15.0	11.4	14.6
大腸（結腸・直腸）	C18-C20	1,691	1.0	42.0	12.4	13.2	18.3	13.1	25.6
結腸	C18	1,120	0.9	40.7	11.3	13.5	18.8	14.8	24.7
直腸	C19-C20	571	1.2	44.5	14.7	12.6	17.2	9.8	27.3
肝および肝内胆管	C22	589	0.0	61.8	2.4	5.6	11.7	18.5	8.0
胆のう・胆管	C23-C24	270	0.0	17.4	1.5	38.9	25.2	17.0	40.4
膵臓	C25	609	0.3	25.6	3.8	17.2	44.2	8.9	21.0
喉頭	C32	55	1.8	60.0	10.9	9.1	5.5	12.7	20.0
肺	C33-C34	1,559	0.4	40.3	7.1	9.9	31.2	11.0	17.0
皮膚	C43-C44	338	0.9	79.3	0.6	7.4	1.5	10.4	8.0
乳房	C50	1,083	3.5	62.5	12.1	2.7	6.8	12.4	14.8
乳房（女性のみ）	C50	1,073	3.5	62.6	11.9	2.7	6.9	12.3	14.6
子宮	C53-C55	379	0.8	52.8	3.2	18.5	6.9	17.9	21.6
子宮頸部	C53	147	2.0	35.4	4.8	36.7	6.1	15.0	41.5
子宮体部	C54	213	0.0	69.5	2.3	6.6	8.0	13.6	8.9
卵巣	C56	135	0.0	43.7	0.7	22.2	13.3	20.0	23.0
前立腺	C61	1,113	0.0	62.1	1.9	10.5	10.9	14.6	12.4
膀胱	C67	273	0.4	66.7	2.2	7.7	2.2	20.9	9.9
腎・尿路（膀胱除く）	C64-C66 C68	370	0.0	62.2	1.1	15.9	11.1	9.7	17.0
脳・中枢神経系	C70-C72	80	0.0	62.5	0.0	20.0	1.3	16.3	20.0
甲状腺	C73	245	0.0	55.5	13.1	4.1	4.1	23.3	17.1
悪性リンパ腫	C81-C85 C96	449	0.0	22.0	0.7	12.9	49.0	15.4	13.6
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前（%）： 部位別

B. 上皮内がんを含む

愛媛県2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,113	7.8	45.4	5.9	10.9	16.1	13.9	16.8
食道	C15 D001	287	12.5	38.0	4.2	23.3	17.4	4.5	27.5
大腸（結腸・直腸）*3	C18-C20 D010-D012	2,091	10.9	35.9	10.0	10.7	14.8	17.7	20.7
結腸 *3	C18 D010	1,402	11.6	34.3	9.0	10.8	15.0	19.3	19.8
直腸 *3	C19-C20 D011-D012	689	9.3	39.2	12.2	10.4	14.2	14.7	22.6
肺	C33-C34 D021-D022	1,616	2.0	40.9	6.9	9.5	30.1	10.6	16.4
皮膚	C43-C44 D030-D049	406	16.0	66.7	0.5	6.2	1.2	9.4	6.7
乳房	C50 D05	1,208	11.8	57.4	10.9	2.4	6.1	11.4	13.3
乳房（女性のみ）	C50 D05	1,198	11.9	57.4	10.8	2.4	6.2	11.4	13.2
子宮	C53-C55 D06	684	43.0	29.5	1.8	10.2	3.8	11.7	12.0
子宮頸部	C53 D06	452	65.0	11.9	1.5	11.9	2.0	7.5	13.5
膀胱	C67 D090	520	34.6	42.7	1.2	4.0	1.2	16.3	5.2

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

\*3 粘膜がんを含む



表5-3. 進展度・術後（%）： 部位別

## A. 上皮内がんを除く

愛媛県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	7,701	53.4	10.3	10.5	4.3	21.5	20.8
口腔・咽頭	C00-C14	188	43.6	11.7	23.9	0.5	20.2	35.6
食道	C15	106	64.2	6.6	3.8	0.9	24.5	10.4
胃	C16	1,233	59.0	11.0	6.9	3.6	19.4	17.9
大腸（結腸・直腸）	C18-C20	1,447	47.3	16.8	11.5	12.0	12.4	28.3
結腸	C18	962	46.5	15.1	12.3	12.5	13.7	27.3
直腸	C19-C20	485	49.1	20.2	9.9	11.1	9.7	30.1
肝および肝内胆管	C22	224	46.4	0.9	3.1	2.7	46.9	4.0
胆のう・胆管	C23-C24	146	15.1	1.4	50.7	4.1	28.8	52.1
膵臓	C25	228	28.1	23.2	12.7	5.7	30.3	36.0
喉頭	C32	28	32.1	14.3	17.9	7.1	28.6	32.1
肺	C33-C34	748	58.0	7.1	7.2	2.7	25.0	14.3
皮膚	C43-C44	329	84.5	0.9	6.1	1.2	7.3	7.0
乳房	C50	919	63.2	18.8	1.4	0.9	15.7	20.2
乳房（女性のみ）	C50	911	63.4	18.7	1.4	0.9	15.6	20.1
子宮	C53-C55	288	64.9	1.7	11.5	1.4	20.5	13.2
子宮頸部	C53	79	57.0	5.1	6.3	0.0	31.6	11.4
子宮体部	C54	194	72.7	0.5	14.4	2.1	10.3	14.9
卵巣	C56	108	41.7	0.9	33.3	7.4	16.7	34.3
前立腺	C61	535	52.3	0.4	15.9	0.2	31.2	16.3
膀胱	C67	248	49.2	1.2	6.9	2.0	40.7	8.1
腎・尿路（膀胱除く）	C64-C66 C68	296	59.1	0.0	19.9	3.7	17.2	19.9
脳・中枢神経系	C70-C72	50	42.0	0.0	22.0	0.0	36.0	22.0
甲状腺	C73	230	43.0	29.1	6.5	0.9	20.4	35.7
悪性リンパ腫	C81-C85 C96	102	23.5	0.0	3.9	5.9	66.7	3.9
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後（％）： 部位別

B. 上皮内がんを含む

愛媛県2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	8,878	12.7	46.5	8.9	9.1	3.8	19.0	18.0
食道	C15 D001	128	17.2	53.1	5.5	3.1	0.8	20.3	8.6
大腸（結腸・直腸）*3	C18-C20 D010-D012	1,846	21.3	37.1	13.2	9.0	9.4	10.0	22.2
結腸 *3	C18 D010	1,243	22.3	36.0	11.7	9.5	9.7	10.9	21.2
直腸 *3	C19-C20 D011-D012	603	19.4	39.5	16.3	8.0	9.0	8.0	24.2
肺	C33-C34 D021-D022	803	6.8	54.0	6.6	6.7	2.5	23.3	13.3
皮膚	C43-C44 D030-D049	395	16.2	70.4	0.8	5.1	1.0	6.6	5.8
乳房	C50 D05	1,042	11.6	55.8	16.6	1.2	0.8	14.0	17.9
乳房（女性のみ）	C50 D05	1,034	11.7	55.9	16.4	1.3	0.8	13.9	17.7
子宮	C53-C55 D06	488	39.8	38.3	1.0	6.8	0.8	13.3	7.8
子宮頸部	C53 D06	279	69.5	16.1	1.4	1.8	0.0	11.1	3.2
膀胱	C67 D090	486	46.3	25.1	0.6	3.5	1.0	23.5	4.1

\*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

\*3 粘膜がんを含む

表6. 初回治療内容割合（％）： 部位別

## A. 上皮内がんを除く

愛媛県

2018年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	12,084	26.5	20.1	7.7	9.9	28.5	8.6	2.5	26.1
口腔・咽頭	C00-C14	276	51.8	0.0	4.0	30.1	25.7	0.0	0.0	23.2
食道	C15	259	4.6	17.0	22.4	28.2	48.3	0.0	0.0	17.4
胃	C16	1,589	20.9	15.0	30.2	0.3	20.5	0.1	0.4	26.4
大腸（結腸・直腸）	C18-C20	1,691	22.0	49.6	9.0	0.9	27.0	0.1	0.4	19.3
結腸	C18	1,120	24.0	46.4	8.3	0.1	24.6	0.0	0.5	21.5
直腸	C19-C20	571	18.0	55.7	10.3	2.6	31.5	0.2	0.0	14.9
肝および肝内胆管	C22	589	17.8	4.9	0.0	2.9	39.0	0.0	36.8	36.2
胆のう・胆管	C23-C24	270	35.9	3.7	0.4	1.5	30.0	0.0	0.4	44.1
脾臓	C25	609	25.8	1.8	0.0	1.5	52.5	0.0	0.3	37.9
喉頭	C32	55	27.3	1.8	7.3	49.1	20.0	0.0	1.8	20.0
肺	C33-C34	1,559	4.4	32.6	0.0	15.8	33.9	0.0	0.2	32.0
皮膚	C43-C44	338	91.1	0.0	0.0	3.3	1.5	0.0	0.3	7.7
乳房	C50	1,083	77.8	0.0	0.0	32.2	35.4	51.3	0.0	14.8
乳房（女性のみ）	C50	1,073	77.9	0.0	0.0	32.4	35.2	51.4	0.0	14.7
子宮	C53-C55	379	44.6	19.3	0.8	21.1	34.8	0.3	0.3	19.8
子宮頸部	C53	147	29.3	13.6	1.4	48.3	41.5	0.0	0.7	19.0
子宮体部	C54	213	58.7	24.4	0.5	4.2	33.3	0.5	0.0	13.6
卵巣	C56	135	68.9	4.4	0.0	0.7	40.0	0.0	0.0	22.2
前立腺	C61	1,113	3.5	32.1	1.6	7.4	1.4	42.6	0.4	23.9
膀胱	C67	273	3.3	15.8	72.2	3.3	27.8	0.0	16.5	23.4
腎・尿路（膀胱除く）	C64-C66 C68	370	8.1	60.5	0.5	1.4	12.2	0.0	0.8	25.9
脳・中枢神経系	C70-C72	80	42.5	0.0	0.0	53.8	46.3	0.0	2.5	45.0
甲状腺	C73	245	74.7	0.8	0.0	3.7	0.8	1.6	0.0	23.3
悪性リンパ腫	C81-C85 C96	453	7.3	0.9	0.2	10.4	55.6	1.3	0.7	36.2
多発性骨髄腫	C88-C90	105	1.0	0.0	0.0	6.7	48.6	0.0	2.9	45.7
白血病	C91-C95	185	0.0	0.0	0.0	1.6	70.3	0.5	1.1	29.7

\*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合（％）： 部位別

B. 上皮内がんを含む

愛媛県 2018年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	13,393	26.9	19.2	11.6	9.2	26.2	7.9	3.4	23.9
食道	C15 D001	287	4.2	15.3	27.9	25.4	43.6	0.0	0.7	17.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,091	18.6	41.3	24.2	0.8	21.8	0.0	0.3	15.9
結腸 *2	C18 D010	1,402	19.9	38.5	24.3	0.1	19.7	0.0	0.4	17.5
直腸 *2	C19-C20 D011-D012	689	15.8	46.9	23.9	2.2	26.1	0.1	0.0	12.5
肺	C33-C34 D021-D022	1,616	4.2	34.8	0.0	15.4	32.7	0.0	0.2	30.9
皮膚	C43-C44 D030-D049	406	91.6	0.0	0.0	2.7	1.2	0.0	0.2	7.4
乳房	C50 D05	1,208	79.9	0.0	0.0	32.2	31.8	47.0	0.0	13.5
乳房（女性のみ）	C50 D05	1,198	80.0	0.0	0.0	32.4	31.6	47.0	0.0	13.4
子宮	C53-C55 D06	684	48.7	14.8	0.7	11.7	19.3	0.1	16.4	12.7
子宮頸部	C53 D06	452	45.8	10.6	0.9	15.7	13.5	0.0	24.8	8.8
膀胱	C67 D090	520	2.1	8.5	82.3	1.7	25.2	0.0	14.8	13.8

\*1 DC0を除く総数

\*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別

A. 上皮内がんを除く

愛媛県

2018年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	6,401	89.1	10.1	0.7
口腔・咽頭	C00-C14	152	86.2	13.2	0.7
食道	C15	109	96.3	3.7	0.0
胃	C16	1,019	93.9	5.6	0.5
大腸（結腸・直腸）	C18-C20	1,299	87.8	11.5	0.7
結腸	C18	845	86.2	12.9	0.9
直腸	C19-C20	454	90.7	9.0	0.2
肝および肝内胆管	C22	134	93.3	5.2	1.5
胆のう・胆管	C23-C24	103	81.6	18.4	0.0
膵臓	C25	168	84.5	14.9	0.6
喉頭	C32	20	90.0	10.0	0.0
肺	C33-C34	573	93.7	5.9	0.3
皮膚	C43-C44	308	95.1	3.9	1.0
乳房	C50	843	95.4	4.0	0.6
乳房（女性のみ）	C50	836	95.3	4.1	0.6
子宮	C53-C55	242	94.2	5.4	0.4
子宮頸部	C53	64	95.3	4.7	0.0
子宮体部	C54	177	94.4	5.1	0.6
卵巣	C56	98	83.7	15.3	1.0
前立腺	C61	413	89.3	10.4	0.2
膀胱	C67	207	43.5	53.6	2.9
腎・尿路（膀胱除く）	C64-C66 C68	254	93.3	5.9	0.8
脳・中枢神経系	C70-C72	34	44.1	55.9	0.0
甲状腺	C73	184	95.7	4.3	0.0
悪性リンパ腫	C81-C85 C96	38	39.5	47.4	13.2
多発性骨髄腫	C88-C90	1	100.0	0.0	0.0
白血病	C91-C95	0	-	-	-

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別

B. 上皮内がんを含む

愛媛県2018年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	7,557	90.3	9.0	0.7
食道	C15 D001	131	96.9	3.1	0.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,693	90.0	9.2	0.8
結腸 *2	C18 D010	1,122	88.8	10.2	1.0
直腸 *2	C19-C20 D011-D012	571	92.5	7.2	0.4
肺	C33-C34 D021-D022	628	94.3	5.4	0.3
皮膚	C43-C44 D030-D049	372	95.7	3.2	1.1
乳房	C50 D05	965	95.6	3.7	0.6
乳房（女性のみ）	C50 D05	958	95.6	3.8	0.6
子宮	C53-C55 D06	436	96.3	3.0	0.7
子宮頸部	C53 D06	258	98.1	1.2	0.8
膀胱	C67 D090	441	68.7	29.9	1.4

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

\*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

## A. 上皮内がんを除く

愛媛県

2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.37	0.36	0.37	2.1	3.2	2.6	1.3	1.9	1.5	85.2	84.1	84.7	83.0	81.1	82.2
口腔・咽頭	C00-C14	0.40	0.31	0.37	2.6	1.2	2.2	1.0	1.2	1.1	93.4	95.2	93.9	93.4	92.8	93.2
食道	C15	0.36	0.33	0.35	1.4	2.4	1.5	1.4	2.4	1.5	97.7	92.9	97.0	97.7	92.9	97.0
胃	C16	0.32	0.42	0.36	1.1	3.9	2.0	0.9	2.5	1.4	96.3	90.5	94.4	96.2	90.3	94.3
大腸（結腸・直腸）	C18-C20	0.31	0.36	0.33	1.1	1.9	1.5	0.8	1.0	0.9	94.6	91.0	93.1	94.6	90.8	93.0
結腸	C18	0.29	0.38	0.33	1.3	1.8	1.5	1.0	0.8	0.9	93.8	90.1	92.1	93.8	89.9	92.0
直腸	C19-C20	0.34	0.31	0.33	0.8	2.3	1.4	0.6	1.4	0.9	96.1	93.0	95.0	96.1	93.0	95.0
肝および肝内胆管	C22	0.57	0.72	0.62	3.6	7.9	4.9	1.9	5.3	3.0	38.3	30.2	35.7	37.6	28.0	34.6
胆のう・胆管	C23-C24	0.82	0.83	0.82	5.0	6.0	5.5	0.7	2.3	1.5	75.2	57.9	66.8	67.4	45.1	56.6
膵臓	C25	0.69	0.79	0.74	3.3	6.3	4.8	1.6	3.1	2.4	68.0	54.4	61.1	61.4	48.7	55.0
喉頭	C32	0.20	0.00	0.18	2.0	0.0	1.8	0.0	0.0	0.0	98.0	100.0	98.2	98.0	100.0	98.2
肺	C33-C34	0.57	0.49	0.54	3.2	4.5	3.7	2.2	3.6	2.7	77.1	69.5	74.5	71.5	63.3	68.7
皮膚	C43-C44	0.05	0.05	0.05	0.6	0.6	0.6	0.0	0.6	0.3	99.4	97.6	98.5	99.4	97.6	98.5
乳房	C50	0.27	0.15	0.15	9.1	1.0	1.1	9.1	0.7	0.8	81.8	97.0	96.9	81.8	96.5	96.3
子宮	C53-C55	-	0.22	0.22	-	2.1	2.1	-	1.3	1.3	-	93.5	93.5	-	91.4	91.4
子宮頸部	C53	-	0.22	0.22	-	0.0	0.0	-	0.0	0.0	-	97.3	97.3	-	95.2	95.2
子宮体部	C54	-	0.11	0.11	-	0.9	0.9	-	0.5	0.5	-	95.8	95.8	-	93.9	93.9
卵巣	C56	-	0.33	0.33	-	0.7	0.7	-	0.0	0.0	-	88.9	88.9	-	80.0	80.0
前立腺	C61	0.12	-	0.12	1.2	-	1.2	0.9	-	0.9	87.1	-	87.1	87.0	-	87.0
膀胱	C67	0.35	0.37	0.35	2.7	1.9	2.5	1.8	1.9	1.8	88.1	90.4	88.5	85.4	84.6	85.3
腎・尿路（膀胱除く）	C64-C66 C68	0.25	0.27	0.25	1.2	0.8	1.1	0.8	0.8	0.8	86.2	79.4	83.9	84.6	72.2	80.4
脳・中枢神経系	C70-C72	0.46	0.33	0.40	0.0	0.0	0.0	0.0	0.0	0.0	65.9	53.8	60.0	65.9	53.8	60.0
甲状腺	C73	0.15	0.08	0.10	0.0	1.1	0.8	0.0	1.1	0.8	95.0	95.2	95.1	83.3	91.4	89.5
悪性リンパ腫	C81-C85 C96	0.39	0.32	0.35	0.5	4.5	2.6	0.0	0.4	0.2	90.0	90.6	90.3	88.6	89.3	89.0
多発性骨髄腫	C88-C90	0.60	0.45	0.52	6.0	8.6	7.4	0.0	5.2	2.8	92.0	79.3	85.2	88.0	70.7	78.7
白血病	C91-C95	0.72	0.54	0.64	1.8	6.4	3.7	0.9	2.6	1.6	100.0	96.2	98.4	78.2	74.4	76.6

\*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

愛媛県 2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.35	0.32	0.33	1.9	2.8	2.3	1.2	1.7	1.4	86.3	86.1	86.2	84.3	83.4	83.9
食道	C15 D001	0.32	0.30	0.32	1.2	2.2	1.4	1.2	2.2	1.4	97.6	93.5	96.9	97.6	93.5	96.9
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.25	0.30	0.27	0.9	1.6	1.2	0.6	0.8	0.7	95.7	92.5	94.4	95.7	92.4	94.3
結腸 *2	C18 D010	0.22	0.31	0.26	1.0	1.5	1.2	0.7	0.7	0.7	95.1	91.8	93.7	95.1	91.7	93.6
直腸 *2	C19-C20 D011-D012	0.28	0.26	0.27	0.7	1.9	1.2	0.5	1.2	0.7	96.8	94.2	95.8	96.8	94.2	95.8
肺	C33-C34 D021-D022	0.56	0.46	0.52	3.2	4.3	3.6	2.1	3.4	2.6	77.6	71.2	75.3	72.1	65.4	69.7
皮膚	C43-C44 D030-D049	0.05	0.04	0.04	0.5	0.5	0.5	0.0	0.5	0.2	99.5	98.1	98.8	99.5	98.1	98.8
乳房	C50 D05	0.27	0.13	0.13	9.1	0.9	1.0	9.1	0.7	0.7	81.8	97.3	97.2	81.8	96.8	96.7
子宮	C53-C55 D06	-	0.12	0.12	-	1.2	1.2	-	0.7	0.7	-	96.4	96.4	-	95.1	95.1
子宮頸部	C53 D06	-	0.07	0.07	-	0.0	0.0	-	0.0	0.0	-	99.1	99.1	-	98.2	98.2
膀胱	C67 D090	0.18	0.18	0.18	1.4	1.9	1.5	0.9	1.0	1.0	93.4	95.1	93.7	91.7	91.3	91.6

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む



表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

愛媛県

2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	2,604	1,911	4,515	100.0	100.0	100.0	410.7	269.9	336.4	153.2	81.0	111.9	105.7	56.7	77.9	11.3	5.9	8.4
口腔・咽頭	C00-C14	78	26	104	3.0	1.4	2.3	12.3	3.7	7.7	4.8	1.1	2.8	3.4	0.8	2.0	0.5	0.1	0.3
食道	C15	79	14	93	3.0	0.7	2.1	12.5	2.0	6.9	5.0	0.8	2.7	3.4	0.6	1.9	0.5	0.1	0.3
胃	C16	355	219	574	13.6	11.5	12.7	56.0	30.9	42.8	20.7	8.3	13.7	14.0	5.7	9.3	1.4	0.6	1.0
大腸（結腸・直腸）	C18-C20	303	257	560	11.6	13.4	12.4	47.8	36.3	41.7	19.5	10.7	14.7	13.9	7.4	10.4	1.6	0.8	1.2
結腸	C18	180	190	370	6.9	9.9	8.2	28.4	26.8	27.6	11.4	7.3	9.1	8.1	5.1	6.5	0.9	0.6	0.7
直腸	C19-C20	123	67	190	4.7	3.5	4.2	19.4	9.5	14.2	8.2	3.4	5.5	5.8	2.3	3.9	0.7	0.2	0.5
肝および肝内胆管	C22	239	136	375	9.2	7.1	8.3	37.7	19.2	27.9	14.7	4.4	9.0	10.2	2.8	6.2	1.1	0.3	0.6
胆のう・胆管	C23-C24	115	111	226	4.4	5.8	5.0	18.1	15.7	16.8	6.3	3.5	4.7	4.3	2.2	3.1	0.4	0.2	0.3
膵臓	C25	212	250	462	8.1	13.1	10.2	33.4	35.3	34.4	13.5	9.9	11.6	9.4	6.7	7.9	1.1	0.7	0.9
喉頭	C32	10	0	10	0.4	0.0	0.2	1.6	0.0	0.7	0.7	0.0	0.3	0.5	0.0	0.2	0.1	0.0	0.0
肺	C33-C34	601	267	868	23.1	14.0	19.2	94.8	37.7	64.7	34.7	9.0	20.3	23.7	6.0	13.8	2.6	0.6	1.6
皮膚	C43-C44	9	9	18	0.3	0.5	0.4	1.4	1.3	1.3	0.5	0.2	0.4	0.3	0.2	0.2	0.0	0.0	0.0
乳房	C50	3	158	161	0.1	8.3	3.6	0.5	22.3	12.0	0.2	11.2	6.1	0.2	8.5	4.5	0.0	1.0	0.5
子宮	C53-C55	-	83	83	-	4.3	1.8	-	11.7	-	-	5.1	-	-	3.9	-	-	0.4	-
子宮頸部	C53	-	32	32	-	1.7	0.7	-	4.5	-	-	2.9	-	-	2.3	-	-	0.3	-
子宮体部	C54	-	23	23	-	1.2	0.5	-	3.2	-	-	1.1	-	-	0.7	-	-	0.1	-
卵巣	C56	-	45	45	-	2.4	1.0	-	6.4	-	-	3.0	-	-	2.3	-	-	0.3	-
前立腺	C61	140	-	140	5.4	-	3.1	22.1	-	-	6.1	-	-	3.8	-	-	0.2	-	-
膀胱	C67	78	19	97	3.0	1.0	2.1	12.3	2.7	7.2	3.4	0.4	1.6	2.2	0.3	1.0	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	61	34	95	2.3	1.8	2.1	9.6	4.8	7.1	3.5	1.3	2.2	2.3	0.8	1.5	0.3	0.1	0.2
脳・中枢神経系	C70-C72	19	13	32	0.7	0.7	0.7	3.0	1.8	2.4	1.7	0.9	1.3	1.4	0.7	1.0	0.1	0.1	0.1
甲状腺	C73	9	15	24	0.3	0.8	0.5	1.4	2.1	1.8	0.7	0.5	0.6	0.5	0.4	0.4	0.1	0.0	0.1
悪性リンパ腫	C81-C85 C96	81	79	160	3.1	4.1	3.5	12.8	11.2	11.9	4.8	2.9	3.7	3.4	1.9	2.5	0.3	0.2	0.2
多発性骨髄腫	C88-C90	30	26	56	1.2	1.4	1.2	4.7	3.7	4.2	1.7	0.8	1.2	1.1	0.5	0.8	0.1	0.0	0.1
白血病	C91-C95	79	42	121	3.0	2.2	2.7	12.5	5.9	9.0	4.8	2.2	3.3	3.5	1.7	2.5	0.4	0.2	0.2

\*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	2,604	1	2	0	0	1	0	1	2	11	28	36	62	184	351	384	415	441	426	203	51	5	0
	口腔・咽頭	C00-C14	78	0	0	0	0	0	0	0	1	0	0	0	2	5	19	18	7	14	5	4	3	0	0
	食道	C15	79	0	0	0	0	0	0	0	0	0	0	0	3	7	15	19	15	10	8	2	0	0	0
	胃	C16	355	0	0	0	0	0	0	1	0	4	3	3	11	19	50	43	67	54	62	32	5	1	0
	大腸（結腸・直腸）	C18-C20	303	0	0	0	0	0	0	0	0	5	5	4	8	34	55	40	37	52	38	20	5	0	0
	結腸	C18	180	0	0	0	0	0	0	0	0	4	4	2	3	18	31	21	26	26	24	17	4	0	0
	直腸	C19-C20	123	0	0	0	0	0	0	0	0	1	1	2	5	16	24	19	11	26	14	3	1	0	0
	肝および肝内胆管	C22	239	0	0	0	0	1	0	0	0	1	3	7	5	20	30	32	33	52	37	14	4	0	0
	胆のう・胆管	C23-C24	115	0	0	0	0	0	0	0	0	0	2	3	1	5	14	15	15	22	28	9	1	0	0
	膵臓	C25	212	0	0	0	0	0	0	0	0	0	1	8	10	16	32	35	33	33	32	9	3	0	0
	喉頭	C32	10	0	0	0	0	0	0	0	0	0	0	0	0	3	2	0	1	3	0	0	1	0	0
	肺	C33-C34	601	0	0	0	0	0	0	0	1	1	7	5	12	41	80	104	97	97	95	48	10	3	0
	皮膚	C43-C44	9	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	2	1	1	1	1	0	0
	乳房	C50	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0
	前立腺	C61	140	0	0	0	0	0	0	0	0	0	0	0	0	3	9	8	30	24	38	20	7	1	0
	膀胱	C67	78	0	0	0	0	0	0	0	0	0	0	0	0	3	4	9	7	16	25	11	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	61	0	0	0	0	0	0	0	0	0	1	0	0	4	10	13	7	14	7	5	0	0	0
	脳・中枢神経系	C70-C72	19	0	1	0	0	0	0	0	0	0	1	1	1	4	1	0	6	3	1	0	0	0	0
	甲状腺	C73	9	0	0	0	0	0	0	0	0	0	1	0	0	1	0	4	2	0	1	0	0	0	0
	悪性リンパ腫	C81-C85 C96	81	0	1	0	0	0	0	0	0	0	0	0	5	8	1	11	15	14	17	7	2	0	0
	多発性骨髄腫	C88-C90	30	0	0	0	0	0	0	0	0	0	1	0	1	0	5	4	7	4	3	2	3	0	0
	白血病	C91-C95	79	1	0	0	0	0	0	0	0	0	1	1	2	5	8	14	13	16	13	5	0	0	0

\*1 総数は年齢不詳を含む  
\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,911	0	0	2	0	0	1	3	11	18	26	28	59	77	187	190	249	322	358	268	98	14	0
	口腔・咽頭	C00-C14	26	0	0	0	0	0	0	0	0	0	1	0	3	1	1	1	1	5	5	6	2	0	0
	食道	C15	14	0	0	0	0	0	0	0	0	1	0	0	0	2	3	2	1	0	2	2	1	0	0
	胃	C16	219	0	0	0	0	0	0	0	1	3	0	3	7	3	22	23	29	32	41	44	11	0	0
	大腸（結腸・直腸）	C18-C20	257	0	0	0	0	0	0	0	4	3	1	1	9	10	23	31	32	39	50	36	15	3	0
	結腸	C18	190	0	0	0	0	0	0	0	2	1	1	1	4	8	18	23	22	28	36	31	13	2	0
	直腸	C19-C20	67	0	0	0	0	0	0	0	2	2	0	0	5	2	5	8	10	11	14	5	2	1	0
	肝および肝内胆管	C22	136	0	0	0	0	0	0	0	0	1	0	1	0	4	8	14	19	31	36	21	0	1	0
	胆のう・胆管	C23-C24	111	0	0	0	0	0	0	0	0	0	1	0	2	1	7	7	20	24	21	14	12	2	0
	膵臓	C25	250	0	0	0	0	0	0	0	0	0	1	3	8	14	22	23	42	45	47	31	13	1	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	267	0	0	0	0	0	0	0	0	0	3	3	3	4	20	32	38	43	55	45	21	0	0
	皮膚	C43-C44	9	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	2	1	2	0	0
	乳房	C50	158	0	0	0	0	0	0	1	2	4	5	8	11	22	29	19	20	14	7	8	6	2	0
	子宮	C53-C55	83	0	0	0	0	0	0	1	0	2	5	4	5	4	18	4	6	10	10	8	3	3	0
	子宮頸部	C53	32	0	0	0	0	0	0	1	0	2	4	2	2	4	9	3	0	0	1	2	1	1	0
	子宮体部	C54	23	0	0	0	0	0	0	0	0	0	0	2	1	0	4	1	2	5	4	3	0	1	0
	卵巣	C56	45	0	0	0	0	0	0	0	0	2	4	2	1	4	7	8	4	4	4	4	1	0	0
	膀胱	C67	19	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	5	6	5	0	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	34	0	0	0	0	0	0	0	0	1	0	0	2	1	2	1	3	8	12	4	0	0	0
	脳・中枢神経系	C70-C72	13	0	0	0	0	0	1	0	0	0	0	0	1	0	4	1	1	4	0	1	0	0	0
	甲状腺	C73	15	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	2	4	4	1	0	0
	悪性リンパ腫	C81-C85 C96	79	0	0	0	0	0	0	0	1	0	1	1	1	1	4	8	12	19	16	13	2	0	0
	多発性骨髄腫	C88-C90	26	0	0	0	0	0	0	0	0	0	0	0	1	0	4	0	3	6	8	3	1	0	0
	白血病	C91-C95	42	0	0	1	0	0	0	0	1	0	2	1	2	1	3	3	3	11	9	4	1	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2 全部位		C00-C97	4,515	1	2	2	0	1	1	4	13	29	54	64	121	261	538	574	664	763	784	471	149	19	0
	口腔・咽頭	C00-C14	104	0	0	0	0	0	0	0	1	0	1	0	5	6	20	19	8	19	10	10	5	0	0
	食道	C15	93	0	0	0	0	0	0	0	0	1	0	0	3	9	18	21	16	10	10	4	1	0	0
	胃	C16	574	0	0	0	0	0	0	1	1	7	3	6	18	22	72	66	96	86	103	76	16	1	0
	大腸（結腸・直腸）	C18-C20	560	0	0	0	0	0	0	0	4	8	6	5	17	44	78	71	69	91	88	56	20	3	0
	結腸	C18	370	0	0	0	0	0	0	0	2	5	5	3	7	26	49	44	48	54	60	48	17	2	0
	直腸	C19-C20	190	0	0	0	0	0	0	0	2	3	1	2	10	18	29	27	21	37	28	8	3	1	0
	肝および肝内胆管	C22	375	0	0	0	0	1	0	0	0	2	3	8	5	24	38	46	52	83	73	35	4	1	0
	胆のう・胆管	C23-C24	226	0	0	0	0	0	0	0	0	0	3	3	3	6	21	22	35	46	49	23	13	2	0
	膵臓	C25	462	0	0	0	0	0	0	0	0	0	2	11	18	30	54	58	75	78	79	40	16	1	0
	喉頭	C32	10	0	0	0	0	0	0	0	0	0	0	0	0	3	2	0	1	3	0	0	1	0	0
	肺	C33-C34	868	0	0	0	0	0	0	0	1	1	10	8	15	45	100	136	135	140	150	93	31	3	0
	皮膚	C43-C44	18	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	2	3	3	2	3	0	0
	乳房	C50	161	0	0	0	0	0	0	1	2	4	5	8	11	23	30	19	20	14	7	9	6	2	0
	子宮	C53-C55	83	0	0	0	0	0	0	1	0	2	5	4	5	4	18	4	6	10	10	8	3	3	0
	子宮頸部	C53	32	0	0	0	0	0	0	1	0	2	4	2	2	4	9	3	0	0	1	2	1	1	0
	子宮体部	C54	23	0	0	0	0	0	0	0	0	0	0	2	1	0	4	1	2	5	4	3	0	1	0
	卵巣	C56	45	0	0	0	0	0	0	0	0	2	4	2	1	4	7	8	4	4	4	4	1	0	0
	前立腺	C61	140	0	0	0	0	0	0	0	0	0	0	0	0	3	9	8	30	24	38	20	7	1	0
	膀胱	C67	97	0	0	0	0	0	0	0	0	0	0	0	0	3	5	11	7	21	31	16	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	95	0	0	0	0	0	0	0	0	1	1	0	2	5	12	14	10	22	19	9	0	0	0
	脳・中枢神経系	C70-C72	32	0	1	0	0	0	1	0	0	0	1	1	2	4	5	1	7	7	1	1	0	0	0
	甲状腺	C73	24	0	0	0	0	0	0	0	0	0	2	0	0	1	1	6	2	2	5	4	1	0	0
	悪性リンパ腫	C81-C85 C96	160	0	1	0	0	0	0	0	1	0	1	1	6	9	5	19	27	33	33	20	4	0	0
	多発性骨髄腫	C88-C90	56	0	0	0	0	0	0	0	0	0	1	0	2	0	9	4	10	10	11	5	4	0	0
	白血病	C91-C95	121	1	0	1	0	0	0	0	1	0	3	2	4	6	11	17	16	27	22	9	1	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）：

部位別、性別

愛媛県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	410.7	4.0	7.1	0.0	0.0	3.8	0.0	3.1	5.4	24.4	60.9	90.0	155.0	427.9	638.2	834.8	1,220.6	1,696.2	2,854.2	・
	口腔・咽頭	C00-C14	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	5.0	11.6	34.5	39.1	20.6	53.8	50.0	・
	食道	C15	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	16.3	27.3	41.3	44.1	38.5	41.7	・
	胃	C16	56.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	8.9	6.5	7.5	27.5	44.2	90.9	93.5	197.1	207.7	416.7	・
	大腸（結腸・直腸）	C18-C20	47.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	10.9	10.0	20.0	79.1	100.0	87.0	108.8	200.0	262.5	・
	結腸	C18	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	8.7	5.0	7.5	41.9	56.4	45.7	76.5	100.0	187.5	・
	直腸	C19-C20	19.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2	5.0	12.5	37.2	43.6	41.3	32.4	100.0	75.0	・
	肝および肝内胆管	C22	37.7	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	2.2	6.5	17.5	12.5	46.5	54.5	69.6	97.1	200.0	229.2	・
	胆のう・胆管	C23-C24	18.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.5	2.5	11.6	25.5	32.6	44.1	84.6	158.3	・
	膵臓	C25	33.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	20.0	25.0	37.2	58.2	76.1	97.1	126.9	183.3	・
	喉頭	C32	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	3.6	0.0	2.9	11.5	4.2	・
	肺	C33-C34	94.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.2	15.2	12.5	30.0	95.3	145.5	226.1	285.3	373.1	650.0	・
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	1.8	2.2	5.9	3.8	12.5	・
	乳房	C50	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.8	0.0	0.0	0.0	4.2	・
	前立腺	C61	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	16.4	17.4	88.2	92.3	275.0	・
	膀胱	C67	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	7.3	19.6	20.6	61.5	162.5	・
	腎・尿路（膀胱除く）	C64-C66 C68	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	9.3	18.2	28.3	20.6	53.8	50.0	・
	脳・中枢神経系	C70-C72	3.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.5	2.5	9.3	1.8	0.0	17.6	11.5	4.2	・
	甲状腺	C73	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	2.3	0.0	8.7	5.9	0.0	4.2	・
	悪性リンパ腫	C81-C85 C96	12.8	0.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	18.6	1.8	23.9	44.1	53.8	108.3	・
	多発性骨髄腫	C88-C90	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	2.5	0.0	9.1	8.7	20.6	15.4	33.3	・
	白血病	C91-C95	12.5	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.5	5.0	11.6	14.5	30.4	38.2	61.5	75.0	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	269.9	0.0	0.0	7.1	0.0	0.0	3.8	9.4	29.7	40.0	55.3	65.1	134.1	163.8	311.7	358.5	553.3	805.0	1,294.7	・
	口腔・咽頭	C00-C14	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	6.8	2.1	1.7	1.9	2.2	12.5	22.8	・
	食道	C15	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	4.3	5.0	3.8	2.2	0.0	8.8	・
	胃	C16	30.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	6.7	0.0	7.0	15.9	6.4	36.7	43.4	64.4	80.0	168.4	・
	大腸（結腸・直腸）	C18-C20	36.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8	6.7	2.1	2.3	20.5	21.3	38.3	58.5	71.1	97.5	182.5	・
	結腸	C18	26.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	2.2	2.1	2.3	9.1	17.0	30.0	43.4	48.9	70.0	143.9	・
	直腸	C19-C20	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	4.4	0.0	0.0	11.4	4.3	8.3	15.1	22.2	27.5	38.6	・
	肝および肝内胆管	C22	19.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	2.3	0.0	8.5	13.3	26.4	42.2	77.5	101.8	・
	胆のう・胆管	C23-C24	15.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.5	2.1	11.7	13.2	44.4	60.0	86.0	・
	膵臓	C25	35.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	7.0	18.2	29.8	36.7	43.4	93.3	112.5	161.4	・
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	・
	肺	C33-C34	37.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	7.0	6.8	8.5	33.3	60.4	84.4	107.5	212.3	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.9	0.0	5.0	8.8	・
	乳房	C50	22.3	0.0	0.0	0.0	0.0	0.0	0.0	3.1	5.4	8.9	10.6	18.6	25.0	46.8	48.3	35.8	44.4	35.0	40.4	・
	子宮	C53-C55	11.7	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	4.4	10.6	9.3	11.4	8.5	30.0	7.5	13.3	25.0	42.1	・
	子宮頸部	C53	4.5	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	4.4	8.5	4.7	4.5	8.5	15.0	5.7	0.0	0.0	8.8	・
	子宮体部	C54	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.3	0.0	6.7	1.9	4.4	12.5	14.0	・
	卵巣	C56	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	8.5	4.7	2.3	8.5	11.7	15.1	8.9	10.0	15.8	・
	膀胱	C67	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.8	0.0	12.5	19.3	・
	腎・尿路（膀胱除く）	C64-C66 C68	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	4.5	2.1	3.3	1.9	6.7	20.0	28.1	・
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	2.3	0.0	6.7	1.9	2.2	10.0	1.8	・
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	1.7	3.8	0.0	5.0	15.8	・
	悪性リンパ腫	C81-C85 C96	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	2.1	2.3	2.3	2.1	6.7	15.1	26.7	47.5	54.4	・
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	6.7	0.0	6.7	15.0	21.1	・
	白血病	C91-C95	5.9	0.0	0.0	3.6	0.0	0.0	0.0	0.0	2.7	0.0	4.3	2.3	4.5	2.1	5.0	5.7	6.7	27.5	24.6	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	336.4	2.0	3.6	3.4	0.0	2.0	1.9	6.3	17.6	32.2	58.1	77.1	144.0	290.0	467.8	579.8	840.5	1,156.1	1,756.8	・
	口腔・咽頭	C00-C14	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.1	0.0	6.0	6.7	17.4	19.2	10.1	28.8	30.9	・
	食道	C15	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	3.6	10.0	15.7	21.2	20.3	15.2	18.5	・
	胃	C16	42.8	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.4	7.8	3.2	7.2	21.4	24.4	62.6	66.7	121.5	130.3	242.0	・
	大腸（結腸・直腸）	C18-C20	41.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	8.9	6.5	6.0	20.2	48.9	67.8	71.7	87.3	137.9	206.2	・
	結腸	C18	27.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.6	5.4	3.6	8.3	28.9	42.6	44.4	60.8	81.8	156.8	・
	直腸	C19-C20	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.3	1.1	2.4	11.9	20.0	25.2	27.3	26.6	56.1	49.4	・
	肝および肝内胆管	C22	27.9	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	2.2	3.2	9.6	6.0	26.7	33.0	46.5	65.8	125.8	139.5	・
	胆のう・胆管	C23-C24	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.6	3.6	6.7	18.3	22.2	44.3	69.7	107.4	・
	膵臓	C25	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	13.3	21.4	33.3	47.0	58.6	94.9	118.2	167.9	・
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	1.7	0.0	1.3	4.5	1.2	・
	肺	C33-C34	64.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.1	10.8	9.6	17.9	50.0	87.0	137.4	170.9	212.1	342.0	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.7	2.0	2.5	4.5	9.9	・
	乳房	C50	12.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.7	4.4	5.4	9.6	13.1	25.6	26.1	19.2	25.3	21.2	29.6	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	4.3	11.1	8.9	31.8	61.7	・
	腎・尿路（膀胱除く）	C64-C66 C68	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	2.4	5.6	10.4	14.1	12.7	33.3	34.6	・
	脳・中枢神経系	C70-C72	2.4	0.0	1.8	0.0	0.0	0.0	1.9	0.0	0.0	0.0	1.1	1.2	2.4	4.4	4.3	1.0	8.9	10.6	2.5	・
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	1.1	0.9	6.1	2.5	3.0	12.3	・
	悪性リンパ腫	C81-C85 C96	11.9	0.0	1.8	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.1	1.2	7.1	10.0	4.3	19.2	34.2	50.0	70.4	・
	多発性骨髄腫	C88-C90	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	2.4	0.0	7.8	4.0	12.7	15.2	24.7	・
	白血病	C91-C95	9.0	2.0	0.0	1.7	0.0	0.0	0.0	0.0	1.4	0.0	3.2	2.4	4.8	6.7	9.6	17.2	20.3	40.9	39.5	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計