

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

## A. 上皮内がんを除く

愛媛県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	6,895	5,186	12,081	100.0	100.0	100.0	1,069.0	721.3	885.7	480.1	352.8	404.5	342.4	266.3	296.9	41.2	28.9	34.5
口腔・咽頭	C00-C14	187	77	264	2.7	1.5	2.2	29.0	10.7	19.4	15.4	4.5	9.6	11.5	3.3	7.2	1.5	0.4	0.9
食道	C15	185	31	216	2.7	0.6	1.8	28.7	4.3	15.8	14.2	2.1	7.7	10.3	1.5	5.6	1.4	0.2	0.7
胃	C16	1,162	555	1,717	16.9	10.7	14.2	180.2	77.2	125.9	76.7	27.4	49.3	53.2	19.4	34.6	6.6	2.2	4.3
大腸（結腸・直腸）	C18-C20	1,012	773	1,785	14.7	14.9	14.8	156.9	107.5	130.9	75.9	40.6	56.8	54.4	28.8	40.6	6.6	3.3	4.9
結腸	C18	626	564	1,190	9.1	10.9	9.9	97.1	78.4	87.2	45.1	28.4	36.1	32.0	20.0	25.5	3.9	2.3	3.0
直腸	C19-C20	386	209	595	5.6	4.0	4.9	59.8	29.1	43.6	30.8	12.2	20.8	22.4	8.8	15.1	2.7	1.0	1.8
肝および肝内胆管	C22	402	180	582	5.8	3.5	4.8	62.3	25.0	42.7	27.5	7.4	16.5	19.2	5.2	11.6	2.4	0.6	1.4
胆のう・胆管	C23-C24	148	136	284	2.1	2.6	2.4	22.9	18.9	20.8	8.9	5.1	6.7	5.9	3.4	4.5	0.5	0.3	0.4
膵臓	C25	246	239	485	3.6	4.6	4.0	38.1	33.2	35.6	16.6	11.2	13.7	11.6	7.8	9.5	1.4	0.9	1.2
喉頭	C32	60	5	65	0.9	0.1	0.5	9.3	0.7	4.8	4.2	0.2	2.0	3.0	0.2	1.4	0.4	0.0	0.2
肺	C33-C34	1,028	564	1,592	14.9	10.9	13.2	159.4	78.4	116.7	67.2	30.2	46.5	46.7	21.8	32.8	5.9	2.6	4.2
皮膚	C43-C44	167	139	306	2.4	2.7	2.5	25.9	19.3	22.4	10.7	5.7	7.9	7.7	3.9	5.6	0.8	0.4	0.6
乳房	C50	8	1,059	1,067	0.1	20.4	8.8	1.2	147.3	78.2	0.6	98.0	51.4	0.4	75.3	39.4	0.0	8.1	4.2
子宮	C53-C55	-	362	362	-	7.0	3.0	-	50.3	-	-	35.4	-	-	27.5	-	-	2.9	-
子宮頸部	C53	-	153	153	-	3.0	1.3	-	21.3	-	-	17.1	-	-	13.5	-	-	1.3	-
子宮体部	C54	-	195	195	-	3.8	1.6	-	27.1	-	-	17.8	-	-	13.6	-	-	1.6	-
卵巣	C56	-	166	166	-	3.2	1.4	-	23.1	-	-	18.5	-	-	15.0	-	-	1.5	-
前立腺	C61	1,145	-	1,145	16.6	-	9.5	177.5	-	-	71.6	-	-	48.1	-	-	6.2	-	-
膀胱	C67	229	57	286	3.3	1.1	2.4	35.5	7.9	21.0	13.6	2.3	7.2	9.1	1.6	4.9	1.1	0.2	0.6
腎・尿路（膀胱除く）	C64-C66 C68	237	120	357	3.4	2.3	3.0	36.7	16.7	26.2	18.0	7.0	12.0	13.3	5.1	8.9	1.6	0.5	1.0
脳・中枢神経系	C70-C72	34	36	70	0.5	0.7	0.6	5.3	5.0	5.1	3.7	3.5	3.6	3.5	3.2	3.3	0.2	0.3	0.3
甲状腺	C73	67	177	244	1.0	3.4	2.0	10.4	24.6	17.9	6.7	19.2	13.1	5.0	15.6	10.4	0.6	1.6	1.1
悪性リンパ腫	C81-C85 C96	226	196	422	3.3	3.8	3.5	35.0	27.3	30.9	18.2	13.7	15.7	13.9	10.4	12.0	1.5	1.1	1.3
多発性骨髄腫	C88-C90	54	56	110	0.8	1.1	0.9	8.4	7.8	8.1	3.5	2.7	3.1	2.4	1.9	2.1	0.3	0.2	0.2
白血病	C91-C95	104	72	176	1.5	1.4	1.5	16.1	10.0	12.9	10.6	6.4	8.3	10.2	6.1	8.1	0.8	0.5	0.6

\*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

愛媛県

2017年

		罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
											日本人口			世界人口					
部位	ICD-10	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	7,498	5,985	13,483	100.0	100.0	100.0	1,162.5	832.4	988.5	526.4	458.4	479.4	375.4	352.7	356.0	45.3	36.6	40.3
食道	C15 D001	204	35	239	2.7	0.6	1.8	31.6	4.9	17.5	15.7	2.5	8.6	11.3	1.8	6.2	1.5	0.2	0.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,266	908	2,174	16.9	15.2	16.1	196.3	126.3	159.4	98.2	49.6	72.0	70.9	35.1	51.7	8.7	4.1	6.3
結腸 *2	C18 D010	793	652	1,445	10.6	10.9	10.7	122.9	90.7	105.9	59.5	34.2	45.8	42.6	24.1	32.7	5.2	2.8	3.9
直腸 *2	C19-C20 D011-D012	473	256	729	6.3	4.3	5.4	73.3	35.6	53.4	38.7	15.4	26.2	28.3	11.0	19.1	3.4	1.3	2.3
肺	C33-C34 D021-D022	1,030	566	1,596	13.7	9.5	11.8	159.7	78.7	117.0	67.3	30.4	46.6	46.8	21.9	32.9	5.9	2.7	4.2
皮膚	C43-C44 D030-D049	200	186	386	2.7	3.1	2.9	31.0	25.9	28.3	12.7	7.6	9.8	9.0	5.2	6.9	0.9	0.5	0.7
乳房	C50 D05	8	1,168	1,176	0.1	19.5	8.7	1.2	162.4	86.2	0.6	108.9	57.1	0.4	83.8	43.7	0.0	9.0	4.7
子宮	C53-C55 D06	-	769	769	-	12.8	5.7	-	107.0	-	-	112.6	-	-	92.9	-	-	8.2	-
子宮頸部	C53 D06	-	560	560	-	9.4	4.2	-	77.9	-	-	94.3	-	-	79.0	-	-	6.6	-
膀胱	C67 D090	467	103	570	6.2	1.7	4.2	72.4	14.3	41.8	29.6	4.7	15.7	20.0	3.3	10.7	2.5	0.4	1.4

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	6,895	8	5	12	3	3	8	11	26	72	92	149	298	616	1,253	1,239	1,175	976	651	255	40	3	0
	口腔・咽頭	C00-C14	187	0	0	1	0	0	1	0	2	3	4	7	18	23	40	36	16	22	11	2	1	0	0
	食道	C15	185	0	0	0	0	0	0	0	0	2	3	7	12	22	45	36	37	12	5	4	0	0	0
	胃	C16	1,162	0	0	0	0	0	0	2	3	9	10	18	40	103	213	215	203	179	113	47	7	0	0
	大腸（結腸・直腸）	C18-C20	1,012	0	0	0	0	0	0	5	2	16	26	34	65	108	179	171	164	124	86	29	3	0	0
	結腸	C18	626	0	0	0	0	0	0	3	1	10	16	12	37	58	111	111	105	80	58	21	3	0	0
	直腸	C19-C20	386	0	0	0	0	0	0	2	1	6	10	22	28	50	68	60	59	44	28	8	0	0	0
	肝および肝内胆管	C22	402	0	0	0	0	0	0	0	1	2	3	10	18	47	63	74	63	73	32	12	4	0	0
	胆のう・胆管	C23-C24	148	0	0	0	0	0	0	0	0	3	3	5	2	6	16	12	31	29	26	11	4	0	0
	膵臓	C25	246	0	0	0	0	0	0	0	1	1	5	6	8	21	44	45	47	29	29	7	2	1	0
	喉頭	C32	60	0	0	0	0	0	0	0	0	0	0	1	2	11	13	8	11	12	1	1	0	0	0
	肺	C33-C34	1,028	0	0	0	0	0	0	0	1	6	9	18	34	82	212	193	178	147	100	42	5	1	0
	皮膚	C43-C44	167	0	0	0	0	0	1	0	2	2	3	4	5	11	23	23	22	23	31	14	3	0	0
	乳房	C50	8	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	2	2	1	0	0	0	0
	前立腺	C61	1,145	0	0	0	0	0	0	0	0	1	3	8	28	81	210	250	234	187	108	28	7	0	0
	膀胱	C67	229	0	0	0	0	0	0	0	1	1	0	1	4	14	38	44	41	39	32	12	1	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	237	0	0	0	0	0	1	0	1	2	4	10	18	32	50	31	31	24	19	14	0	0	0
	脳・中枢神経系	C70-C72	34	0	2	4	0	0	0	0	0	2	1	1	3	4	1	1	6	3	3	3	0	0	0
	甲状腺	C73	67	0	0	0	0	0	1	0	3	6	0	3	11	4	15	14	6	2	2	0	0	0	0
	悪性リンパ腫	C81-C85 C96	226	1	1	2	1	0	3	2	2	5	3	6	15	20	32	36	37	32	18	8	2	0	0
	多発性骨髄腫	C88-C90	54	0	0	0	0	0	0	0	1	1	1	2	0	2	12	6	10	9	6	4	0	0	0
	白血病	C91-C95	104	6	2	3	0	0	1	0	5	2	6	2	6	6	18	10	15	7	10	5	0	0	0

\*1 総数は年齢不詳を含む  
\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	5,186	4	6	5	5	6	20	46	86	152	229	254	321	407	689	590	643	699	578	324	99	23	0
	口腔・咽頭	C00-C14	77	0	0	0	0	0	1	1	0	2	0	4	5	4	6	14	7	14	9	4	6	0	0
	食道	C15	31	0	0	0	0	0	0	1	0	1	0	0	4	4	4	5	1	6	2	3	0	0	0
	胃	C16	555	0	0	0	0	0	1	0	4	4	9	16	24	27	78	63	76	97	93	52	9	2	0
	大腸（結腸・直腸）	C18-C20	773	0	0	0	0	0	0	4	9	4	14	19	37	51	104	97	100	155	99	65	14	1	0
	結腸	C18	564	0	0	0	0	0	0	2	6	4	11	12	20	36	71	72	73	119	74	50	14	0	0
	直腸	C19-C20	209	0	0	0	0	0	0	2	3	0	3	7	17	15	33	25	27	36	25	15	0	1	0
	肝および肝内胆管	C22	180	1	0	0	0	0	0	0	0	0	1	1	5	3	19	32	30	30	39	12	4	3	0
	胆のう・胆管	C23-C24	136	0	0	0	0	0	0	0	0	0	0	1	4	5	18	9	21	31	26	16	4	1	0
	膵臓	C25	239	0	0	0	0	0	0	0	0	0	2	6	6	19	30	34	42	40	35	20	5	0	0
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1	0	1	0	0
	肺	C33-C34	564	0	0	0	1	0	0	0	4	6	11	14	22	45	82	85	85	77	69	40	16	7	0
	皮膚	C43-C44	139	0	0	0	0	0	0	2	0	3	0	2	4	7	5	15	14	27	23	25	11	1	0
	乳房	C50	1,059	0	0	0	0	1	3	7	24	72	105	107	104	111	151	97	116	72	53	26	6	4	0
	子宮	C53-C55	362	0	0	0	0	1	1	12	13	25	34	27	42	41	48	32	25	27	21	7	5	1	0
	子宮頸部	C53	153	0	0	0	0	1	1	9	9	11	19	14	15	19	17	7	8	9	8	3	2	1	0
	子宮体部	C54	195	0	0	0	0	0	0	3	4	14	14	13	27	22	29	24	17	14	10	4	0	0	0
	卵巣	C56	166	0	0	2	0	1	4	4	12	11	14	18	19	17	17	15	8	11	11	1	1	0	0
	膀胱	C67	57	0	0	0	0	0	0	0	0	0	1	0	1	3	5	11	7	11	8	8	1	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	120	0	0	0	0	0	0	0	0	5	3	6	6	12	13	7	23	14	16	12	2	1	0
	脳・中枢神経系	C70-C72	36	0	2	0	0	0	2	0	2	0	4	0	4	3	5	1	3	4	3	3	0	0	0
	甲状腺	C73	177	0	0	0	1	1	6	9	9	12	14	14	13	17	33	17	8	12	7	4	0	0	0
	悪性リンパ腫	C81-C85 C96	196	0	0	1	1	2	0	3	3	4	6	11	11	13	27	24	29	30	19	9	3	0	0
	多発性骨髄腫	C88-C90	56	0	0	0	0	0	0	0	0	0	2	0	1	4	9	7	13	10	7	2	1	0	0
	白血病	C91-C95	72	2	3	1	2	0	0	0	4	3	0	4	3	3	11	5	9	9	9	4	0	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

愛媛県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	12,081	12	11	17	8	9	28	57	112	224	321	403	619	1,023	1,942	1,829	1,818	1,675	1,229	579	139	26	0
	口腔・咽頭	C00-C14	264	0	0	1	0	0	2	1	2	5	4	11	23	27	46	50	23	36	20	6	7	0	0
	食道	C15	216	0	0	0	0	0	0	1	0	3	3	7	16	26	49	41	38	18	7	7	0	0	0
	胃	C16	1,717	0	0	0	0	0	1	2	7	13	19	34	64	130	291	278	279	276	206	99	16	2	0
	大腸（結腸・直腸）	C18-C20	1,785	0	0	0	0	0	0	9	11	20	40	53	102	159	283	268	264	279	185	94	17	1	0
	結腸	C18	1,190	0	0	0	0	0	0	5	7	14	27	24	57	94	182	183	178	199	132	71	17	0	0
	直腸	C19-C20	595	0	0	0	0	0	0	4	4	6	13	29	45	65	101	85	86	80	53	23	0	1	0
	肝および肝内胆管	C22	582	1	0	0	0	0	0	0	1	2	4	11	23	50	82	106	93	103	71	24	8	3	0
	胆のう・胆管	C23-C24	284	0	0	0	0	0	0	0	0	3	3	6	6	11	34	21	52	60	52	27	8	1	0
	膵臓	C25	485	0	0	0	0	0	0	0	1	1	7	12	14	40	74	79	89	69	64	27	7	1	0
	喉頭	C32	65	0	0	0	0	0	0	0	0	0	0	1	3	11	13	8	13	12	2	1	1	0	0
	肺	C33-C34	1,592	0	0	0	1	0	0	0	5	12	20	32	56	127	294	278	263	224	169	82	21	8	0
	皮膚	C43-C44	306	0	0	0	0	0	1	2	2	5	3	6	9	18	28	38	36	50	54	39	14	1	0
	乳房	C50	1,067	0	0	0	0	1	3	7	24	72	106	107	104	112	151	98	118	74	54	26	6	4	0
	子宮	C53-C55	362	0	0	0	0	1	1	12	13	25	34	27	42	41	48	32	25	27	21	7	5	1	0
	子宮頸部	C53	153	0	0	0	0	1	1	9	9	11	19	14	15	19	17	7	8	9	8	3	2	1	0
	子宮体部	C54	195	0	0	0	0	0	0	3	4	14	14	13	27	22	29	24	17	14	10	4	0	0	0
	卵巣	C56	166	0	0	2	0	1	4	4	12	11	14	18	19	17	17	15	8	11	11	1	1	0	0
	前立腺	C61	1,145	0	0	0	0	0	0	0	0	1	3	8	28	81	210	250	234	187	108	28	7	0	0
	膀胱	C67	286	0	0	0	0	0	0	0	1	1	1	1	5	17	43	55	48	50	40	20	2	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	357	0	0	0	0	0	1	0	1	7	7	16	24	44	63	38	54	38	35	26	2	1	0
	脳・中枢神経系	C70-C72	70	0	4	4	0	0	2	0	2	2	5	1	7	7	6	2	9	7	6	6	0	0	0
	甲状腺	C73	244	0	0	0	1	1	7	9	12	18	14	17	24	21	48	31	14	14	9	4	0	0	0
	悪性リンパ腫	C81-C85 C96	422	1	1	3	2	2	3	5	5	9	9	17	26	33	59	60	66	62	37	17	5	0	0
	多発性骨髄腫	C88-C90	110	0	0	0	0	0	0	0	1	1	3	2	1	6	21	13	23	19	13	6	1	0	0
	白血病	C91-C95	176	8	5	4	2	0	1	0	9	5	6	6	9	9	29	15	24	16	19	9	0	0	0

\*1 総数は年齢不詳を含む  
\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

愛媛県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	7,498	8	5	12	3	3	9	13	33	80	102	172	348	666	1,361	1,352	1,278	1,037	704	265	44	3	0
	食道	C15 D001	204	0	0	0	0	0	0	0	1	2	3	8	13	22	52	39	41	14	5	4	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,266	0	0	0	0	0	1	6	7	20	33	46	100	139	222	216	197	143	103	29	4	0	0
	結腸 *2	C18 D010	793	0	0	0	0	0	1	4	3	13	20	21	56	77	138	144	128	95	69	21	3	0	0
	直腸 *2	C19-C20 D011-D012	473	0	0	0	0	0	0	2	4	7	13	25	44	62	84	72	69	48	34	8	1	0	0
	肺	C33-C34 D021-D022	1,030	0	0	0	0	0	0	0	1	6	9	18	34	82	213	194	178	147	100	42	5	1	0
	皮膚	C43-C44 D030-D049	200	0	0	0	0	0	1	0	3	3	3	4	5	14	27	25	28	27	40	17	3	0	0
	乳房	C50 D05	8	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	2	2	1	0	0	0	0
	膀胱	C67 D090	467	0	0	0	0	0	0	1	1	3	2	7	16	26	78	93	90	71	56	18	4	1	0
女	全部位	C00-C96 D00-D09	5,985	4	6	5	5	19	66	136	158	246	304	293	366	457	746	645	707	744	616	337	101	24	0
	食道	C15 D001	35	0	0	0	0	0	0	1	0	2	0	0	5	4	5	5	2	6	2	3	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	908	0	0	0	0	0	0	4	10	8	16	24	48	63	125	118	133	170	107	67	14	1	0
	結腸 *2	C18 D010	652	0	0	0	0	0	0	2	6	8	12	17	23	43	88	87	94	130	78	50	14	0	0
	直腸 *2	C19-C20 D011-D012	256	0	0	0	0	0	0	2	4	0	4	7	25	20	37	31	39	40	29	17	0	1	0
	肺	C33-C34 D021-D022	566	0	0	0	1	0	0	0	4	6	11	14	22	46	82	86	85	77	69	40	16	7	0
	皮膚	C43-C44 D030-D049	186	0	0	0	0	0	0	2	0	3	1	4	5	9	9	16	23	32	37	31	13	1	0
	乳房	C50 D05	1,168	0	0	0	0	1	3	7	25	86	120	115	116	122	168	109	124	80	54	27	6	5	0
	子宮	C53-C55 D06	769	0	0	0	0	14	47	102	83	98	86	46	53	56	55	39	26	30	21	7	5	1	0
	子宮頸部	C53 D06	560	0	0	0	0	14	47	99	79	84	71	33	26	34	24	14	9	12	8	3	2	1	0
	膀胱	C67 D090	103	0	0	0	0	0	0	0	0	0	2	1	5	8	6	17	14	20	18	10	1	1	0
総数 *3	全部位	C00-C96 D00-D09	13,483	12	11	17	8	22	75	149	191	326	406	465	714	1,123	2,107	1,997	1,985	1,781	1,320	602	145	27	0
	食道	C15 D001	239	0	0	0	0	0	0	1	1	4	3	8	18	26	57	44	43	20	7	7	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	2,174	0	0	0	0	0	1	10	17	28	49	70	148	202	347	334	330	313	210	96	18	1	0
	結腸 *2	C18 D010	1,445	0	0	0	0	0	1	6	9	21	32	38	79	120	226	231	222	225	147	71	17	0	0
	直腸 *2	C19-C20 D011-D012	729	0	0	0	0	0	0	4	8	7	17	32	69	82	121	103	108	88	63	25	1	1	0
	肺	C33-C34 D021-D022	1,596	0	0	0	1	0	0	0	5	12	20	32	56	128	295	280	263	224	169	82	21	8	0
	皮膚	C43-C44 D030-D049	386	0	0	0	0	0	1	2	3	6	4	8	10	23	36	41	51	59	77	48	16	1	0
	乳房	C50 D05	1,176	0	0	0	0	1	3	7	25	86	121	115	116	123	168	110	126	82	55	27	6	5	0
	子宮	C53-C55 D06	769	0	0	0	0	14	47	102	83	98	86	46	53	56	55	39	26	30	21	7	5	1	0
	子宮頸部	C53 D06	560	0	0	0	0	14	47	99	79	84	71	33	26	34	24	14	9	12	8	3	2	1	0
	膀胱	C67 D090	570	0	0	0	0	0	0	1	1	3	4	8	21	34	84	110	104	91	74	28	5	2	0

\*1 総数は年齢不詳を含む  
\*2 粘膜がんを含む  
\*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,069.0	30.8	17.2	40.0	9.1	11.1	27.6	32.4	68.4	153.2	209.1	372.5	726.8	1,368.9	2,160.3	3,022.0	3,455.9	3,753.8	4,126.1	・
	口腔・咽頭	C00-C14	29.0	0.0	0.0	3.3	0.0	0.0	3.4	0.0	5.3	6.4	9.1	17.5	43.9	51.1	69.0	87.8	47.1	84.6	60.9	・
	食道	C15	28.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	6.8	17.5	29.3	48.9	77.6	87.8	108.8	46.2	39.1	・
	胃	C16	180.2	0.0	0.0	0.0	0.0	0.0	0.0	5.9	7.9	19.1	22.7	45.0	97.6	228.9	367.2	524.4	597.1	688.5	726.1	・
	大腸（結腸・直腸）	C18-C20	156.9	0.0	0.0	0.0	0.0	0.0	0.0	14.7	5.3	34.0	59.1	85.0	158.5	240.0	308.6	417.1	482.4	476.9	513.0	・
	結腸	C18	97.1	0.0	0.0	0.0	0.0	0.0	0.0	8.8	2.6	21.3	36.4	30.0	90.2	128.9	191.4	270.7	308.8	307.7	356.5	・
	直腸	C19-C20	59.8	0.0	0.0	0.0	0.0	0.0	0.0	5.9	2.6	12.8	22.7	55.0	68.3	111.1	117.2	146.3	173.5	169.2	156.5	・
	肝および肝内胆管	C22	62.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.3	6.8	25.0	43.9	104.4	108.6	180.5	185.3	280.8	208.7	・
	胆のう・胆管	C23-C24	22.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	6.8	12.5	4.9	13.3	27.6	29.3	91.2	111.5	178.3	・
	膵臓	C25	38.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.1	11.4	15.0	19.5	46.7	75.9	109.8	138.2	111.5	169.6	・
	喉頭	C32	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.9	24.4	22.4	19.5	32.4	46.2	8.7	・
	肺	C33-C34	159.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	12.8	20.5	45.0	82.9	182.2	365.5	470.7	523.5	565.4	643.5	・
	皮膚	C43-C44	25.9	0.0	0.0	0.0	0.0	0.0	3.4	0.0	5.3	4.3	6.8	10.0	12.2	24.4	39.7	56.1	64.7	88.5	208.7	・
	乳房	C50	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	2.2	0.0	2.4	5.9	7.7	4.3	・
	前立腺	C61	177.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.8	20.0	68.3	180.0	362.1	609.8	688.2	719.2	621.7	・
	膀胱	C67	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.1	0.0	2.5	9.8	31.1	65.5	107.3	120.6	150.0	200.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	36.7	0.0	0.0	0.0	0.0	0.0	3.4	0.0	2.6	4.3	9.1	25.0	43.9	71.1	86.2	75.6	91.2	92.3	143.5	・
	脳・中枢神経系	C70-C72	5.3	0.0	6.9	13.3	0.0	0.0	0.0	0.0	0.0	4.3	2.3	2.5	7.3	8.9	1.7	2.4	17.6	11.5	26.1	・
	甲状腺	C73	10.4	0.0	0.0	0.0	0.0	0.0	3.4	0.0	7.9	12.8	0.0	7.5	26.8	8.9	25.9	34.1	17.6	7.7	8.7	・
	悪性リンパ腫	C81-C85 C96	35.0	3.8	3.4	6.7	3.0	0.0	10.3	5.9	5.3	10.6	6.8	15.0	36.6	44.4	55.2	87.8	108.8	123.1	121.7	・
	多発性骨髄腫	C88-C90	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.1	2.3	5.0	0.0	4.4	20.7	14.6	29.4	34.6	43.5	・
	白血病	C91-C95	16.1	23.1	6.9	10.0	0.0	0.0	3.4	0.0	13.2	4.3	13.6	5.0	14.6	13.3	31.0	24.4	44.1	26.9	65.2	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	721.3	16.7	22.2	17.2	16.1	24.0	71.4	135.3	226.3	323.4	497.8	590.7	729.5	830.6	1,076.6	1,204.1	1,428.9	1,704.9	1,861.8	・
	口腔・咽頭	C00-C14	10.7	0.0	0.0	0.0	0.0	0.0	3.6	2.9	0.0	4.3	0.0	9.3	11.4	8.2	9.4	28.6	15.6	34.1	34.5	・
	食道	C15	4.3	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.1	0.0	0.0	9.1	8.2	6.3	10.2	2.2	14.6	9.1	・
	胃	C16	77.2	0.0	0.0	0.0	0.0	0.0	3.6	0.0	10.5	8.5	19.6	37.2	54.5	55.1	121.9	128.6	168.9	236.6	283.6	・
	大腸（結腸・直腸）	C18-C20	107.5	0.0	0.0	0.0	0.0	0.0	0.0	11.8	23.7	8.5	30.4	44.2	84.1	104.1	162.5	198.0	222.2	378.0	325.5	・
	結腸	C18	78.4	0.0	0.0	0.0	0.0	0.0	0.0	5.9	15.8	8.5	23.9	27.9	45.5	73.5	110.9	146.9	162.2	290.2	250.9	・
	直腸	C19-C20	29.1	0.0	0.0	0.0	0.0	0.0	0.0	5.9	7.9	0.0	6.5	16.3	38.6	30.6	51.6	51.0	60.0	87.8	74.5	・
	肝および肝内胆管	C22	25.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.3	11.4	6.1	29.7	65.3	66.7	73.2	105.5	・
	胆のう・胆管	C23-C24	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	9.1	10.2	28.1	18.4	46.7	75.6	85.5	・
	脾臓	C25	33.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	14.0	13.6	38.8	46.9	69.4	93.3	97.6	109.1	・
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	4.4	0.0	3.6	・
	肺	C33-C34	78.4	0.0	0.0	0.0	3.2	0.0	0.0	0.0	10.5	12.8	23.9	32.6	50.0	91.8	128.1	173.5	188.9	187.8	240.0	・
	皮膚	C43-C44	19.3	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	6.4	0.0	4.7	9.1	14.3	7.8	30.6	31.1	65.9	109.1	・
	乳房	C50	147.3	0.0	0.0	0.0	0.0	4.0	10.7	20.6	63.2	153.2	228.3	248.8	236.4	226.5	235.9	198.0	257.8	175.6	161.8	・
	子宮	C53-C55	50.3	0.0	0.0	0.0	0.0	4.0	3.6	35.3	34.2	53.2	73.9	62.8	95.5	83.7	75.0	65.3	55.6	65.9	61.8	・
	子宮頸部	C53	21.3	0.0	0.0	0.0	0.0	4.0	3.6	26.5	23.7	23.4	41.3	32.6	34.1	38.8	26.6	14.3	17.8	22.0	25.5	・
	子宮体部	C54	27.1	0.0	0.0	0.0	0.0	0.0	0.0	8.8	10.5	29.8	30.4	30.2	61.4	44.9	45.3	49.0	37.8	34.1	25.5	・
	卵巣	C56	23.1	0.0	0.0	6.9	0.0	4.0	14.3	11.8	31.6	23.4	30.4	41.9	43.2	34.7	26.6	30.6	17.8	26.8	23.6	・
	膀胱	C67	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	2.3	6.1	7.8	22.4	15.6	26.8	32.7	・
	腎・尿路（膀胱除く）	C64-C66 C68	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6	6.5	14.0	13.6	24.5	20.3	14.3	51.1	34.1	56.4	・
	脳・中枢神経系	C70-C72	5.0	0.0	7.4	0.0	0.0	0.0	7.1	0.0	5.3	0.0	8.7	0.0	9.1	6.1	7.8	2.0	6.7	9.8	10.9	・
	甲状腺	C73	24.6	0.0	0.0	0.0	3.2	4.0	21.4	26.5	23.7	25.5	30.4	32.6	29.5	34.7	51.6	34.7	17.8	29.3	20.0	・
	悪性リンパ腫	C81-C85 C96	27.3	0.0	0.0	3.4	3.2	8.0	0.0	8.8	7.9	8.5	13.0	25.6	25.0	26.5	42.2	49.0	64.4	73.2	56.4	・
	多発性骨髄腫	C88-C90	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	2.3	8.2	14.1	14.3	28.9	24.4	18.2	・
	白血病	C91-C95	10.0	8.3	11.1	3.4	6.5	0.0	0.0	0.0	10.5	6.4	0.0	9.3	6.8	6.1	17.2	10.2	20.0	22.0	23.6	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計



表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

愛媛県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	885.7	24.0	19.6	28.8	12.5	17.3	49.1	83.8	147.4	238.3	356.7	485.5	728.2	1,088.3	1,591.8	2,032.2	2,301.3	2,500.0	2,529.5	・
	口腔・咽頭	C00-C14	19.4	0.0	0.0	1.7	0.0	0.0	3.5	1.5	2.6	5.3	4.4	13.3	27.1	28.7	37.7	55.6	29.1	53.7	42.3	・
	食道	C15	15.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.2	3.3	8.4	18.8	27.7	40.2	45.6	48.1	26.9	17.9	・
	胃	C16	125.9	0.0	0.0	0.0	0.0	0.0	1.8	2.9	9.2	13.8	21.1	41.0	75.3	138.3	238.5	308.9	353.2	411.9	414.1	・
	大腸（結腸・直腸）	C18-C20	130.9	0.0	0.0	0.0	0.0	0.0	0.0	13.2	14.5	21.3	44.4	63.9	120.0	169.1	232.0	297.8	334.2	416.4	380.8	・
	結腸	C18	87.2	0.0	0.0	0.0	0.0	0.0	0.0	7.4	9.2	14.9	30.0	28.9	67.1	100.0	149.2	203.3	225.3	297.0	282.1	・
	直腸	C19-C20	43.6	0.0	0.0	0.0	0.0	0.0	0.0	5.9	5.3	6.4	14.4	34.9	52.9	69.1	82.8	94.4	108.9	119.4	98.7	・
	肝および肝内胆管	C22	42.7	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.1	4.4	13.3	27.1	53.2	67.2	117.8	117.7	153.7	135.9	・
	胆のう・胆管	C23-C24	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.3	7.2	7.1	11.7	27.9	23.3	65.8	89.6	112.8	・
	膵臓	C25	35.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	7.8	14.5	16.5	42.6	60.7	87.8	112.7	103.0	126.9	・
	喉頭	C32	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.5	11.7	10.7	8.9	16.5	17.9	5.1	・
	肺	C33-C34	116.7	0.0	0.0	0.0	1.6	0.0	0.0	0.0	6.6	12.8	22.2	38.6	65.9	135.1	241.0	308.9	332.9	334.3	359.0	・
	皮膚	C43-C44	22.4	0.0	0.0	0.0	0.0	0.0	1.8	2.9	2.6	5.3	3.3	7.2	10.6	19.1	23.0	42.2	45.6	74.6	138.5	・
	乳房	C50	78.2	0.0	0.0	0.0	0.0	1.9	5.3	10.3	31.6	76.6	117.8	128.9	122.4	119.1	123.8	108.9	149.4	110.4	115.4	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.1	1.2	5.9	18.1	35.2	61.1	60.8	74.6	82.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	26.2	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.3	7.4	7.8	19.3	28.2	46.8	51.6	42.2	68.4	56.7	82.1	・
	脳・中枢神経系	C70-C72	5.1	0.0	7.1	6.8	0.0	0.0	3.5	0.0	2.6	2.1	5.6	1.2	8.2	7.4	4.9	2.2	11.4	10.4	15.4	・
	甲状腺	C73	17.9	0.0	0.0	0.0	1.6	1.9	12.3	13.2	15.8	19.1	15.6	20.5	28.2	22.3	39.3	34.4	17.7	20.9	16.7	・
	悪性リンパ腫	C81-C85 C96	30.9	2.0	1.8	5.1	3.1	3.8	5.3	7.4	6.6	9.6	10.0	20.5	30.6	35.1	48.4	66.7	83.5	92.5	75.6	・
	多発性骨髄腫	C88-C90	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	3.3	2.4	1.2	6.4	17.2	14.4	29.1	28.4	25.6	・
	白血病	C91-C95	12.9	16.0	8.9	6.8	3.1	0.0	1.8	0.0	11.8	5.3	6.7	7.2	10.6	9.6	23.8	16.7	30.4	23.9	35.9	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

愛媛県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96 D00-D09	1,162.5	30.8	17.2	40.0	9.1	11.1	31.0	38.2	86.8	170.2	231.8	430.0	848.8	1,480.0	2,346.6	3,297.6	3,758.8	3,988.5	4,417.4	・
	食道	C15 D001	31.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.3	6.8	20.0	31.7	48.9	89.7	95.1	120.6	53.8	39.1	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	196.3	0.0	0.0	0.0	0.0	0.0	3.4	17.6	18.4	42.6	75.0	115.0	243.9	308.9	382.8	526.8	579.4	550.0	591.3	・
	結腸 *2	C18 D010	122.9	0.0	0.0	0.0	0.0	0.0	3.4	11.8	7.9	27.7	45.5	52.5	136.6	171.1	237.9	351.2	376.5	365.4	404.3	・
	直腸 *2	C19-C20 D011-D012	73.3	0.0	0.0	0.0	0.0	0.0	0.0	5.9	10.5	14.9	29.5	62.5	107.3	137.8	144.8	175.6	202.9	184.6	187.0	・
	肺	C33-C34 D021-D022	159.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	12.8	20.5	45.0	82.9	182.2	367.2	473.2	523.5	565.4	643.5	・
	皮膚	C43-C44 D030-D049	31.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	7.9	6.4	6.8	10.0	12.2	31.1	46.6	61.0	82.4	103.8	260.9	・
	乳房	C50 D05	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	2.2	0.0	2.4	5.9	7.7	4.3	・
	膀胱	C67 D090	72.4	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	6.4	4.5	17.5	39.0	57.8	134.5	226.8	264.7	273.1	343.5	・
女	全部位	C00-C96 D00-D09	832.4	16.7	22.2	17.2	16.1	76.0	235.7	400.0	415.8	523.4	660.9	681.4	831.8	932.7	1,165.6	1,316.3	1,571.1	1,814.6	1,960.0	・
	食道	C15 D001	4.9	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	4.3	0.0	0.0	11.4	8.2	7.8	10.2	4.4	14.6	9.1	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	126.3	0.0	0.0	0.0	0.0	0.0	0.0	11.8	26.3	17.0	34.8	55.8	109.1	128.6	195.3	240.8	295.6	414.6	343.6	・
	結腸 *2	C18 D010	90.7	0.0	0.0	0.0	0.0	0.0	0.0	5.9	15.8	17.0	26.1	39.5	52.3	87.8	137.5	177.6	208.9	317.1	258.2	・
	直腸 *2	C19-C20 D011-D012	35.6	0.0	0.0	0.0	0.0	0.0	0.0	5.9	10.5	0.0	8.7	16.3	56.8	40.8	57.8	63.3	86.7	97.6	85.5	・
	肺	C33-C34 D021-D022	78.7	0.0	0.0	0.0	3.2	0.0	0.0	0.0	10.5	12.8	23.9	32.6	50.0	93.9	128.1	175.5	188.9	187.8	240.0	・
	皮膚	C43-C44 D030-D049	25.9	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	6.4	2.2	9.3	11.4	18.4	14.1	32.7	51.1	78.0	149.1	・
	乳房	C50 D05	162.4	0.0	0.0	0.0	0.0	4.0	10.7	20.6	65.8	183.0	260.9	267.4	263.6	249.0	262.5	222.4	275.6	195.1	167.3	・
	子宮	C53-C55 D06	107.0	0.0	0.0	0.0	0.0	56.0	167.9	300.0	218.4	208.5	187.0	107.0	120.5	114.3	85.9	79.6	57.8	73.2	61.8	・
総数 *3	子宮頸部	C53 D06	77.9	0.0	0.0	0.0	0.0	56.0	167.9	291.2	207.9	178.7	154.3	76.7	59.1	69.4	37.5	28.6	20.0	29.3	25.5	・
	膀胱	C67 D090	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	2.3	11.4	16.3	9.4	34.7	31.1	48.8	54.5	・
	全部位	C00-C96 D00-D09	988.5	24.0	19.6	28.8	12.5	42.3	131.6	219.1	251.3	346.8	451.1	560.2	840.0	1,194.7	1,727.0	2,218.9	2,512.7	2,658.2	2,684.6	・
	食道	C15 D001	17.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	4.3	3.3	9.6	21.2	27.7	46.7	48.9	54.4	29.9	17.9	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	159.4	0.0	0.0	0.0	0.0	0.0	1.8	14.7	22.4	29.8	54.4	84.3	174.1	214.9	284.4	371.1	417.7	467.2	416.7	・
	結腸 *2	C18 D010	105.9	0.0	0.0	0.0	0.0	0.0	1.8	8.8	11.8	22.3	35.6	45.8	92.9	127.7	185.2	256.7	281.0	335.8	301.3	・
	直腸 *2	C19-C20 D011-D012	53.4	0.0	0.0	0.0	0.0	0.0	0.0	5.9	10.5	7.4	18.9	38.6	81.2	87.2	99.2	114.4	136.7	131.3	115.4	・
	肺	C33-C34 D021-D022	117.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	6.6	12.8	22.2	38.6	65.9	136.2	241.8	311.1	332.9	334.3	359.0	・
	皮膚	C43-C44 D030-D049	28.3	0.0	0.0	0.0	0.0	0.0	1.8	2.9	3.9	6.4	4.4	9.6	11.8	24.5	29.5	45.6	64.6	88.1	182.1	・
	乳房	C50 D05	86.2	0.0	0.0	0.0	0.0	1.9	5.3	10.3	32.9	91.5	134.4	138.6	136.5	130.9	137.7	122.2	159.5	122.4	119.2	・
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67 D090	41.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	3.2	4.4	9.6	24.7	36.2	68.9	122.2	131.6	135.8	139.7	・

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

愛媛県

2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	11,892	10.8	36.7	0.1	45.7	6.8
口腔・咽頭	C00-C14	261	1.1	21.5	0.0	71.3	6.1
食道	C15	213	9.9	31.0	0.0	54.9	4.2
胃	C16	1,705	13.5	39.1	0.1	41.6	5.7
大腸（結腸・直腸）	C18-C20	1,757	14.6	27.2	0.0	51.7	6.4
結腸	C18	1,168	13.8	29.9	0.0	49.4	6.9
直腸	C19-C20	589	16.3	21.9	0.0	56.4	5.4
肝および肝内胆管	C22	568	3.2	65.1	0.2	24.1	7.4
胆のう・胆管	C23-C24	270	2.2	37.0	0.0	56.3	4.4
膵臓	C25	478	1.9	36.4	0.4	58.8	2.5
喉頭	C32	65	0.0	23.1	0.0	72.3	4.6
肺	C33-C34	1,557	11.7	50.5	0.3	32.1	5.4
皮膚	C43-C44	305	0.0	13.1	0.0	84.3	2.6
乳房	C50	1,058	16.2	20.8	0.0	54.3	8.8
乳房（女性のみ）	C50	1,050	16.2	20.8	0.0	54.4	8.7
子宮	C53-C55	356	11.5	20.2	0.0	53.9	14.3
子宮頸部	C53	153	12.4	17.6	0.0	53.6	16.3
子宮体部	C54	193	11.4	21.8	0.0	56.0	10.9
卵巣	C56	165	3.6	26.7	0.0	60.0	9.7
前立腺	C61	1,129	20.5	45.6	0.0	23.8	10.0
膀胱	C67	283	2.5	25.4	0.0	61.1	11.0
腎・尿路（膀胱除く）	C64-C66 C68	346	8.1	52.0	0.0	33.8	6.1
脳・中枢神経系	C70-C72	70	0.0	12.9	0.0	81.4	5.7
甲状腺	C73	243	12.3	47.7	1.2	26.7	11.9
悪性リンパ腫	C81-C85 C96	415	3.6	34.0	0.0	57.8	4.6
多発性骨髄腫	C88-C90	107	2.8	54.2	0.0	39.3	3.7
白血病	C91-C95	172	6.4	42.4	0.0	48.3	2.9

\*1 DC0を除く総数

表4. 発見経緯（%）： 部位別

B. 上皮内がんを含む

愛媛県2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	13,294	12.1	37.2	0.1	44.2	6.3
食道	C15 D001	236	10.2	34.7	0.0	51.3	3.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,146	16.9	30.7	0.0	46.8	5.6
結腸 *2	C18 D010	1,423	16.0	33.9	0.0	44.0	6.1
直腸 *2	C19-C20 D011-D012	723	18.7	24.3	0.0	52.3	4.7
肺	C33-C34 D021-D022	1,561	11.7	50.5	0.3	32.2	5.4
皮膚	C43-C44 D030-D049	385	0.0	13.2	0.0	84.7	2.1
乳房	C50 D05	1,167	18.9	21.3	0.0	51.5	8.2
乳房（女性のみ）	C50 D05	1,159	19.0	21.3	0.0	51.6	8.1
子宮	C53-C55 D06	763	25.8	34.5	0.0	30.9	8.8
子宮頸部	C53 D06	560	31.3	38.9	0.0	22.5	7.3
膀胱	C67 D090	567	3.2	30.2	0.0	60.0	6.7

\*1 DC0を除く総数

\*2 粘膜がんを含む

表5-1. 進展度・総合（％）： 部位別

## A. 上皮内がんを除く

愛媛県

2017年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	11,617	47.6	8.9	13.5	17.5	12.4	22.5
口腔・咽頭	C00-C14	261	33.3	17.2	35.2	5.0	9.2	52.5
食道	C15	213	37.6	7.5	29.1	16.9	8.9	36.6
胃	C16	1,705	55.4	9.4	8.2	17.8	9.3	17.5
大腸（結腸・直腸）	C18-C20	1,757	43.9	15.9	11.0	19.0	10.2	26.9
結腸	C18	1,168	43.3	13.7	12.2	19.6	11.1	25.9
直腸	C19-C20	589	45.2	20.2	8.5	17.8	8.3	28.7
肝および肝内胆管	C22	568	59.0	1.2	9.3	11.1	19.4	10.6
胆のう・胆管	C23-C24	270	15.6	0.7	41.9	28.9	13.0	42.6
膵臓	C25	478	8.2	1.7	34.3	47.3	8.6	36.0
喉頭	C32	65	58.5	10.8	18.5	4.6	7.7	29.2
肺	C33-C34	1,557	42.3	8.5	7.9	29.5	11.8	16.4
皮膚	C43-C44	305	85.6	0.7	6.6	1.3	5.9	7.2
乳房	C50	1,058	56.2	23.3	3.6	6.0	11.0	26.8
乳房（女性のみ）	C50	1,050	56.7	23.0	3.6	5.9	10.9	26.6
子宮	C53-C55	356	49.4	1.7	22.5	8.7	17.7	24.2
子宮頸部	C53	153	34.0	2.0	35.9	9.8	18.3	37.9
子宮体部	C54	193	63.7	1.6	12.4	8.3	14.0	14.0
卵巣	C56	165	37.6	0.6	38.8	8.5	14.5	39.4
前立腺	C61	1,129	62.8	1.4	13.8	8.8	13.2	15.2
膀胱	C67	283	57.2	1.4	14.1	4.9	21.2	15.5
腎・尿路（膀胱除く）	C64-C66 C68	346	57.8	2.3	15.0	13.3	11.6	17.3
脳・中枢神経系	C70-C72	70	58.6	0.0	22.9	5.7	12.9	22.9
甲状腺	C73	243	40.3	33.7	3.7	5.3	16.9	37.4
悪性リンパ腫	C81-C85 C96	413	31.0	0.2	16.2	37.0	15.5	16.5
多発性骨髄腫	C88-C90	—	—	—	—	—	—	—
白血病	C91-C95	—	—	—	—	—	—	—

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合（％）： 部位別

B. 上皮内がんを含む

愛媛県2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,019	10.4	42.7	7.9	12.1	15.6	11.3	20.0
食道	C15 D001	236	9.3	33.9	6.8	26.3	15.3	8.5	33.1
大腸（結腸・直腸）*3	C18-C20 D010-D012	2,146	17.9	36.0	13.0	9.0	15.6	8.5	22.0
結腸 *3	C18 D010	1,423	17.8	35.6	11.2	10.0	16.1	9.3	21.3
直腸 *3	C19-C20 D011-D012	723	18.3	36.8	16.5	6.9	14.5	7.1	23.4
肺	C33-C34 D021-D022	1,561	0.3	42.2	8.5	7.9	29.5	11.8	16.3
皮膚	C43-C44 D030-D049	385	20.8	67.8	0.5	5.2	1.0	4.7	5.7
乳房	C50 D05	1,167	9.3	51.0	21.1	3.3	5.4	10.0	24.3
乳房（女性のみ）	C50 D05	1,159	9.3	51.3	20.8	3.3	5.3	9.9	24.1
子宮	C53-C55 D06	763	52.3	23.1	0.8	10.5	4.1	9.3	11.3
子宮頸部	C53 D06	560	71.3	9.3	0.5	9.8	2.7	6.4	10.4
膀胱	C67 D090	567	49.2	28.7	0.7	7.1	2.5	11.8	7.8

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

\*3 粘膜がんを含む

表5-2. 進展度・治療前（%）： 部位別

A. 上皮内がんを除く

愛媛県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	11,618	1.0	48.8	6.8	12.2	16.7	14.5	19.0
口腔・咽頭	C00-C14	261	0.8	32.6	15.7	34.5	5.4	11.1	50.2
食道	C15	213	3.3	36.2	5.6	28.2	17.4	9.4	33.8
胃	C16	1,705	0.1	58.1	8.6	7.1	15.1	11.1	15.7
大腸（結腸・直腸）	C18-C20	1,757	2.0	40.7	12.5	13.0	17.6	14.2	25.5
結腸	C18	1,168	2.4	38.9	10.0	14.6	18.0	16.2	24.6
直腸	C19-C20	589	1.4	44.3	17.3	10.0	16.8	10.2	27.3
肝および肝内胆管	C22	568	0.0	59.2	1.1	8.5	11.3	20.1	9.5
胆のう・胆管	C23-C24	270	0.4	16.7	1.9	37.8	26.3	17.0	39.6
膵臓	C25	478	0.0	10.3	1.0	33.5	46.0	9.2	34.5
喉頭	C32	65	1.5	55.4	10.8	16.9	4.6	10.8	27.7
肺	C33-C34	1,557	0.3	43.7	7.0	7.3	29.2	12.6	14.3
皮膚	C43-C44	305	2.0	78.7	0.7	6.6	1.3	10.8	7.2
乳房	C50	1,058	3.2	61.4	14.9	3.4	6.0	11.1	18.3
乳房（女性のみ）	C50	1,050	3.2	61.8	14.7	3.4	5.9	11.0	18.1
子宮	C53-C55	356	1.1	50.0	1.7	17.7	8.1	21.3	19.4
子宮頸部	C53	153	2.6	34.0	2.0	33.3	9.2	19.0	35.3
子宮体部	C54	193	0.0	64.8	1.6	5.7	7.8	20.2	7.3
卵巣	C56	165	1.2	32.7	1.8	32.1	8.5	23.6	33.9
前立腺	C61	1,129	0.1	68.4	1.3	7.4	8.8	14.1	8.7
膀胱	C67	283	3.9	56.9	0.4	10.6	4.9	23.3	11.0
腎・尿路（膀胱除く）	C64-C66 C68	346	0.6	60.7	2.3	10.4	13.0	13.0	12.7
脳・中枢神経系	C70-C72	70	0.0	57.1	0.0	22.9	7.1	12.9	22.9
甲状腺	C73	243	0.4	50.6	14.8	4.9	5.3	23.9	19.8
悪性リンパ腫	C81-C85 C96	413	0.0	29.8	0.2	15.5	37.0	17.4	15.7
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前（%）： 部位別

B. 上皮内がんを含む

愛媛県2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,020	8.6	44.9	6.1	10.9	14.9	14.5	17.0
食道	C15 D001	236	9.7	35.2	5.1	25.4	15.7	8.9	30.5
大腸（結腸・直腸）*3	C18-C20 D010-D012	2,146	11.6	35.3	10.3	10.7	14.4	17.7	21.0
結腸 *3	C18 D010	1,423	11.7	33.3	8.4	12.0	14.8	19.8	20.4
直腸 *3	C19-C20 D011-D012	723	11.3	39.3	14.1	8.2	13.7	13.4	22.3
肺	C33-C34 D021-D022	1,561	0.3	43.8	7.0	7.3	29.1	12.6	14.3
皮膚	C43-C44 D030-D049	385	19.7	62.9	0.5	5.2	1.0	10.6	5.7
乳房	C50 D05	1,167	10.6	57.1	13.5	3.1	5.4	10.3	16.6
乳房（女性のみ）	C50 D05	1,159	10.7	57.4	13.3	3.1	5.3	10.2	16.4
子宮	C53-C55 D06	763	52.0	23.5	0.8	8.3	3.8	11.7	9.0
子宮頸部	C53 D06	560	70.9	9.5	0.5	9.1	2.5	7.5	9.6
膀胱	C67 D090	567	34.6	40.7	0.4	5.5	2.5	16.4	5.8

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

\*3 粘膜がんを含む



表5-3. 進展度・術後（%）： 部位別

## A. 上皮内がんを除く

愛媛県

2017年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	7,620	52.8	9.9	10.6	4.5	22.2	20.5
口腔・咽頭	C00-C14	167	38.9	12.0	26.9	1.2	21.0	38.9
食道	C15	85	54.1	4.7	9.4	0.0	31.8	14.1
胃	C16	1,308	62.6	9.9	6.7	5.0	15.8	16.6
大腸（結腸・直腸）	C18-C20	1,501	47.4	16.7	10.9	11.9	13.1	27.6
結腸	C18	1,012	46.6	14.8	12.4	12.5	13.7	27.2
直腸	C19-C20	489	48.9	20.4	8.0	10.8	11.9	28.4
肝および肝内胆管	C22	212	38.2	0.5	6.1	0.5	54.7	6.6
胆のう・胆管	C23-C24	144	15.3	0.0	43.8	9.0	31.9	43.8
膵臓	C25	164	10.4	2.4	44.5	5.5	37.2	47.0
喉頭	C32	29	41.4	10.3	31.0	0.0	17.2	41.4
肺	C33-C34	819	60.1	7.0	3.9	1.8	27.2	10.9
皮膚	C43-C44	287	86.1	0.7	5.9	0.0	7.3	6.6
乳房	C50	889	62.5	20.8	1.8	0.7	14.2	22.6
乳房（女性のみ）	C50	883	63.0	20.5	1.8	0.7	14.0	22.3
子宮	C53-C55	259	56.0	1.2	11.6	2.7	28.6	12.7
子宮頸部	C53	77	45.5	1.3	10.4	1.3	41.6	11.7
子宮体部	C54	173	63.6	1.2	12.1	3.5	19.7	13.3
卵巣	C56	127	45.7	0.8	32.3	0.0	21.3	33.1
前立腺	C61	521	50.1	0.4	16.7	0.4	32.4	17.1
膀胱	C67	246	41.9	1.6	8.5	3.3	44.7	10.2
腎・尿路（膀胱除く）	C64-C66 C68	269	63.6	1.1	14.1	1.9	19.3	15.2
脳・中枢神経系	C70-C72	39	56.4	0.0	20.5	2.6	20.5	20.5
甲状腺	C73	226	39.4	33.2	1.8	4.0	21.7	35.0
悪性リンパ腫	C81-C85 C96	112	20.5	0.0	7.1	6.3	66.1	7.1
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後（%）： 部位別

B. 上皮内がんを含む

愛媛県2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	8,820	12.7	45.9	8.5	9.2	3.9	19.8	17.7
食道	C15 D001	106	17.0	43.4	3.8	7.5	0.0	28.3	11.3
大腸（結腸・直腸）*3	C18-C20 D010-D012	1,886	20.0	37.7	13.3	8.7	9.5	10.8	22.0
結腸 *3	C18 D010	1,266	19.7	37.3	11.8	9.9	10.0	11.3	21.7
直腸 *3	C19-C20 D011-D012	620	20.6	38.5	16.1	6.3	8.5	9.8	22.4
肺	C33-C34 D021-D022	822	0.4	59.9	6.9	3.9	1.8	27.1	10.8
皮膚	C43-C44 D030-D049	361	19.9	68.4	0.6	4.7	0.0	6.4	5.3
乳房	C50 D05	995	10.6	55.9	18.6	1.6	0.6	12.8	20.2
乳房（女性のみ）	C50 D05	989	10.6	56.2	18.3	1.6	0.6	12.6	19.9
子宮	C53-C55 D06	501	45.5	28.9	0.6	6.0	1.4	17.6	6.6
子宮頸部	C53 D06	319	71.5	11.0	0.3	2.5	0.3	14.4	2.8
膀胱	C67 D090	519	48.6	19.8	0.8	4.0	1.5	25.2	4.8

\*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

\*3 粘膜がんを含む

表6. 初回治療内容割合（％）： 部位別

A. 上皮内がんを除く

愛媛県

2017年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	11,892	27.0	19.1	7.8	9.5	26.8	8.6	2.5	27.1
口腔・咽頭	C00-C14	261	50.6	0.0	1.1	36.4	26.1	0.0	0.0	21.8
食道	C15	213	8.5	12.2	19.2	28.6	43.7	0.0	0.5	28.6
胃	C16	1,705	22.8	14.0	31.5	0.4	20.0	0.0	0.3	25.2
大腸（結腸・直腸）	C18-C20	1,757	23.4	46.6	9.2	1.3	26.2	0.0	0.2	19.9
結腸	C18	1,168	25.4	45.1	8.9	0.2	25.3	0.0	0.3	20.3
直腸	C19-C20	589	19.5	49.6	9.8	3.4	27.8	0.0	0.0	19.0
肝および肝内胆管	C22	568	14.3	4.8	0.0	1.6	36.3	0.2	34.2	40.8
胆のう・胆管	C23-C24	270	33.3	4.8	0.4	1.1	23.3	0.0	0.7	49.6
膵臓	C25	478	23.2	0.0	0.0	2.1	50.4	0.2	1.0	38.9
喉頭	C32	65	36.9	0.0	1.5	53.8	21.5	0.0	6.2	15.4
肺	C33-C34	1,557	4.9	34.0	0.0	13.2	29.7	0.0	0.3	35.3
皮膚	C43-C44	305	88.5	0.0	0.0	1.3	1.6	0.0	1.3	9.5
乳房	C50	1,058	79.4	0.1	0.0	32.1	35.6	51.1	0.6	13.1
乳房（女性のみ）	C50	1,050	79.6	0.1	0.0	32.4	35.7	51.2	0.6	13.0
子宮	C53-C55	356	44.4	11.2	0.0	19.1	35.4	0.3	0.3	27.0
子宮頸部	C53	153	32.0	3.3	0.0	41.2	41.8	0.0	0.7	27.5
子宮体部	C54	193	56.0	18.1	0.0	2.6	31.6	0.5	0.0	23.3
卵巣	C56	165	67.9	4.2	0.0	0.0	44.8	0.0	1.8	20.6
前立腺	C61	1,129	5.4	28.0	0.5	9.0	1.4	40.0	0.4	25.2
膀胱	C67	283	11.7	10.2	60.4	3.9	25.8	0.4	13.8	27.6
腎・尿路（膀胱除く）	C64-C66 C68	346	6.4	58.7	0.3	1.2	10.4	0.0	1.4	26.6
脳・中枢神経系	C70-C72	70	44.3	0.0	0.0	48.6	44.3	0.0	2.9	35.7
甲状腺	C73	243	72.4	0.4	0.4	7.8	2.5	7.0	0.0	24.3
悪性リンパ腫	C81-C85 C96	415	5.5	3.6	0.0	11.6	50.4	1.4	1.9	35.9
多発性骨髄腫	C88-C90	107	1.9	0.0	0.0	3.7	69.2	0.0	0.9	28.0
白血病	C91-C95	172	0.0	0.0	0.0	0.6	68.0	0.6	3.5	30.8

\*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合（％）： 部位別

B. 上皮内がんを含む

愛媛県2017年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	13,294	27.5	17.8	11.7	8.8	24.5	7.8	4.0	24.8
食道	C15 D001	236	7.6	11.0	25.0	25.8	39.4	0.0	0.4	28.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,146	19.7	39.6	23.4	1.1	21.5	0.1	0.2	16.8
結腸 *2	C18 D010	1,423	21.4	38.5	23.1	0.3	20.9	0.1	0.4	17.0
直腸 *2	C19-C20 D011-D012	723	16.3	41.8	23.9	2.8	22.7	0.0	0.0	16.3
肺	C33-C34 D021-D022	1,561	4.9	34.1	0.0	13.2	29.6	0.0	0.4	35.2
皮膚	C43-C44 D030-D049	385	88.8	0.0	0.0	1.0	1.3	0.0	1.6	9.1
乳房	C50 D05	1,167	81.0	0.1	0.0	32.2	32.4	47.8	0.6	12.1
乳房（女性のみ）	C50 D05	1,159	81.2	0.1	0.0	32.4	32.4	47.9	0.6	11.9
子宮	C53-C55 D06	763	48.4	7.5	0.1	8.9	16.5	0.1	23.5	16.3
子宮頸部	C53 D06	560	46.4	3.9	0.2	11.3	11.4	0.0	32.0	12.5
膀胱	C67 D090	567	7.8	5.8	75.5	1.9	24.0	0.2	14.5	15.0

\*1 DC0を除く総数

\*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別

A. 上皮内がんを除く

愛媛県

2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	6,275	88.0	11.3	0.7
口腔・咽頭	C00-C14	135	84.4	14.8	0.7
食道	C15	83	84.3	15.7	0.0
胃	C16	1,122	92.1	7.5	0.4
大腸（結腸・直腸）	C18-C20	1,337	86.7	12.8	0.5
結腸	C18	886	85.9	13.5	0.6
直腸	C19-C20	451	88.2	11.3	0.4
肝および肝内胆管	C22	108	90.7	8.3	0.9
胆のう・胆管	C23-C24	100	81.0	18.0	1.0
膵臓	C25	111	80.2	18.9	0.9
喉頭	C32	24	91.7	8.3	0.0
肺	C33-C34	605	96.5	3.3	0.2
皮膚	C43-C44	270	98.1	1.9	0.0
乳房	C50	840	94.0	4.9	1.1
乳房（女性のみ）	C50	836	94.0	4.9	1.1
子宮	C53-C55	194	92.8	6.7	0.5
子宮頸部	C53	52	92.3	7.7	0.0
子宮体部	C54	141	92.9	6.4	0.7
卵巣	C56	119	79.0	20.2	0.8
前立腺	C61	383	84.1	15.7	0.3
膀胱	C67	203	47.8	50.2	2.0
腎・尿路（膀胱除く）	C64-C66 C68	226	96.0	4.0	0.0
脳・中枢神経系	C70-C72	31	41.9	58.1	0.0
甲状腺	C73	178	83.1	14.0	2.8
悪性リンパ腫	C81-C85 C96	38	71.1	21.1	7.9
多発性骨髄腫	C88-C90	2	0.0	100.0	0.0
白血病	C91-C95	0	-	-	-

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別

B. 上皮内がんを含む

愛媛県2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	7,437	88.8	10.3	0.9
食道	C15 D001	101	87.1	12.9	0.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,715	88.7	10.3	1.0
結腸 *2	C18 D010	1,136	88.3	10.8	0.9
直腸 *2	C19-C20 D011-D012	579	89.5	9.2	1.4
肺	C33-C34 D021-D022	608	96.5	3.3	0.2
皮膚	C43-C44 D030-D049	342	97.4	2.0	0.6
乳房	C50 D05	945	94.5	4.6	1.0
乳房（女性のみ）	C50 D05	941	94.5	4.6	1.0
子宮	C53-C55 D06	423	93.4	5.7	0.9
子宮頸部	C53 D06	281	93.6	5.3	1.1
膀胱	C67 D090	472	69.9	28.6	1.5

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

\*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

## A. 上皮内がんを除く

愛媛県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.40	0.36	0.38	2.3	3.1	2.6	1.4	1.8	1.6	84.6	84.9	84.7	81.6	81.5	81.6
口腔・咽頭	C00-C14	0.30	0.36	0.32	0.5	3.9	1.5	0.0	3.9	1.1	91.4	90.9	91.3	89.3	90.9	89.8
食道	C15	0.55	0.77	0.58	1.6	6.5	2.3	1.6	0.0	1.4	95.1	93.5	94.9	95.1	93.5	94.9
胃	C16	0.32	0.37	0.33	1.0	1.8	1.3	0.5	1.1	0.7	96.1	94.4	95.6	95.9	94.4	95.4
大腸（結腸・直腸）	C18-C20	0.29	0.38	0.33	1.7	3.2	2.4	1.2	2.1	1.6	94.2	89.3	92.0	94.0	89.0	91.8
結腸	C18	0.32	0.42	0.37	2.1	3.7	2.9	1.4	2.3	1.8	93.0	87.4	90.3	92.8	87.1	90.1
直腸	C19-C20	0.23	0.30	0.26	1.0	1.9	1.3	0.8	1.4	1.0	96.1	94.3	95.5	95.9	94.3	95.3
肝および肝内胆管	C22	0.69	0.68	0.68	3.7	3.9	3.8	3.0	1.1	2.4	35.1	21.7	30.9	34.3	20.6	30.1
胆のう・胆管	C23-C24	0.70	0.82	0.76	6.1	8.1	7.0	4.1	5.9	4.9	62.8	55.9	59.5	53.4	45.6	49.6
膵臓	C25	0.88	0.81	0.84	2.0	5.9	3.9	0.8	2.1	1.4	64.2	57.3	60.8	55.3	51.9	53.6
喉頭	C32	0.17	-	0.15	0.0	0.0	0.0	0.0	0.0	0.0	93.3	100.0	93.8	91.7	100.0	92.3
肺	C33-C34	0.66	0.46	0.58	4.4	5.1	4.6	1.8	3.0	2.2	76.9	74.6	76.1	69.2	65.4	67.8
皮膚	C43-C44	0.05	0.06	0.05	0.6	0.0	0.3	0.6	0.0	0.3	96.4	97.1	96.7	96.4	97.1	96.7
乳房	C50	0.63	0.16	0.16	0.0	0.9	0.9	0.0	0.8	0.8	87.5	96.3	96.3	87.5	95.6	95.5
子宮	C53-C55	-	0.26	0.26	-	2.8	2.8	-	1.7	1.7	-	92.0	92.0	-	88.1	88.1
子宮頸部	C53	-	0.24	0.24	-	0.0	0.0	-	0.0	0.0	-	93.5	93.5	-	89.5	89.5
子宮体部	C54	-	0.16	0.16	-	1.0	1.0	-	1.0	1.0	-	95.4	95.4	-	91.8	91.8
卵巣	C56	-	0.29	0.29	-	2.4	2.4	-	0.6	0.6	-	89.8	89.8	-	85.5	85.5
前立腺	C61	0.14	-	0.14	1.7	-	1.7	1.4	-	1.4	88.5	-	88.5	88.4	-	88.4
膀胱	C67	0.33	0.37	0.34	1.7	1.8	1.7	1.3	0.0	1.0	88.2	86.0	87.8	82.5	77.2	81.5
腎・尿路（膀胱除く）	C64-C66 C68	0.30	0.38	0.33	2.1	7.5	3.9	1.7	5.8	3.1	83.5	72.5	79.8	79.7	69.2	76.2
脳・中枢神経系	C70-C72	0.44	0.42	0.43	0.0	0.0	0.0	0.0	0.0	0.0	64.7	75.0	70.0	64.7	75.0	70.0
甲状腺	C73	0.10	0.08	0.09	0.0	0.6	0.4	0.0	0.6	0.4	95.5	93.8	94.3	85.1	83.6	84.0
悪性リンパ腫	C81-C85 C96	0.40	0.35	0.38	1.3	3.6	2.4	0.4	3.1	1.7	89.8	90.8	90.3	87.6	89.3	88.4
多発性骨髄腫	C88-C90	0.48	0.61	0.55	3.7	1.8	2.7	3.7	1.8	2.7	90.7	91.1	90.9	74.1	76.8	75.5
白血病	C91-C95	0.79	0.46	0.65	4.8	5.6	5.1	1.9	2.8	2.3	99.0	97.2	98.3	74.0	75.0	74.4

\*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

愛媛県 2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DC1 (%)			死亡情報のみの 症例 DC0 (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.37	0.32	0.34	2.1	2.7	2.4	1.3	1.6	1.4	85.8	86.9	86.3	83.0	83.8	83.4
食道	C15 D001	0.50	0.69	0.52	1.5	5.7	2.1	1.5	0.0	1.3	95.6	94.3	95.4	95.6	94.3	95.4
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.23	0.33	0.27	1.3	2.8	1.9	0.9	1.8	1.3	95.3	90.9	93.5	95.2	90.6	93.3
結腸 *2	C18 D010	0.26	0.36	0.30	1.6	3.2	2.4	1.1	2.0	1.5	94.5	89.1	92.0	94.3	88.8	91.8
直腸 *2	C19-C20 D011-D012	0.19	0.24	0.21	0.8	1.6	1.1	0.6	1.2	0.8	96.8	95.3	96.3	96.6	95.3	96.2
肺	C33-C34 D021-D022	0.65	0.45	0.58	4.4	5.1	4.6	1.7	3.0	2.2	77.0	74.7	76.2	69.2	65.5	67.9
皮膚	C43-C44 D030-D049	0.04	0.04	0.04	0.5	0.0	0.3	0.5	0.0	0.3	97.0	97.8	97.4	97.0	97.8	97.4
乳房	C50 D05	0.63	0.14	0.15	0.0	0.9	0.9	0.0	0.8	0.8	87.5	96.7	96.6	87.5	95.9	95.8
子宮	C53-C55 D06	-	0.12	0.12	-	1.3	1.3	-	0.8	0.8	-	96.2	96.2	-	93.9	93.9
子宮頸部	C53 D06	-	0.07	0.07	-	0.0	0.0	-	0.0	0.0	-	98.2	98.2	-	96.4	96.4
膀胱	C67 D090	0.16	0.20	0.17	0.9	1.0	0.9	0.6	0.0	0.5	94.2	92.2	93.9	91.0	86.4	90.2

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む



表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

愛媛県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	2,737	1,892	4,629	100.0	100.0	100.0	427.7	265.0	341.9	162.5	82.9	116.5	111.1	58.4	80.9	11.7	6.1	8.7
口腔・咽頭	C00-C14	56	28	84	2.0	1.5	1.8	8.8	3.9	6.2	3.8	0.9	2.2	2.7	0.6	1.6	0.3	0.0	0.2
食道	C15	101	24	125	3.7	1.3	2.7	15.8	3.4	9.2	7.3	1.3	4.0	5.1	1.0	2.9	0.7	0.1	0.4
胃	C16	369	206	575	13.5	10.9	12.4	57.7	28.9	42.5	21.2	8.6	13.9	14.1	6.0	9.5	1.5	0.6	1.0
大腸（結腸・直腸）	C18-C20	293	297	590	10.7	15.7	12.7	45.8	41.6	43.6	18.1	12.9	15.1	12.4	9.0	10.4	1.3	0.9	1.1
結腸	C18	203	235	438	7.4	12.4	9.5	31.7	32.9	32.3	12.0	9.9	10.7	8.2	6.9	7.4	0.8	0.7	0.7
直腸	C19-C20	90	62	152	3.3	3.3	3.3	14.1	8.7	11.2	6.1	3.0	4.4	4.2	2.1	3.1	0.5	0.2	0.3
肝および肝内胆管	C22	276	122	398	10.1	6.4	8.6	43.1	17.1	29.4	18.1	4.1	10.4	12.5	2.7	7.2	1.5	0.3	0.8
胆のう・胆管	C23-C24	103	112	215	3.8	5.9	4.6	16.1	15.7	15.9	5.4	3.6	4.3	3.5	2.3	2.8	0.3	0.2	0.3
膵臓	C25	216	193	409	7.9	10.2	8.8	33.8	27.0	30.2	14.2	8.1	10.9	10.1	5.6	7.7	1.2	0.7	0.9
喉頭	C32	10	-	10	0.4	-	0.2	1.6	-	0.7	0.6	-	0.2	0.4	-	0.2	0.1	-	0.0
肺	C33-C34	674	257	931	24.6	13.6	20.1	105.3	36.0	68.8	37.9	9.5	21.6	25.5	6.5	14.7	2.8	0.7	1.7
皮膚	C43-C44	8	8	16	0.3	0.4	0.3	1.3	1.1	1.2	0.5	0.6	0.6	0.4	0.6	0.5	0.0	0.0	0.0
乳房	C50	5	168	173	0.2	8.9	3.7	0.8	23.5	12.8	0.3	11.0	6.0	0.2	8.1	4.4	0.0	0.9	0.5
子宮	C53-C55	-	93	93	-	4.9	2.0	-	13.0	-	-	6.1	-	-	4.4	-	-	0.5	-
子宮頸部	C53	-	37	37	-	2.0	0.8	-	5.2	-	-	2.7	-	-	2.0	-	-	0.2	-
子宮体部	C54	-	32	32	-	1.7	0.7	-	4.5	-	-	2.1	-	-	1.4	-	-	0.2	-
卵巣	C56	-	48	48	-	2.5	1.0	-	6.7	-	-	3.2	-	-	2.5	-	-	0.2	-
前立腺	C61	160	-	160	5.8	-	3.5	25.0	-	-	7.1	-	-	4.7	-	-	0.3	-	-
膀胱	C67	75	21	96	2.7	1.1	2.1	11.7	2.9	7.1	3.8	0.6	1.9	2.6	0.4	1.3	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	72	46	118	2.6	2.4	2.5	11.3	6.4	8.7	3.9	1.4	2.5	2.7	1.0	1.7	0.3	0.1	0.2
脳・中枢神経系	C70-C72	15	15	30	0.5	0.8	0.6	2.3	2.1	2.2	1.1	1.0	1.0	0.7	0.7	0.7	0.1	0.1	0.1
甲状腺	C73	7	15	22	0.3	0.8	0.5	1.1	2.1	1.6	0.5	0.6	0.5	0.3	0.4	0.4	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	91	69	160	3.3	3.6	3.5	14.2	9.7	11.8	4.9	2.3	3.4	3.2	1.5	2.2	0.3	0.1	0.2
多発性骨髄腫	C88-C90	26	34	60	0.9	1.8	1.3	4.1	4.8	4.4	1.2	1.3	1.2	0.8	0.8	0.8	0.1	0.1	0.1
白血病	C91-C95	82	33	115	3.0	1.7	2.5	12.8	4.6	8.5	5.8	1.6	3.5	4.2	1.1	2.5	0.4	0.1	0.3

\*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	2,737	0	2	0	1	1	0	3	8	6	17	50	71	185	376	364	432	513	443	222	40	3	0
	口腔・咽頭	C00-C14	56	0	0	0	0	0	0	0	0	0	2	2	2	5	11	8	9	7	8	1	1	0	0
	食道	C15	101	0	0	0	0	0	0	0	0	1	0	3	4	13	22	19	23	12	3	1	0	0	0
	胃	C16	369	0	0	0	0	0	0	0	1	0	3	8	7	15	52	50	66	71	63	28	5	0	0
	大腸（結腸・直腸）	C18-C20	293	0	0	0	0	0	0	0	1	2	1	9	15	15	42	33	52	48	54	18	3	0	0
	結腸	C18	203	0	0	0	0	0	0	0	0	2	1	4	11	10	25	21	34	34	41	17	3	0	0
	直腸	C19-C20	90	0	0	0	0	0	0	0	1	0	0	5	4	5	17	12	18	14	13	1	0	0	0
	肝および肝内胆管	C22	276	0	0	0	0	1	0	0	0	1	3	5	9	31	34	48	42	60	24	15	3	0	0
	胆のう・胆管	C23-C24	103	0	0	0	0	0	0	0	0	0	0	2	3	5	11	4	17	24	22	10	5	0	0
	膵臓	C25	216	0	0	0	0	0	0	1	1	0	3	4	6	28	32	33	34	28	33	9	3	1	0
	喉頭	C32	10	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	2	1	1	1	0	0	0
	肺	C33-C34	674	0	0	0	0	0	0	0	1	2	3	9	10	37	89	107	92	142	114	61	6	1	0
	皮膚	C43-C44	8	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	2	1	1	1	0	0
	乳房	C50	5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0	1	0	0	0
	前立腺	C61	160	0	0	0	0	0	0	0	0	0	0	0	1	5	12	14	17	30	43	29	9	0	0
	膀胱	C67	75	0	0	0	0	0	0	0	0	0	0	0	2	5	14	3	6	16	15	12	1	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	72	0	0	0	0	0	0	0	0	0	0	2	2	2	11	9	9	8	12	16	1	0	0
	脳・中枢神経系	C70-C72	15	0	0	0	0	0	0	0	1	0	0	0	2	1	2	0	2	3	3	1	0	0	0
	甲状腺	C73	7	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1	0	1	0	0	0	0
	悪性リンパ腫	C81-C85 C96	91	0	0	0	0	0	0	0	0	0	1	0	1	4	11	12	16	22	18	4	2	0	0
	多発性骨髄腫	C88-C90	26	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	3	9	5	3	0	0	0
	白血病	C91-C95	82	0	1	0	0	0	0	0	2	0	0	2	6	6	13	9	14	16	9	4	0	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,892	0	0	0	1	0	3	3	3	18	35	35	64	92	180	180	252	315	361	241	95	14	0
	口腔・咽頭	C00-C14	28	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2	4	4	4	6	5	0	0
	食道	C15	24	0	0	0	0	0	0	0	0	0	1	1	0	3	4	5	1	2	3	3	1	0	0
	胃	C16	206	0	0	0	0	0	0	0	0	6	5	3	3	5	23	19	25	32	40	33	11	1	0
	大腸（結腸・直腸）	C18-C20	297	0	0	0	0	0	0	1	2	2	4	6	14	14	20	26	38	52	56	40	21	1	0
	結腸	C18	235	0	0	0	0	0	0	1	2	1	4	4	10	9	17	18	28	44	42	35	19	1	0
	直腸	C19-C20	62	0	0	0	0	0	0	0	0	1	0	2	4	5	3	8	10	8	14	5	2	0	0
	肝および肝内胆管	C22	122	0	0	0	0	0	0	0	0	0	1	1	1	5	8	10	16	28	33	10	6	3	0
	胆のう・胆管	C23-C24	112	0	0	0	0	0	0	0	0	0	0	0	1	3	9	13	14	23	23	20	5	1	0
	膵臓	C25	193	0	0	0	0	0	0	1	0	0	1	3	2	11	22	28	31	30	37	22	5	0	0
	喉頭	C32	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	肺	C33-C34	257	0	0	0	0	0	0	0	0	1	1	4	6	11	20	28	32	39	56	38	16	5	0
	皮膚	C43-C44	8	0	0	0	0	0	1	0	0	0	0	1	0	0	1	1	1	1	1	1	0	0	0
	乳房	C50	168	0	0	0	0	0	0	0	0	2	9	7	17	19	24	14	24	19	15	13	3	2	0
	子宮	C53-C55	93	0	0	0	0	0	0	0	1	6	3	4	8	6	6	10	15	12	12	7	3	0	0
	子宮頸部	C53	37	0	0	0	0	0	0	0	0	4	3	2	3	1	2	3	5	4	4	5	1	0	0
	子宮体部	C54	32	0	0	0	0	0	0	0	0	1	0	2	3	2	4	5	7	5	2	1	0	0	0
	卵巣	C56	48	0	0	0	1	0	0	0	0	0	5	4	2	3	6	1	5	8	10	2	1	0	0
	膀胱	C67	21	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	5	3	7	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	46	0	0	0	0	0	0	0	0	0	0	0	2	0	4	4	6	6	11	10	2	1	0
	脳・中枢神経系	C70-C72	15	0	0	0	0	0	0	0	0	0	2	0	1	2	2	0	2	3	0	2	1	0	0
	甲状腺	C73	15	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	2	3	4	1	0	0	0
	悪性リンパ腫	C81-C85 C96	69	0	0	0	0	0	0	0	0	0	1	0	1	2	7	3	9	17	18	8	3	0	0
	多発性骨髄腫	C88-C90	34	0	0	0	0	0	0	0	0	0	0	0	0	2	5	3	7	5	7	3	2	0	0
	白血病	C91-C95	33	0	0	0	0	0	0	1	0	0	0	0	1	0	8	4	4	8	2	3	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

愛媛県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2 全部位		C00-C97	4,629	0	2	0	2	1	3	6	11	24	52	85	135	277	556	544	684	828	804	463	135	17	0
	口腔・咽頭	C00-C14	84	0	0	0	0	0	0	0	0	0	2	3	2	5	13	10	13	11	12	7	6	0	0
	食道	C15	125	0	0	0	0	0	0	0	0	1	1	4	4	16	26	24	24	14	6	4	1	0	0
	胃	C16	575	0	0	0	0	0	0	0	1	6	8	11	10	20	75	69	91	103	103	61	16	1	0
	大腸（結腸・直腸）	C18-C20	590	0	0	0	0	0	0	1	3	4	5	15	29	29	62	59	90	100	110	58	24	1	0
	結腸	C18	438	0	0	0	0	0	0	1	2	3	5	8	21	19	42	39	62	78	83	52	22	1	0
	直腸	C19-C20	152	0	0	0	0	0	0	0	1	1	0	7	8	10	20	20	28	22	27	6	2	0	0
	肝および肝内胆管	C22	398	0	0	0	0	1	0	0	0	1	4	6	10	36	42	58	58	88	57	25	9	3	0
	胆のう・胆管	C23-C24	215	0	0	0	0	0	0	0	0	0	0	2	4	8	20	17	31	47	45	30	10	1	0
	膵臓	C25	409	0	0	0	0	0	0	2	1	0	4	7	8	39	54	61	65	58	70	31	8	1	0
	喉頭	C32	10	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	2	1	1	1	0	0	0
	肺	C33-C34	931	0	0	0	0	0	0	0	1	3	4	13	16	48	109	135	124	181	170	99	22	6	0
	皮膚	C43-C44	16	0	0	0	0	0	1	0	1	0	0	1	0	0	3	1	1	3	2	2	1	0	0
	乳房	C50	173	0	0	0	0	0	0	0	0	2	9	7	17	19	26	15	24	20	15	14	3	2	0
	子宮	C53-C55	93	0	0	0	0	0	0	0	1	6	3	4	8	6	6	10	15	12	12	7	3	0	0
	子宮頸部	C53	37	0	0	0	0	0	0	0	0	4	3	2	3	1	2	3	5	4	4	5	1	0	0
	子宮体部	C54	32	0	0	0	0	0	0	0	0	1	0	2	3	2	4	5	7	5	2	1	0	0	0
	卵巣	C56	48	0	0	0	1	0	0	0	0	0	5	4	2	3	6	1	5	8	10	2	1	0	0
	前立腺	C61	160	0	0	0	0	0	0	0	0	0	0	0	1	5	12	14	17	30	43	29	9	0	0
	膀胱	C67	96	0	0	0	0	0	0	0	0	0	0	0	2	6	15	4	8	21	18	19	2	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	118	0	0	0	0	0	0	0	0	0	0	2	4	2	15	13	15	14	23	26	3	1	0
	脳・中枢神経系	C70-C72	30	0	0	0	0	0	0	0	1	0	2	0	3	3	4	0	4	6	3	3	1	0	0
	甲状腺	C73	22	0	0	0	0	0	0	0	0	0	0	0	0	3	5	2	3	3	5	1	0	0	0
	悪性リンパ腫	C81-C85 C96	160	0	0	0	0	0	0	0	0	0	2	0	2	6	18	15	25	39	36	12	5	0	0
	多発性骨髄腫	C88-C90	60	0	0	0	0	0	0	0	0	0	0	0	0	3	8	5	10	14	12	6	2	0	0
	白血病	C91-C95	115	0	1	0	0	0	0	1	2	0	0	2	7	6	21	13	18	24	11	7	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	427.7	0.0	7.1	0.0	3.0	3.8	0.0	9.1	21.1	12.8	38.6	128.2	173.2	411.1	648.3	887.8	1,270.6	1,973.1	3,078.3	・
	口腔・咽頭	C00-C14	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	5.1	4.9	11.1	19.0	19.5	26.5	26.9	43.5	・
	食道	C15	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	7.7	9.8	28.9	37.9	46.3	67.6	46.2	17.4	・
	胃	C16	57.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	6.8	20.5	17.1	33.3	89.7	122.0	194.1	273.1	417.4	・
	大腸（結腸・直腸）	C18-C20	45.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.3	2.3	23.1	36.6	33.3	72.4	80.5	152.9	184.6	326.1	・
	結腸	C18	31.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	2.3	10.3	26.8	22.2	43.1	51.2	100.0	130.8	265.2	・
	直腸	C19-C20	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	12.8	9.8	11.1	29.3	29.3	52.9	53.8	60.9	・
	肝および肝内胆管	C22	43.1	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	2.1	6.8	12.8	22.0	68.9	58.6	117.1	123.5	230.8	182.6	・
	胆のう・胆管	C23-C24	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	7.3	11.1	19.0	9.8	50.0	92.3	160.9	・
	膵臓	C25	33.8	0.0	0.0	0.0	0.0	0.0	0.0	3.0	2.6	0.0	6.8	10.3	14.6	62.2	55.2	80.5	100.0	107.7	200.0	・
	喉頭	C32	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	4.9	5.9	3.8	8.7	・
	肺	C33-C34	105.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.3	6.8	23.1	24.4	82.2	153.4	261.0	270.6	546.2	791.3	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	7.7	13.0	・
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.4	0.0	3.8	4.3	・
	前立腺	C61	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	11.1	20.7	34.1	50.0	115.4	352.2	・
	膀胱	C67	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	11.1	24.1	7.3	17.6	61.5	126.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	4.9	4.4	19.0	22.0	26.5	30.8	126.1	・
	脳・中枢神経系	C70-C72	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	4.9	2.2	3.4	0.0	5.9	11.5	17.4	・
	甲状腺	C73	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.2	2.4	2.9	0.0	4.3	・
	悪性リンパ腫	C81-C85 C96	14.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.4	8.9	19.0	29.3	47.1	84.6	104.3	・
	多発性骨髄腫	C88-C90	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.2	4.9	8.8	34.6	34.8	・
	白血病	C91-C95	12.8	0.0	3.6	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	5.1	14.6	13.3	22.4	22.0	41.2	61.5	56.5	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	265.0	0.0	0.0	0.0	3.2	0.0	11.1	9.1	7.9	38.3	76.1	83.3	145.5	187.8	281.3	375.0	560.0	768.3	1,292.7	・
	口腔・咽頭	C00-C14	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	3.1	4.2	8.9	9.8	27.3	・
	食道	C15	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.4	0.0	6.1	6.3	10.4	2.2	4.9	12.7	・
	胃	C16	28.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.8	10.9	7.1	6.8	10.2	35.9	39.6	55.6	78.0	154.5	・
	大腸（結腸・直腸）	C18-C20	41.6	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.3	4.3	8.7	14.3	31.8	28.6	31.3	54.2	84.4	126.8	214.5	・
	結腸	C18	32.9	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.3	2.1	8.7	9.5	22.7	18.4	26.6	37.5	62.2	107.3	176.4	・
	直腸	C19-C20	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.8	9.1	10.2	4.7	16.7	22.2	19.5	38.2	・
	肝および肝内胆管	C22	17.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.4	2.3	10.2	12.5	20.8	35.6	68.3	94.5	・
	胆のう・胆管	C23-C24	15.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.1	14.1	27.1	31.1	56.1	89.1	・
	膵臓	C25	27.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	2.2	7.1	4.5	22.4	34.4	58.3	68.9	73.2	116.4	・
	喉頭	C32	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・
	肺	C33-C34	36.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.2	9.5	13.6	22.4	31.3	58.3	71.1	95.1	209.1	・
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	2.4	0.0	0.0	1.6	2.1	2.2	2.4	3.6	・
	乳房	C50	23.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	19.6	16.7	38.6	38.8	37.5	29.2	53.3	46.3	60.0	・
	子宮	C53-C55	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	12.8	6.5	9.5	18.2	12.2	9.4	20.8	33.3	29.3	40.0	・
	子宮頸部	C53	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	6.5	4.8	6.8	2.0	3.1	6.3	11.1	9.8	18.2	・
	子宮体部	C54	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.8	6.8	4.1	6.3	10.4	15.6	12.2	5.5	・
	卵巣	C56	6.7	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	10.9	9.5	4.5	6.1	9.4	2.1	11.1	19.5	23.6	・
	膀胱	C67	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.6	2.1	4.4	12.2	20.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	6.3	8.3	13.3	14.6	43.6	・
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	2.3	4.1	3.1	0.0	4.4	7.3	5.5	・
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	3.1	2.1	4.4	7.3	9.1	・
	悪性リンパ腫	C81-C85 C96	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	2.3	4.1	10.9	6.3	20.0	41.5	52.7	・
	多発性骨髄腫	C88-C90	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	7.8	6.3	15.6	12.2	21.8	・
	白血病	C91-C95	4.6	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	2.3	0.0	12.5	8.3	8.9	19.5	12.7	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

愛媛県2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	341.9	0.0	3.6	0.0	3.1	2.0	5.6	9.1	14.5	25.5	57.8	104.9	158.8	294.7	455.7	611.2	865.8	1,235.8	1,819.2	・
	口腔・咽頭	C00-C14	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	3.7	2.4	5.3	10.7	11.2	16.5	16.4	32.1	・
	食道	C15	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	4.9	4.7	17.0	21.3	27.0	30.4	20.9	14.1	・
	胃	C16	42.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	6.4	8.9	13.6	11.8	21.3	61.5	77.5	115.2	153.7	232.1	・
	大腸（結腸・直腸）	C18-C20	43.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.9	4.3	5.6	18.5	34.1	30.9	50.8	66.3	113.9	149.3	247.4	・
	結腸	C18	32.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.6	3.2	5.6	9.9	24.7	20.2	34.4	43.8	78.5	116.4	202.6	・
	直腸	C19-C20	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	0.0	8.6	9.4	10.6	16.4	22.5	35.4	32.8	44.9	・
	肝および肝内胆管	C22	29.4	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	1.1	4.4	7.4	11.8	38.3	34.4	65.2	73.4	131.3	120.5	・
	胆のう・胆管	C23-C24	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.7	8.5	16.4	19.1	39.2	70.1	110.3	・
	膵臓	C25	30.2	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1.3	0.0	4.4	8.6	9.4	41.5	44.3	68.5	82.3	86.6	141.0	・
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.2	2.5	1.5	2.6	・
	肺	C33-C34	68.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.2	4.4	16.0	18.8	51.1	89.3	151.7	157.0	270.1	380.8	・
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.3	0.0	0.0	1.2	0.0	0.0	2.5	1.1	1.3	4.5	6.4	・
	乳房	C50	12.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	10.0	8.6	20.0	20.2	21.3	16.9	30.4	29.9	43.6	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	6.4	12.3	4.5	10.1	31.3	51.3	・
	腎・尿路（膀胱除く）	C64-C66 C68	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.7	2.1	12.3	14.6	19.0	20.9	67.9	・
	脳・中枢神経系	C70-C72	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	2.2	0.0	3.5	3.2	3.3	0.0	5.1	9.0	9.0	・
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	4.1	2.2	3.8	4.5	7.7	・
	悪性リンパ腫	C81-C85 C96	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	2.4	6.4	14.8	16.9	31.6	58.2	67.9	・
	多発性骨髄腫	C88-C90	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.6	5.6	12.7	20.9	25.6	・
	白血病	C91-C95	8.5	0.0	1.8	0.0	0.0	0.0	0.0	1.5	2.6	0.0	0.0	2.5	8.2	6.4	17.2	14.6	22.8	35.8	25.6	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計